

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N French Dr, Hobbs, NM 88240
District II - (575) 748-1283
811 S First St, Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd, Aztec, NM 87410
District IV - (505) 476-3460
1220 S St. Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. 30-015-37495
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Yates Petroleum Corporation		6. State Oil & Gas Lease No. VO-7330 & VO-7347
3. Address of Operator 104 South Fourth Street, Artesia, New Mexico 88210		7. Lease Name or Unit Agreement Name Torpedo "BOW" State Com.
4. Well Location Unit Letter <u>M</u> : <u>600</u> feet from the <u>south</u> line and <u>330</u> feet from the <u>West</u> line Section <u>11</u> Township <u>25S</u> Range <u>27E</u> NMPM <u>Eddy County</u>		8. Well Number 001H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3170'		9. OGRID Number 025575
		10. Pool name or Wildcat <u>WC; G-02 S252715A; B.S.</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Change depth and formation ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum request to change this well from a Wolfcamp to a 2nd Bone Springs well with the MD being 12,147' and the TVD being 7780'.



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Clifton May TITLE Land Regulatory Agent DATE April 26, 2012

Type or print name Clifton May E-mail address: PHONE: 575-748-4347

APPROVED BY: J.C. Inghard TITLE Geologist DATE 5/2/2012

Conditions of Approval (if any):

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 15, 2009

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RECEIVED

MAY 02 2012

NMOCD ARTESIA WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-015-37495	Pool Code 97816	Pool Name WILDEAT, G-02 S252715A B.S.
Property Code 37990	Property Name TORPEDO "BOW" STATE COM	Well Number 1H
GRID No. 025575	Operator Name YATES PETROLEUM CORP.	Elevation 3170'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	11	25 S	27 E		660	SOUTH	330	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	11	25 S	27 E		660	SOUTH	330	EAST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

PRODUCING AREA SURFACE LOCATION Lat - N 32°08'21.01" Long - W 104°10'08.93" NMSPCE- N 414399.517 E 592330.241 (NAD-83)		PROJECT AREA PROPOSED BOTTOM HOLE LOCATION Lat - N 32°08'20.83" Long - W 104°09'13.02" NMSPCE- N 414388.672 E 596964.953 (NAD-83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Clifton May</i> 5/1/12 Signature Date Clifton May Printed Name
DATE SURVEYED DECEMBER 10, 2009 SIGNATURE & SEAL OF PROFESSIONAL SURVEYOR <i>Gary L. Jones</i>		SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief DATE SURVEYED DECEMBER 10, 2009 SIGNATURE & SEAL OF PROFESSIONAL SURVEYOR <i>Gary L. Jones</i>	
CERTIFICATE NO. Gary L. Jones 7977		Basin Surveys	

Co:	Yates Petroleum Corporation					Units:	Feet, °, 7100ft		VS-Az:	90.13		Method:	Minimum Curvature	
Drillers:	0					Elevation:			Map System:	NAD83, St. Plane, Wyoming West				
Well Name:	Torpedo BOW State Com #1H					Northing:			Latitude:					
Location:	Sec. 11, 25S-27E					Easting:			Longitude:					
Yates Petroleum Corporation: Torpedo BOW State Com#1H														
No.	MD	CL	Inc.	Azi.	TVD	VS	+N/S-	+E/W-	BR	WR	DLS	Comments		
0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
1	470.00	470.00	0.00	0.00	470.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 CASTILLE 470'		
2	740.00	270.00	0.00	0.00	740.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 TOS 740'		
3	2130.00	1390.00	0.00	0.00	2130.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 BOS, 2130'		
4	2360.00	230.00	0.00	0.00	2360.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 BELL CANYON, 2360'		
5	3170.00	810.00	0.00	0.00	3170.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 CHERRY CANYON, 3170'		
6	4260.00	1090.00	0.00	0.00	4260.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 BRUSHY CANYON 4260'		
7	5550.00	1290.00	0.00	0.00	5550.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00 BRUSHY CANYON MKR		
8	5835.00	285.00	0.00	0.00	5835.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00 BONE SPRING, 5835'		
9	6800.00	965.00	0.00	0.00	6800.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00 FBSG, 6800'		
10	7239.35	439.35	0.00	90.13	7239.35	0.00	0.01	0.00	0.00	0.00	1.25	0.00 KOP, 7239'		
11	7300.00	60.65	7.28	90.13	7299.84	3.85	0.00	3.85	12.00	0.00	12.00			
12	7400.00	100.00	19.28	90.13	7396.99	26.77	-0.06	26.77	12.00	0.00	12.00			
13	7500.00	100.00	31.28	90.13	7487.24	69.40	-0.16	69.40	12.00	0.00	12.00			
14	7558.17	58.17	38.26	90.13	7535.00	102.55	-0.23	102.55	12.00	0.00	12.00	SBSG 7558' MD (7535') T		
15	7600.00	41.83	43.28	90.13	7566.67	129.86	-0.30	129.86	12.00	0.00	12.00			
16	7700.00	100.00	55.28	90.13	7631.79	205.51	-0.47	205.51	12.00	0.00	12.00			
17	7800.00	100.00	67.28	90.13	7679.76	293.04	-0.68	293.04	12.00	0.00	12.00			
18	7900.00	100.00	79.28	90.13	7708.48	388.64	-0.90	388.64	12.00	0.00	12.00			
19	7982.10	82.10	89.13	90.13	7716.76	470.22	-1.09	470.21	12.00	0.00	12.00	TARGET SBSG, 7982' MI		
20	12147.09	4164.99	89.13	90.13	7780.00	4634.72	-10.84	4634.71	0.00	0.00	0.00	LATERAL TD, 12147' MD		

