## OCD-ARTESIA UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED
OM B No 1004-0137
Expires: March 31, 2007

If Indian, Allottee or Tribe Name

J. Lease Beriai IV.
1/41/4/202053

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

abandoned well. Use Form	3160 - 3 (APD) for such proposals.				
SUBMIT IN TRIPLICATE- C	Other instructions on reverse side.	7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well Oil Well Gas Well	Other	8. Well Name and No.			
2. Name of Operator OXY USA Inc.	). III (10110)				
3a. Address P.O. Box 50250 Midland, TX 79710	3b. Phone No. (include area code) 432-685-5717	30-015-03514  10. Field and Pool, or Exploratory Area			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  Lao H: US QUSBS A					
660 FSL 1980 FWL SESW(N) SEC 19 TIBS RAGE 11. County or Parish, State Foldy WM					
12. CHECK APPROPRIATE B	BOX(ES) TO INDICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent  Subsequent Report  Final Abandonment Notice  Acidize  Acidize  Casing Re  Change Pla	Fracture Treat Reclamation  epair New Construction Recomplete  Ans Plug and Abandon Temporarily	Other			

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

> TD-2424' Perfs-2307-2364'

PJ 5/30/2012

## SEE ATTACHED FOR **CONDITIONS OF APPROVAL**

MAY 2 9 2012

NMOCD ARTESIA

7" 20# csg @ 383' w/ 100sx, 9-7/8" hole, TOC-Surf-Circ

4-1/2" 11.6# csg @ 2424' w/ 150sx, 6-1/4" hole, TOC-757'-Calc

1. RIH & set CIBP @ 2257' M&P 40sx cmt to 1850' WOC-Tag

- 2. M&P 25sx cmt @ 1300-1150' WOC-Tag
- 3. Perf @ 950', sqz 50sx cmt to 720' WOC-Tag
- 4. Perf @ 433', sqz 155sx cmt to surface 10# MLF between plugs

RECLAMATION PROCEDURE ATTACHED

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)					
David Stewart	Title Regulatory Advisor				
Signature Ja · Stal	Date 4/19/12				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved by James A. Como	Title SEAS	Date 5-22-12			
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lea which would entitle the applicant to conduct operations thereon.					
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any	nerson knowingly and willfully to mak	e to any department or agency of the United			


States any false, fictitious or fiaudulent statements or représentations as to any matter within its jurisdiction.

(Instructions on page 2)

Accepted for record MMOCD

OXY USA Inc. - Proposed South Loco Hills Unit #17 API No. 30-015-03514

155sx @ 433'-Surface




9-7/8" hole @ 383' 7" csg @ 383' w/ 100sx-TOC-Surf-Calc

50sx @ 950-720' WOC-Tag

25sx @ 1300-1150' WOC-Tag

CIBP @ 2257' w/ 40sx to 1850' WOC-Tag




Perf @ 950'

6-1/4" hole @ 2424' 4-1/2" csg @ 2424' w/ 150sx-TOC-757'-Calc

Perfs @ 2304-2364'

OXY USA Inc. - Current South Loco Hills Unit #17 API No. 30-015-03514



9-7/8" hole @ 383' 7" csg @ 383' w/ 100sx-TOC-Surf-Calc

6-1/4" hole @ 2424' 4-1/2" csg @ 2424' w/ 150sx-TOC-757'-Calc

Perfs @ 2304-2364'

TD-2424'