Com 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB NO. 1004-0135 Expires July 31, 2010

OMB	IO. R	JU4-	·U13
Expires	July	31,	20
Lease Serial No.			

SUNDRY NOTICES AND REPORTS ON WELLS

NMLC069513A

abandoned well. Use form 3160-3 (APD) for such proposals.			6 If Indian, Al	6 If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.		7 If Unit or Ca 89100030	7 If Unit or CA/Agreement, Name and/or No 891000303X		
1. Type of Well			8 Well Name a	nd No. TOM BANKS 3 26 30 USA 1H	
☑ Oil Well ☐ Gas Well ☐ Other					
2 Name of Operator Contact ERIN CARSON CHESAPEAKE AGENT FOR BOPCO E-Mail: erin.carson@chk.com				9 API Well No. 30-015-39932	
		Phone No (include area code 405-935-2896		10. Field and Pool, or Exploratory WILDCAT	
4. Location of Well (Footage, Sec, T, R., M, or Survey Description)			11 County or l	11 County or Parish, and State	
Sec 3 T26S R30E Mer NMP S	SWSE 300FSL 1980FEL		EDDY CO	UNTY, NM	
12. CHECK APPI	ROPRIATE BOX(ES) TO INI	DICATE NATURE OF I	NOTICE, REPORT, OR C	THER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	□ ^{Acidize}	□ Deepen	☐ Production (Start/Resur	me) Water Shut-Off	
_	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity	
Subsequent Report	☐ Casing Repair	■ New Construction	Recomplete	Other	
☐ Final Abandonment Notice	□ Change Plans .	□ Plug and Abandon	☐ Temporarily Abandon		
13 Describe Proposed or Completed Ope	Convert to Injection	□ Plug Back	☐ Water Disposal		
THE PIPELINE WILL BE PER EXISTING DISTURBANCES, WORKING GREATER THAN pressure		G COATED AND BURIES BANKS 3 26 30 TO THE	PLU PHANTOM BANKS 1	FOLLOWING , WITH A . Fed I H	
CHK PN 640121	Analyzed in	E4-12-801 8	J NOT		
SEE Attached COAs				RECEIVED	
14 Thereby certify that the foregoing is Name(Printed/Typed) ERIN CAF	Electronic Submission #13727 For CHESAPEAKE AGE Committed to AFMSS for pro	ENT FOR BOPCO, sent to cessing by KURT SIMMO	the Carlsbad	NMOCD ARTESIA	
Signature (Electronic S		Date 05/04/2	·		
	THIS SPACE FOR FI	EDERAL OR STATE	OFFICE USE		
Approved By Cody 1 de Conditions of approval, if any, are attache	<i>/</i>	Title MR	.5	Date 0 6/07/12	
ertify that the applicant holds legal or equivalent to condu-	litions of approval, if and, are attached. Approval of this notice does not warrant or by that the applicant holds legal or equitable title to those rights in the subject lease howold entitle the applicant to conduct operations thereon. CARLSBAD FIELD OFFICE Office 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United				
States any false, fictitious or fraudulent	o.s.c. section 1212, make it a crime statements or representations as to any	matter within its jurisdiction	i willfully to make to any departi	ment or agency of the United	

SECTION 1, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY NEW MEXICO GLO "1940" BC 36 36 T-26-S 6 2 1 N-S 4-STRAND N-S SECTION 3 2 1/4 COR 🤵 **USA** GLO "1940" B C 19'51"W € SURVEY 101.8' (TIE) 12 11 DESCRIPTION SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 3316.3 FEET OR 0.628 MILES IN LENGTH CROSSING USA LAND IN SECTION 1, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE CENTERLINE SURVEY. LEGEND DENOTES FOUND CORNER AS NOTED *<u>Ø DENOTES CALCULATED CORNER</u>* NOTE I, RONALD J EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY WILL THAT I AM MINIMUM STANDARDS FOR SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEY MET OF SURVEY MEETS. THE IS TRUE AND CORREGION THE BEET OF SURVEY MEDICAL AND BELIEF. THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES 1000 1000 2000 FEET RONALD J. FIDSON Scale.1"=1000 CHESAPEAKE OPERATING. INC. TNG COMPANY SURVEY OF A PIPELINE DAL PASO HOBBS, N.M. 88240 (575) 393-3117 www.jwsc.biz CROSSING SECTION 1, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M. REVISION RECORD EDDY COUNTY, NEW MEXICO APPROVAL DATE REMARKS INITIATOR Survey Date: 4/10 & 11/12 CAD Date: 4/30/11 Drawn By: DSS W.O. No.: 12110689 Rev. . Rel. W O .: Sheet 1 of © DonnaS\Easements\2012\12110689 Chesapeake Pipeline 126 R30 Eddy

SECTION 2, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY NEW MEXICO 010 "1940" BC 36 35 35 T-25-S T-26-S 2 19'51"E ---STATE 1/4 COR -GLO "1940" B.C GLC "1940" BC SOC'19'51 109 8' (TIE)-3 -101 8' (TIE) S89*36*20"W 4883.8 S89'34'09"W 5316.4 12 11 10 DESCRIPTION A STRIP OF LAND 30 O FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 2, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M. EDDY COUNTY, NEW MEXICO, AND BEING 15.0 FEET LEFT AND 15.0 FEET RIGHT OF THE FOLLOWING DESCRIBED CENTERLINE BEGINNING AT A POINT ON THE EAST LINE OF SAID SECTION 3, WHICH LIES NOO'19'51"W 101.8 FEET FROM THE SOUTHEAST CORNER: THEN S89'36'20"W 4883.8 FEET; THEN N89'57'43"W 400.0 FEET; THEN N87'34'51"W 32.8 FEET TO A POINT ON THE WEST LINE, WHICH LIES' NOO'23'20"W 109.8 FEET FROM THE SOUTHWEST CORNER OF SAID SECTION. SAID STRIP OF LAND BEING 5316.6 FEET OR 322.22 RODS IN LENGTH, CONTAINING 3.662 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS. SE/4 SE/4 80.55 RODS OR 0 915 ACRES SW/4 SE/4 80.55 RODS OR 0.915 ACRES SE/4 SW/4 80 55 RODS OR 0.915 ACRES SW/4 SW/4 80.57 RODS OR 0.917 ACRES LEGEND DENOTES FOUND CORNER AS NOTED **⊗** DENOTES CALCULATED CORNER I, RONALD J EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES. SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY PIREON, SUPPERVISION; THAT I AM RESPONSIBLE FOR THIS SUPPERVISION; THE SURVEY MEETS THE MINIMUM STANDARDS FOR CHARMAN THE SURVEY MEETS THE MINIMUM STANDARDS FOR CHARMAN THE STANDARD FOR CHARMAN THE STANDARD FOR CHARMAN THE STANDARD FOR CHARMAN THE STANDARD AND BELIEF RONALD J. EIDSON 1000 1000 2000 FEET Scale: 1"= 1000' CHESAPEAKE OPERATING. INC. WEST STATES ING COMPANY SURVEY OF A PIPELINE 412 N DAL PASO HOBBS, N.M. 88240 (575) 393-3117 www.jwsc CROSSING SECTION 2, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M. REVISION RECORD EDDY COUNTY, NEW MEXICO DATE REMARKS INITIATOR APPROVAL

Survey Dote: 4/10 & 11/12

W.O. No: 12110689 Rev

CAD Date: 4/30/11

Rel. W.O:

Drawn By: DSS

Sheet 1 of 1

SECTION 3. TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M., NEW MEXICO EDDY COUNTY 34 35 34 T-25-S T-26-S 3 2 3 END SURVEY AT SOUTHEAST CORNER OF PLU PHANTOM BANKS 3-26-30 USA #IH WE P.I. 8356'31" RT. **USA** 1/4 COP. GLO "1940", B.G. 1/4 COR 🏟 GLO "1940" B.C. PLU PHANTOM BANKS 3-26-30 USA #1H N87*34'51"W 167.3 NO6*18'37"W 589'36'09"W 2667.5 1/4 COR. 10 872.8' (TE) GIO "1940" B.C DESCRIPTION SURVEY OF A STRIP OF LAND 50 O FEET WIDE AND 1816.3 FEET OR 0.344 MILES IN LENGTH CROSSING USA LAND IN SECTION 3, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE CENTERLINE SURVEY. **LEGEND** DENOTES FOUND CORNER AS NOTED **⊗** DENOTES CALCULATED CORNER I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH, IT IS BASED WERE PERFORMED BY ME OR UNDER NOT DIFFECTIVE PERFORMENT IT I AM RESPONSIBLE FOR THIS SEPTIME. THAT I FISCURIVE WEETS THE MINIMUM STANDARDS FOR COUNT WANT IN NEW SURVICE, AND THAT IT IS TRUE AND CORRECT TO THE AGEST OF AN REDUXEDE AND BELIEF. NOTE BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES. 1000 2000 FEET RONALD J. EIDSON. Scale: 1"= 1000" DATE: CHESAPEAKE OPERATING, INC. OHN WEST BORVEYING COMPANY SURVEY OF A PIPELINE 412 N. DAL PASO HOBBS, N.M. 88240 3) 393-3117 www.iwe CROSSING SECTION 3, TOWNSHIP 26 SOUTH, RANGE 30 EAST, N.M.P.M. REVISION RECORD EDDY COUNTY, NEW MEXICO DATE REMARKS INITIATOR APPROVAL Survey Date: 4/10 & 11/12 CAD Date: 4/30/11 Drawn By DSS W.O. No.: 12110689 Rev. Rel. W.O.: Sheet 1 of © DonnaS\Easements\2012\12110689 Chesapeake Pipeline T26 R30 Eddy

PLU Phantom Banks 3 26 30 USA No 1H buried flowline BLM LEASE NUMBER: NMLC 069513A COMPANY NAME: Chesapeake Energy Corporation

BURIED PIPELINE STIPULATIONS

A copy of the, Grant and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

- 5. All construction and maintenance activity will be confined to the authorized right-of-way.
- 6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.
- 7. Blading of all vegetation in the right-of-way will not be allowed. Blading is defined as the complete removal of brush and ground vegetation. Clearing of brush species will be allowed. Clearing defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface. In areas where clearing is allowed, maximum width of these operations will not exceed 35 feet. Blading is only allowed within the width of the pipeline trench.
- 8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately 6 inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.
- 9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.
- 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3
() seed mixture 2	() seed mixture 4
(x) seed mixture 2/LPC	() Aplomado Falcon Mixture

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. Special Stipulations:

The edge of the disturbance shall not exceed the shoulder of the road by more than 20 feet where following existing access roads. The buried line shall not be placed more than 15 feet away from existing buried line where following existing buried lines

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.