

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N French Dr, Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd, Aztec, NM 87410
District IV - (505) 476-3460
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. 30-015-39495
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA WTP LP		6. State Oil & Gas Lease No. X0-0636
3. Address of Operator PO BOX 4294; HOUSTON, TX 77210		7. Lease Name or Unit Agreement Name Roo 22 State
4. Well Location Unit Letter <u>L</u> : 2160 feet from the <u>S</u> line and 638 feet from the <u>W</u> line Section 22 Township 17S Range 28E NMPM County EDDY		8. Well Number #3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3598' GR		9. OGRID Number 192463
		10. Pool name or Wildcat ARTESIA ; GLORIETA-YESO (O) - 96830

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: COMPLETION <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PLEASE SEE ATTACHMENT



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jennifer Duarte TITLE REGULATORY ANALYST DATE 05/23/2012

Type or print name JENNIFER DUARTE E-mail address: jennifer_duarte@oxy.com PHONE: 713-513-6640

For State Use Only

APPROVED BY: Dr. J. S. Spewer TITLE DATE 06/20/2012

Conditions of Approval (if any):

Roo 22 State #3

Frac Details: 4/08/2012

Stage #1:

Perforation Gun: 4" PowerJet Omega SLB gun w/ 38.8 gm charges, 0.48" EHD and 51.7" penetration @ 5 SPF on 72 degree phasing).

Perforations: 4,684'-4,696'

Re-perforations: NA

Cross Linked Gel: 154,012 gals

Linear Gel: 18,382 gals

15% HCl Acid: 2000 gals

Stage #2:

Perforation Gun: 4" PowerJet Omega SLB gun w/ 38.8 gm charges, 0.48" EHD and 51.7" penetration @ 5 SPF on 72 degree phasing).

Perforations: 4,330'-4,342'

Re-perforations: NA

Cross Linked Gel: 154,903 gals

Linear Gel: 10,347 gals

15% HCl Acid: 2000 gals

Stage #3:

Perforation Gun: 4" PowerJet Omega SLB gun w/ 38.8 gm charges, 0.48" EHD and 51.7" penetration @ 5 SPF on 72 degree phasing).

Perforations: 4,086'-4,098'

Re-perforations: NA

Cross Linked Gel: 153,984 gals

Linear Gel: 12,556 gals

15% HCl Acid: 2000 gals

Stage #4:

Perforation Gun: 4" PowerJet Omega SLB gun w/ 38.8 gm charges, 0.48" EHD and 51.7" penetration @ 5 SPF on 72 degree phasing).

Perforations: 3,626'-3,638'

Re-perforations: NA

Cross Linked Gel: 156,291 gals

Linear Gel: 14,467 gals

15% HCl Acid: 1500 gals

Occidental Oil & Gas Corp – Permian Primary – North NM/Terrell RMT

Well: Roo 22 State #3		API: 30-015-39495	
State: New Mexico	County: Eddy	T18S R28E, Sec 22	2160' FSL & 638' FWL
Field: Empire	TD: 4,998'	PBTD: 4,952.6'	KB: 3,612.1' ASL
Casing Size:	Grade/Weight:	Depth:	Cement:
9-5/8"	J-55 LTC / 36#	422'	400 sx, circ'd to surf
5-1/2"	L-80 LTC / 17#	4,998'	1,450 sx, circ'd to surf

