

UNITED STATES

FORM APPROVED OMB NO. 1004-0135

	JREAU OF LAND MANA		Artesia		res [.] July 31, 2010		
SUNDRY	NOTICES AND REPO	RTS ON WELLS		5 Lease Serial No NMLC02873			
Do not use thi abandoned wel	s form for proposals to I. Use form 3160-3 (AF	o drill or to re-enter an PD) for such proposals.		6 If Indian, Allott	ce or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					greement, Name and/or No 39X		
Type of Well ☐ Gas Well ☐ Other					8 Well Name and No DODD FEDERAL UNIT 638		
2 Name of Operator Contact BRIAN MAIORINO COG OPERATING LLC E-Mail bmaiorino@concho com)2-00-S1		
3a Address 550 WEST TEXAS AVENUE S MIDLAND, TX 79701	3b Phone No (include area code) Ph: 432-221-0467		TO Field and Pool, or Exploratory DODD - GLORIETA-UPPER YESO				
4 Location of Well (Footage, Sec. 7	., R , M., or Survey Description	on)		11 County or Parish, and State			
Sec 14 T17S R29E SESW 33	OFSL 2550FWL			EDDY COU	NTY, NM		
12. CHECK APPE	ROPRIATE BOX(ES) T	O INDICATE NATURE OF N	OTICE, RE	EPORT, OR OT	HER DATA		
TYPE OF SUBMISSION		TYPE OF	ACTION	N			
☐ Notice of Intent	☐ Acidize	☐ Deepen	_	ion (Start/Resume) ☐ Water Shut-Off		
	☐ Alter Casing	☐ Fracture Treat	☐ Reclama	ation	☐ Well Integrity		
Subsequent Report	☐ Casing Repair	☐ New Construction	□ Recomp	lete	Other Drilling Operations		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	hours.	arily Abandon	Drining Operations		
	☐ Convert to Injection	☐ Plug Back -	□ Water D	Disposal			
If the proposal is to deepen directions. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	ally or recomplete horizontally rk will be performed or provid operations If the operation repandonment Notices shall be final inspection)	ont details, including estimated starting, give subsurface locations and measure the Bond No on file with BLM/BIA esults in a multiple completion or recorded only after all requirements, including	red and true ve Required sul impletion in a range reclamation.	ertical depths of all p bsequent reports sha new interval, a Form n, have been comple	ertinent markers and zones il be filed within 30 days 3160-4 shall be filed once sted, and the operator has		
5/10/12 TEST CSG AND FRA	C VALVE TO 3500 LBS	FOR 30 MIN, HOLD GOOD,51	00 LBS FO	R 5 MIN HOLD	GOOD		
5/11/12 PBTD 4493'Perf Pado	lock 4100'-4350', 26 Hol	es. 1SPF					
5/15/12 Acidize paddock w/ 20 sand+ 13,376# of 16/30 Siber	058 gal 15%, frac w/97,7 Prop	742 Gals. gel carrying 98,426# o	of 16/30 Bra	ady			
5/24/12 RIG UP FOAM UNIT A PBTD CIRCULATE WELL CL		CIRCULATION AND CLEAN S	AND DOW	N FROM 43551	ΓΟ 4506' NEW		
5/25/12 TIH W/2 7/8 B PLUG, TAC, 2= 2 7/8 NEW TBG, 2 7		DESANDER, 2 7/8 S NIPLE, 11 7/8 NEW TBG	I= 2 7/8 NE	W TBG, 5 1/2			
					RECEIVED		
14 Thereby certify that the foregoing is	true and correct. Electronic Submission	#144264 verified by the BLM Well	Information	n System	AUG 1 4 2012		

For COG OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by KURT SIMMONS on 08/03/2012 (12KMS2675SE)

NMOCD ARTESIA Name (Printed/Typed) BRIAN MAIORINO **AUTHORIZED REPRESENTATIVE** Accepted for record NMOCD-80 Signature (Electronic Submission) 07/31/2012 THIS SDACE FOR FEDERAL OR STATE OFFICE LISE

INIO OFACE F	OK FEDERAL	OKSINIE	OFFICE USE

Approved By	
Conditions of approval, if any, are attached Approval of this notice does not	
ertify that the applicant holds legal or equitable title to those rights in the sul	oject lease

JAMES A AMOS Title SUPERVISOR EPS

Date 08/11/2012

which would entitle the applicant to conduct operations thereon

Office Carlsbad

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Additional data for EC transaction #144264 that would not fit on the form

32. Additional remarks, continued

5/29/12 TIH W/2 1/2 X 1 1/2 X 20' INSERT PUMP, 12= 11/2 S BARS, 160= 7/8 N 97 STEEL RODS, 8'4'X 7/8 PONY, 1 1/2 POLISH ROD, HANG WELL ON LOAD AND TEST TO 500 LBS HOLD GOOD, RDMO, turn over to production