Forma 3160-5 (April 2004)

1. Type of Well

2. Name of Operator

3a Address

UNITED STATES · DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OM B No 1004-0137 Expires March 31, 2007

5	I	.eas	æ	Seu	al	Νo	

۸ ۱	ILA	m	-	الما	^
\sim	\mathbf{r}	\cup	L	110	

SUNDRY NOTICES AND REPORTS ON WELLS

Gas Well

Acidize

Alter Casing

Casing Repair

Change Plans

Convert to Injection

OXY USA WTP LP

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)

determined that the site is ready for final inspection)

P.O Box 50250 Midland, TX 79710

TYPE OF SUBMISSION

Notice of Intent

L Subsequent Report

Final Abandonment Notice

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

6 If Indian, Allottee or Tribe Name 7 If Unit or CA/Agreement, Name and/or No SUBMIT IN TRIPLICATE- Other instructions on reverse side. 8 Well Name and No Federal IBB Gas Com #1 192463 API Well No 30-015-10744 3b Phone No (include area code) 432-685-5717 10 Field and Pool, or Exploratory Area Indian Basin UD Penn (11 County of Parish, State 1650 FNL 1650 FWL SENW(F) Sec 14 T225 R23E 12 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NÓTICE REPORT, OR OTHER DATA TYPE OF ACTION Deepen Production (Start/Resume) Water Shut-Off Fracture Treat Well Integrity Reclamation New Construction Recomplete Plug and Abandon Temporarily Abandon Plug Back Water Disposal 13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion in a new interval, a Form 3160-4 shall be filled once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has TD-7680' PBTD-7653' Perfs-7543-7564' OCT **0 2** 2012 13-3/8" 48# csg @ 150' w/ 325sx, 17-1/2" hole, TOC-Surf-Circ 8-5/8" 32# csg @ 2123' w/ 1735sx, 11" hole, TOC-Surf-Circ NMOCD ARTESIA 5-1/2" 15 5-17# csg @ 7678' w/ 1045sx, 7-7/8" hole, TOC-Surf-Circ 1. RIH & set CIBP @ 7493' w/ 25sx cmt to 7335' WOC-Tag 2 M&P 25sx cmt @ 6620-6455' WOC-Tag SFE ATTACHED FOR 3 M&P 25sx cmt @ 4360-4215' WOC-Tag 4 M&P 30sx cmt @ 2173-1973' WOC-Tag CONDITIONS OF APPROVAL 5. M&P 25sx cmt @ 580-415' WOC-Tag

6 M&P 30sx cmt @ 200' to Surface 10# MLF between plugs	RECLAMATION PROCEDURE ATTACHED
14 I hereby certify that the foregoing is true and correct Name (Printed/Typed)	
David Stewart	Title Regulatory Advisor
Signature de Signature	Date Slielia
THIS SPACE FOR FEDERAL	OR STATE OFFICE USE
Approved by James a. Come	Title SEPS Date 9-29-R
Conditions of approval, if any, are attached Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject leas which would intitle the applicant to conduct operations thereon	
Title 18 USC Section 1001 and Title 43 U.S.C. Section 1212, make it a cume for any patents any false, fictitions or finandulent statements or representations as to any matter	oerson knowingly and willfully to make to any department or agency of the Unite within its urrisdiction

(Instructions on Jf 10/3/2012

Accepted for record

OXY USA WTP LP - Proposed Federal IBB Gas Com #1 API No. 30-015-10744

__30sx @ 200' - Surface 17-1/2" hole @ 150' 13-3/8" csg @ 150' w/ 325sx-TOC-Surf-Circ 25sx @ 580-415' WOC-Tag 11" hole @ 2125' 8-5/8" csg @ 2123' 30sx @ 2173-1973' WOC-Tag w/ 1735sx-TOC-Surf-Circ 25sx @ 4360-4215' WOC-Tag 25sx @ 6620-6455' WOC-Tag 7-7/8" hole @ 7680' 5-1/2" csg @ 7678' CIBP @ 7493' w/ 25sx w/ 1045sx-TOC-Surf-Circ Perfs @ 7543-7564'

TD-7680'

OXY USA WTP LP - Current Federal IBB Gas Com #1 API No. 30-015-10744

> _17-1/2" hole_@_150'_ 13-3/8" csg @ 150' w/ 325sx-TOC-Surf-Circ 11" hole @ 2125' 8-5/8" csg @ 2123' w/ 1735sx-TOC-Surf-Circ 7-7/8" hole @ 7680' 5-1/2" csg @ 7678' w/ 1045sx-TOC-Surf-Circ Perfs @ 7543-7564' TD-7680'