

French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-28876
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Lawrence ADZ
8. Well Number 2
9. OGRID Number 025575
10. Pool name or Wildcat Atoka San Andres

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>RECEIVED JUN 2 5 2005 OCD-ARTESIA</p>
<p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/></p>		
<p>2. Name of Operator Yates Petroleum Corporation</p>		
<p>3. Address of Operator 105 S. 4th Street, Artesia, NM 88210</p>		
<p>4. Well Location Unit Letter <u>H</u> : <u>2310</u> feet from the <u>North</u> line and <u>330</u> feet from the <u>East</u> line Section <u>22</u> Township <u>18S</u> Range <u>26E</u> NMPM <u>Eddy</u> County</p>		
<p>11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3321'GR</p>		
<p>Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/></p>		
<p>Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____</p>		
<p>Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____</p>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/></p>		<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/></p>	
<p>OTHER: <input type="checkbox"/></p>		<p>OTHER: <input type="checkbox"/></p>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. MIRU all safety equipment necessary.
2. Set a 5-1/2" CIBP at 1708' with 35' cement on top.
3. Circulate hole with 9.5# mud.
4. Shoot squeeze holes at 1100'. Test to 500 psi, if holds spot 100' (25 sx) cement plug inside casing. Tag plug.
5. If no test is achieved, spot 100' (35 sx) cement plug in and out of casing from 1628'-1728'. Tag plug.
6. Spot 60' (15 sx) cement plug at surface.
7. Cut off wellhead and install marker.

PERF @ 60' - Place 60' of Cmt. 0'-60' - TAG in & out -

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed of closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE June 23, 2005

Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No. 505-748-1471

For State Use Only

APPROVED BY: [Signature] TITLE Field Rep ID DATE JUL 5 2005

Conditions of Approval (if any):

WELL NAME: Lawrence ADZ # 2 Field: Dayton

LOCATION: Unit H, Sec 22, T18S-26E 2310' FNL & 330' FEL Eddy County


GL: 3321' ZERO: KB: 3329

SPUD DATE: 3/24/96 COMPLETION DATE: 4/26/96

COMMENTS: 30-005-28876

BEFORE
PTA

8 5/8" 24# 8R J-55	1060'
5 1/2" 15.5# J-55 ST&C	1920'




Not to Scale

WELL NAME: Lawrence ADZ # 2 **Field:** Dayton
LOCATION: Unit H, Sec 22, T18S-26E 2310' FNL & 330' FEL Eddy County
GL: 3321' **ZERO:** _____ **KB:** 3329
SPUD DATE: 3/24/96 **COMPLETION DATE:** 4/26/96
COMMENTS: 30-005-28876

8 5/8" 24# 8R J-55	1060'
5 1/2" 15.5# J-55 ST&C	1920'

After
PTA



Not to Scale

30-015-28876-00-00

LAWRENCE ADZ No. 002

Company Name: YATES PETROLEUM CORPORATION

Location: Sec: 22 T: 18S R: 26E Spot:

Lat: 32.7342510749128 Long: -104.362332719016

Property Name: LAWRENCE ADZ

County Name: Eddy

String Information

String	Bottom (ft sub)	Diameter (inches)	Weight (lb/ft)	Length (ft)
HOL1	40	16		
SURF	40	16	99	40
HOL2	1060	8.625		
I1	1060	8.625	24	1060
PKR	1719	5.5		5
PROD	1918	5.5	15.5	1918
HOL3	1918	5.5		
T1	1714	2.875		1714

Cement from 40 ft. to surface

Surface: 16 in. @ 40 ft.

Hole: 16 in. @ 40 ft.

Cement Information

String	BOC (ft sub)	TOC (ft sub)	Class	Sacks
I1	1060	0	C	625
PROD	1918	0	C	300
SURF	40	0	C	9999

Cement from 1060 ft. to surface

Intermediate: 8.625 in. @ 1060 ft.

Hole: 8.625 in. @ 1060 ft.

Perforation Information

Top (ft sub)	Bottom (ft sub)	Shts/Ft	No Shts	Dt Sqz
1758	1826			

Formation Information

St Code	Formation	Depth
Psa	San Andres	982

Cement from 1918 ft. to surface

Packer: 5.5 in. @ 1719 ft.

Tubing: 2.875 in. @ 1714 ft.

Production: 5.5 in. @ 1918 ft.

Hole: 5.5 in. @ 1918 ft.

TD:

TVD: 1920

PBTD: