District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505


State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	nk covered by a "general plan"? Yes X No below-grade tank Closure of a pit or below-grade tank	ade tank X RECEIVE	
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 Address: 105 South 4th Street, Artesia, NM 88210 Facility or well name: Erma Com 2 API #: 30-005-63502 U/L or Qtr/Q County: Chaves Latitude 33.48051 Longitude	Otr_A_ Sec_1_T_10SR_24E_	JUL 18 2005	
Surface Owner: Federal State Private _X Indian			
Pit Type: Drilling X Production Disposal Work over Emergency Lined X Unlined Liner type: Synthetic X Thickness 12 mil Clay Pit Volume 12,000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If n	_	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) XXXX (10 points) (0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX	
	Ranking Score (Total Points)	20 Points	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's are burying in place) onsite offsite X. If offsite, name of facility: N/A date. (4) Groundwater encountered: No Yes If yes, show depth beloes (5) Attach soil sample results and a diagram of sample locations and excavate Additional Comments: Closure work plan for drilling pit. The drilling pit of the excavated area will then be backfilled to grade using a minimum of 3 Conservation Division.	(3) Attach a general description of remedial act ow ground surfaceft. and attach samptions.	tion taken including remediation start date and end ple results.	
Pit Closure start date: N/A. Final closure date: N/A.			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline Date: _07/19/2005 Printed Name/TitleDan Dolan / Regulatory Agent Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.	s, a general permit X , or an (attached) altern Signature Signature ot relieve the operator of liability should the content he operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water or	
Approval: Field Supervisor Printed Name/Title	Signature	JUL 22 2005 Date:	
- LAX			



New Mexico Office of the State Engineer	
Well Reports and Downloads	<i>'</i>
ACCURATE TO 1 TO	uma C

Township: 10S Range: 24E

Sections: 1

NAD27 X:

Y:

Zone:

Search Radius:

RECEIVED

County:

Basin:

Number:

Suffix:

Owner Name: (First)

(Last)

ONon-Domestic ODomestic

All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 07/13/2005

(Depth Water in Feet)

Y Wells X Min Max 16 107 10S 24E 01 46

Record Count: 4