District J
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

Santa Fe, NM 87505 office

Pit or Below-Grade Tank Registration or Closure

RR: 3-9.05 OK Kotuf C. C		SEP 14 2005
Approval: Printed Name/Title	SignatureAccepted for re-	Date UN 3 0 2005
A-111 1 70	A A A	, seets, or room into mile of regulations.
Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of its content of the content of	elieve the operator of liability should the contents of	
Date: <u>06/02/05</u> Printed Name/Title Dan Dolan / Regulatory Agent	Signature	he
been/will be constructed or closed according to NMOCD guidelines , a g	general permit X or an (attached) alternative Oc	GD-approved plan [].
AMENDMENT TO PREVIOUS C-144 DATED 4/4/05 I hereby certify that the information above is true and complete to the best of m	by knowledge and belief I further cartify that he	other described nit or below grade tank has
OCD will be made before pit closure action begins. Beginning pit closure date:	N/A. Ending pit closure date: N/A	DATE 4/6/2005
encapsulation trench will then be capped using a 20 mil synthetic liner and back		
cement will be mixed using a track hoe and water added if needed. After compl	letion of solidifying pit material in cement and pit co	ontents have set in place for a minimum of 24 hours, the
contents will be excavated and emplaced into the encapsulation trench using a r	·	- -,
) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. An encapsulation trer		tic liner next to existing drilling pit. The drilling pit
roundwater encountered: No [] Yes [] If yes, show depth below ground surf		
· · · · · · · · · · · · · · · · · · ·	(3) Attach a general description of remedial action to	disposal location: (check the onsite box if you are burying aken including remediation start date and end date. (4)
	Ranking Score (Total Points)	20 points
ingation canais, unches, and perchinal and epitemetal watercourses.	1000 feet or more	(0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
Source, of less than 1000 feet from an other water sources.	Less than 200 feet	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX
water elevation of ground water.)		(0 points)
	50 feet or more, but less than 100 feet 100 feet or more	(10 points)
Type: Drilling X Production Disposal Work over Emergency Lined X Unlined Liner type: Synthetic Thickness 12 mil Clay Pit Volume 12,000 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points) XXXX
	Double-walled, with leak detection? Yes If r	OCU-ANTESIA
	Volume:bbl Type of fluid: Construction material:	LEOLIVED
Pit True Delling V. Preductic Cl Discord Cl	Below-grade tank	
Surface Owner: Federal State Private X Indian		COD-MATERIA
Louinty. Eddy Lantide. 32.92733 Longhade. 10	4.35825 NAD: 1927 ☐ 1983 X	JUN 2 7 2005
Address: 105 South 4 th Street, Artesia, N.M. 88210 Facility or well name: Clarence BCU 1 API #: 30-015-33148 U/L or Qtr/Qtr	- D. Sec. 14 T. 16S R. 26F	RECEIVED