This Form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem test. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATIONS TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

rn New Mex	xico				estern New			
T. Anhy				5323'		hy Canyon	6950'	T. Penn "B"
T. Salt T.			T. Strawn		ınd-Fruitland∑		T. Penn "C"	
B. Salt			T. Atoka			red Cliffs		T. Penn "D"
T. Yates			T. Miss		T. Cliff			T. Leadville
T. 7 Rivers			T. Devonian		T. Men	efee		T. Madison
T. Queen			T. Silurian		T. Poin	t Lookout		T. Elbert
T. Grayburg			T. Montoya	T. Man	cos		T. McCracken	
T. San Andres			T. Simpson		T. Gallu	ıp –		T. Ignacio Otzte
T. Glorieta			T. McKee		Base G	reenhorn		T. Granite
T. Paddock			T. Ellenburger		T. Dako	ota -		T
T. Blinebry			T. Gr. Wash	T. Morr	ison -		Т.	
T. Tubb			T. Delaware Sand		T. Todi	to -		T.
T. Drinkard	i —		T. Bone Springs	8254'	T. Entra	ada -		T
T. Abo	-		T. Rustler	tustler 576'		ate -		Т.
T. Wolfcam	T. Wolfcamp		T. Lamar	4296'	T. Chin	le -		ÎT.
T. Penn	•		T. Ramsey	amsey 4317'		nian -		T.
T. Cisco (B	Bough C)		T. Blue Marker	5746'	T. Penr	ז "A" -		T.
								OIL OR GAS SANDS OR ZONES
No. 1, from	1	to.						.to
No. 2, from)	to.			No. 4, f	rom		.to
				IMPORT	ANT WAT	ER SAND	S	
include dat	ta on rate of wa	ter inflow and ele	evation to which water re					
No. 1, from	1	to.			feet			
No. 2, from)	to.			feet			
No. 3, from)	to.						
110. 0,	• • • • • • • • • • • • • • • • • • • •		OGY RECORD (Att					
[Τ	Thicknes In	, , , , , , , , , , , , , , , , , , ,	401. 444	1	· · · · · · · · · · · · · · · · · · ·	Thickness in T	
From	То	Feet	Lithology	<i>y</i>	From	То	Feet	Lithology
1	[l			1		

		Thicknes In				Thickness in	
From	То	Feet	Lithology	From	То	Feet	Lithology
4296'	4296' 4317' 8254' 11841'	4296'	Sand, Anhydrite Limestone Sandstone Limestone, Shale Sandstone				
		*					