

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources


Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised August 1, 2011
1. WELL API NO.
30-015-34031
2. Type of Lease
 STATE FEE FED/INDIAN
3. State Oil & Gas Lease No.
VO-5053

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing: **Filing C-105 per NMOCD request**
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Blackbird BKR State
6. Well Number:
2



7. Type of Completion:
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER P&A

8. Name of Operator
Yates Petroleum Corporation
9. OGRID
025575

10. Address of Operator
105 South Fourth Street, Artesia, NM 88210
11. Pool name or Wildcat
Grayburg Jackson; 7 Rivers QU-GB-SA

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	H	32	16S	28E		1650	North	660	East	Eddy
BH:										

13. Date Spudded
RC 11/30/11
14. Date T.D. Reached
5/30/05
15. Date Rig Released
NA
16. Date Completed (Ready to Produce)
12/12/12 P&A
17. Elevations (DF and RKB, RT, GR, etc.)
3592'GR 3609'KB

18. Total Measured Depth of Well
9950'
19. Plug Back Measured Depth
NA
20. Was Directional Survey Made?
No
21. Type Electric and Other Logs Run
None

22. Producing Interval(s), of this completion - Top, Bottom, Name
NA

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

REFER TO ORIGINAL COMPLETION

24. LINER RECORD	25. TUBING RECORD						
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
3340'-3414' (41)	
2276'-2407' (58)	1500g 15% NEFE HCL, 80 balls
1896'-1918' (44)	7140g 15% NEFE HCL, 140 bbls 15% HCL acid
1688'-1704'	3500g 15% HCL acid
1354'-1418' (57)	2000g 15% HCL acid, 40 balls
	1500g 7-1/2% Morrow type acid, 100 balls

PRODUCTION

28. Date First Production
Production Method (Flowing, gas lift, pumping - Size and type pump)
Well Status (Prod. or Shut-in)
Plugged and Abandoned

Date of Test
Hours Tested
Choke Size
Prod'n For Test Period
Oil - Bbl
Gas - MCF
Water - Bbl.
Gas - Oil Ratio

Flow Tubing Press.
Casing Pressure
Calculated 24-Hour Rate
Oil - Bbl.
Gas - MCF
Water - Bbl.
Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
30. Test Witnessed By

31. List Attachments

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Printed Name Tina Huerta Title Regulatory Reporting Supervisor Date January 10, 2013

E-mail Address: tinah@yatespetroleum.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T	T. Entrada	
T. Wolfcamp	T	T. Wingate	
T. Penn	T	T. Chinle	
T. Cisco	T	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
			REFER TO ORIGINAL COMPLETION				