


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT



FORM APPROVED  
OMB No. 1004-0137  
Expires: July 31, 2010

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No. NM-98186  
6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2.**

7. If Unit of CA/Agreement, Name and/or No.

1. Type of Well  
 Oil Well     Gas Well     Other

8. Well Name and No.  
Acme 15 Federal #2G

2. Name of Operator  
Devon Energy Production Co LP

9. API Well No.  
30-015-36451

3a. Address  
PO BOX 250, Artesia, NM 88211

3b. Phone No. (include area code)  
575-748-0184

10. Field and Pool or Exploratory Area  
Lusk, Morrow (Gas) West

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
1980' FNL & 1805' FEL. Sec. 15, T19S, R31E, Unit G

11. Country or Parish, State  
Eddy

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input checked="" type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Location _____
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

- Devon Energy has contracted Talon/LPE to do reclamation activities at Acme 15 Federal No. 2, a plugged well location.
- On 10/12/2012 Talon/LPE mobilized personnel to the site to carry out soil sampling activities for the construction of a work plan. Grab soil samples were collected from the surface of the location. The soil samples were sent to Cardinal Laboratories for analysis of total Chlorides via Method SM4500Cl-B. The results for the soil samples are attached. A site plan is also attached.
- The surface of the closed drilling pit area will be bladed to prepare for the installation of a liner. Rock and debris will be deep buried into the closed drilling pit area. A composite 20 millimeter liner two hundred (200') feet long by one hundred twenty (120') feet wide will be installed over the closed drilling pit area. The edges of the liner will be keyed a minimum of 3-feet deep into a trench excavated at the boundaries of the closed drilling pit area.
- Soil will be transported in from a local borrow pit. A minimum of 2-foot of new soil will be placed over the top of the 20 mil liner in closed drilling pit area. The soil lift will be contoured to match the surrounding terrain.
- The caliche from the lease road and location will be removed. It will be deep buried under location or used to repair lease roads in the area.
- The location will be ripped, cross-ripped and windrows will be installed over the drilling pit area and location. The lease road, drilling pit and location will be seeded using the recommended BLM seed mixture for the area.
- A road closure berm will be installed to prevent access to lease road or location.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)  
Jerry Chaney

Accepted for record  
NMOCD *[Signature]*

Title Assistant Production Foreman

Signature

*[Signature: Jerry Chaney]*

Date 11/29/2012

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

*[Signature: James G. Armo]*

Title SEPS

Date 12-16-12

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CAO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

32° 39' 44.2" N  
103° 51' 16.1" W

Drilling Pit

Lease Road

S-6

S-7

S-8



S-5

S-1

S-2

S-3

S-4



Legend  
◆ - Sample Location



Date: 10/30/2012

Scale: 1" = 60'

Drawn By: TJS

Acme 15 Federal No. 2  
Devon Energy Corporation  
Artesia, New Mexico  
Figure 1 - Site Plan



October 25, 2012

MIKE STUBBLEFIELD  
TALON LPE  
408 W. TEXAS AVE.  
ARTESIA, NM 88210

RE: ACME 15 FED. COM. NO. 2

Enclosed are the results of analyses for samples received by the laboratory on 10/22/12 15:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene  
Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 10/22/2012  
 Reported: 10/25/2012  
 Project Name: ACME 15 FED. COM. NO. 2  
 Project Number: 700794.048.01  
 Project Location: SEC. 15-T19S - R31E

 Sampling Date: 10/12/2012  
 Sampling Type: Soil  
 Sampling Condition: \*\* (See Notes)  
 Sample Received By: Jodi Henson

**Sample ID: S - 1 0' (H202577-01)**

Chloride, SM4500Cl-B mg/kg			Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2012	ND	400	100	400	0.00	

**Sample ID: S - 2 0' (H202577-02)**

Chloride, SM4500Cl-B mg/kg			Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2012	ND	400	100	400	0.00	

**Sample ID: S - 3 0' (H202577-03)**

Chloride, SM4500Cl-B mg/kg			Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2012	ND	400	100	400	0.00	


**Sample ID: S - 4 0' (H202577-04)**

Chloride, SM4500Cl-B mg/kg			Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2012	ND	400	100	400	0.00	

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 TALON LPE  
 MIKE STUBBLEFIELD  
 408 W. TEXAS AVE.  
 ARTESIA NM, 88210  
 Fax To: (575) 745-8905

 Received: 10/22/2012  
 Reported: 10/25/2012  
 Project Name: ACME 15 FED. COM. NO. 2  
 Project Number: 700794.048.01  
 Project Location: SEC. 15-T19S - R31E

 Sampling Date: 10/12/2012  
 Sampling Type: Soil  
 Sampling Condition: \*\* (See Notes)  
 Sample Received By: Jodi Henson

**Sample ID: S - 5 0' (H202577-05)**

Chloride, SM4500Cl-B			mg/kg							Analyzed By: HM		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier			
Chloride	<16.0	16.0	10/24/2012	ND	400	100	400	0.00				

**Sample ID: S - 6 0' (H202577-06)**

Chloride, SM4500Cl-B			mg/kg							Analyzed By: HM		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier			
Chloride	11400	16.0	10/24/2012	ND	400	100	400	0.00				

**Sample ID: S - 7 0' (H202577-07)**

Chloride, SM4500Cl-B			mg/kg							Analyzed By: HM		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier			
Chloride	<16.0	16.0	10/24/2012	ND	400	100	400	0.00				


**Sample ID: S - 8 0' (H202577-08)**

Chloride, SM4500Cl-B			mg/kg							Analyzed By: HM		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier			
Chloride	7980	16.0	10/24/2012	ND	400	100	400	0.00				

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


**Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit  
RPD Relative Percent Difference  
\*\* Samples not received at proper temperature of 6°C or below.  
\*\*\* Insufficient time to reach temperature.  
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

101 East Marland, Hobbs, NM 88240  
 (575) 393-2326 FAX (575) 393-2476

Company Name: <u>Talon/LPE</u>		<b>BILL TO</b>		<b>ANALYSIS REQUEST</b>																						
Project Manager: <u>Mike Stubbelfeld</u>		P.O. #:																								
Address: <u>408 West Cedar Ave.</u>		Company: <u>Talon/LPE</u>																								
City: <u>Artesia</u> State: <u>N.M.</u> Zip: <u>88212</u>		Attn:																								
Phone #: <u>575-441-7254</u> Fax #:		Address:																								
Project #: <u>700794.088.01</u> Project Owner:		City:																								
Project Name: <u>Acme 15 Fed. Com. No. 2</u>		State: Zip:																								
Project Location: <u>sec. 15-7195-R 31E</u>		Phone #:																								
Sampler Name: <u>m Stubbelfeld</u>		Fax #:																								
FOR LAB USE ONLY																										
Lab I.D.	Sample I.D.	(G)RABOR (C)OMP.	# CONTAINERS	MATRIX				PRESERV.		SAMPLING		Total Chlorides														
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE/COOL		OTHER:	DATE	TIME											
<u>A202577</u>																										
<u>1</u>	<u>5-1 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>3:40 P</u>	/										
<u>2</u>	<u>5-2 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>3:54 P</u>	/										
<u>3</u>	<u>5-3 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>3:44 P</u>	/										
<u>4</u>	<u>5-4 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>3:50 P</u>	/										
<u>5</u>	<u>5-5 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>4:00 P</u>	/										
<u>6</u>	<u>5-6 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>4:15 P</u>	/										
<u>7</u>	<u>5-7 0'</u>	<u>C</u>				/								<u>10/12/12</u>	<u>4:10 P</u>	/										
<u>8</u>	<u>5-8 0'</u>	<u>C</u>				/							<u>10/12/12</u>	<u>4:05 P</u>	/											

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <u>m Stubbelfeld</u>	Date: <u>10/22/12</u>	Received By: <u>Godi Benson</u>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
	Time: <u>7:05</u>		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
Delivered By: (Circle One)	Sample Condition	CHECKED BY: (Initials)		
Sampler - UPS - Bus - Other:	Cool Intact <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<u>GA</u>		

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

#26