Form 3160-5 (August 1999)

# UNITED STATES

DEPARTMENT OF THE INTERIORAPR 3 0 2013 BUREAU OF LAND MANAGEMENT

ONB No. 1004-0135

Expires November 30, 2000

5. Lease Serial No.

# SUNDRY NOTICES AND REPORTS ON WELLS ARTESIA

NMLC C068431

If Indian, Allotee or Tribe Name

FORM APPROVED

Do not use this form for proposals to drill or to re-	enter an 6. If Indian, Allotee or Tribe Name			
abandon well. Use Form 3160-3 (APD) for such pro				
	7. If Unit or CA/Agreement, Name and/or No.			
SUBMIT IN TRIPLICATE - Other instructions on revers	e side 891000303X  8. Well Name and No.			
1. Type of Well  ☐ Gas Well ☐ Other	PLU Remuda Basin 4-24-30 USA # 1			
Oil Well Gas Well Other  2. Name of Operator	9. API Well No.			
BOPCO, L.P.	30- 015-40660			
3a. Address 3b. Phone No. (include are	a code) 10. Field and Pool, or Exploratory Area			
P.O. Box 2760 Midland, Texas 79702-2760 (432) 683-23	77 Wildcat ; G-06-52430M ; BS			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	11. County or Parish, State			
175' FNL , 1250' FEL , Section 4 - T24S - R 30E.	EDDY COUNTY, N.M.			
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NAT	URE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Itent Acidize Deepen	☐ Production (Start/ Resume) ☐ Water Shut-Off			
☐ Alter Casing ☐ Fracture Tre				
☐ Subsequent Report ☐ Casing Repair ☑ New Constru ☐ Change Plans ☐ Plug and Ab				
☐ Final Abandonmment ☐ Convert to Injection ☐ Plug Back	Water Disposal			
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  BOPCO, L.P. respectfully requests approval to install a low pressure (+/- 100-200 psi.) 10" SWD (SDR 9) waterline for +/- 4,533.4' and 8" gas steel line for +/- 4,364.7' from PLU Remuda Basin 4-24-30 to PLU # 320. The SWD line will start on southside of pad at PLU Remuda Basin 4-24-30 west for +/- 168' turn north along pad for +/- 293.9', the gas line start at northwest corner of pad at PLU Remuda Basin 4-24-30 in Section 4-T24S-R30E, both lines will cross lease road and turn west in Section 33-T23S-R30E and parallel proposed powerline ROW for +/-1575.9', turn south and continue along powerline ROW to PLU #320 battery pad in Section 4-T24S R30E. The 10" SWD line will turn southeast to northside of PLU #320 battery pad and connect to exsiting SWD line at header. The 8" steel gas line continue along westside of PLU #320 battery pad and connect to exsiting 8 gas line an southwest corner of PLU #320 battery pad. The route is attached along with the Survey Plats.				
NMOCD SUDGE 5/1/20/3				
14. I hereby certify that the foregoing is true and correct	Title			
Name (Printed/Typed) Lorenzo Chacon	Production Foreman			
Signature Jungo (Lego-	Date 04/03/13			
THIS SPACE FOR FEDERAL OR	STATE OFFICE USE			
Approved by /s/George MacDonell	Title FIELD MANAGER APR 2 5 2013			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or	Office			


which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CARLSBAD FIELD OFFICE

certify that the applicant holds legal or equitable title to those rights in the subject lease


# SECTION 4, TOWNSHIP 24 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.



### LEGAL DESCRIPTION


A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 4, TOWNSHIP 24 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

4533.4 FEET = 0.86 MILES = 274.75 RODS = 3.12 ACRES



SECTION 33, TOWNSHIP 23 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY.


NEW MEXICO.




## LEGAL DESCRIPTION

A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 33, TOWNSHIP 23 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

1575.9 FEET = 0.31 MILES = 95.51 RODS = 1.08 ACRES





PROPOSED PLU REMUDA BASIN 4-24-30 SWD LINE Section 33, Township 23 South, Range 30 East, Section 4, Township 24 South, Range 30 East, N.M.P.M., Eddy County, New Mexico.




P:O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fax basinsurveys.com

W.O. Number: JG — 28320P	
Survey Date: 3-18-2013	9
Scale: 1" = 2000'	
Date: 3-22-2013	Commence of the Commence of th

BOPCO, L.P.


## SECTION 4, TOWNSHIP 24 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.




### L<u>EGAL DESCRIPTIO</u>N

A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 4, TOWNSHIP 24 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

4364.7 FEET = 0.83 MILES = 264.53 RODS = 3.00 ACRES





SECTION 33, TOWNSHIP 23 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.



A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 33, TOWNSHIP 23 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

1629.4 FEET = 0.31 MILES = 98.75 RODS = 1.12 ACRES





REF: PROPOSED PIPELINE TO PLU REMUDA BASIN 4-24-30 GAS LINE

Section 33, Township 23 South, Range 30 East, Section 4, Township 24 South, Range 30 East, N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 — Office (575) 392-2206 — Fax basinsurveys.com

W.O. Number: JG - 28320P	d
Survey Date: 3-18-2013	8
Scale: 1" = 2000'	
Date: 3-22-2013	14

BOPCO, L.P.

### **BLM LEASE NUMBER: NMLC 068431**

**COMPANY NAME: BOPCO** 

ASSOCIATED WELL NAME: PLU Remuda Basin 4-24-30 USA 1H

#### **BURIED PIPELINE STIPULATIONS**

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended; 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.		
6. The pipeline will be buried with a minimum cover of <u>36</u> inches between the top of the pipe and ground level.		
7. The maximum allowable disturbance for construction in this right-of-way will be $\underline{30}$ feet:		
• Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed 20 feet. The trench is included in this area. (Blading is defined as the complete removal of brush and ground vegetation.)		
• Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.)		
• The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (Compressing can be caused by vehicle tires, placement of equipment, etc.)		
8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately6 inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.		
9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.		
10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.		
11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.		
12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.		
<ul> <li>( ) seed mixture 1</li> <li>( ) seed mixture 3</li> <li>( ) seed mixture 2</li> <li>( ) seed mixture 4</li> <li>( ) seed mixture 4</li> <li>( ) Aplomado Falcon Mixture</li> </ul>		

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
  - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
  - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.

### 19. Special Stipulations:

#### Lesser Prairie-Chicken

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration

other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.