

Form C-105 Revised August 1, 2011

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED MAY 10 2013 NMOC ARTESIA

Submit To: Appropriate District Office  
Two Copies  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

1. WELL API NO. 30-015-40954

2. Type of Lease  
☒ STATE ☐ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:  
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)  
☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name  
Birdseye 32 State

6. Well Number:  
2H

7. Type of Completion:  
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator  
COG Operating LLC

9. OGRID  
229137

10. Address of Operator  
2208 W. Main Street  
Artesia, NM 88210

11. Pool name or Wildcat  
Gatuna Canyon; Bone Spring

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	32	19S	31E		190	South	330	East	Eddy
BH:	A	32	19S	31E		332	North	417	East	Eddy

13. Date Spudded 2/26/13 14. Date T.D. Reached 3/11/13 15. Date Rig Released 3/13/13 16. Date Completed (Ready to Produce) 4/26/13 17. Elevations (DF and RKB, RT, GR, etc.) 3462' GR

18. Total Measured Depth of Well 13612' 19. Plug Back Measured Depth 13608' 20. Was Directional Survey Made? Yes 21. Type Electric and Other Logs Run None

22. Producing Interval(s), of this completion - Top, Bottom, Name  
9238-13520' Bone Spring

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	54.5#	630'	17 1/2"	750 sx	0
9 5/8"	40#	3950'	12 1/4"	1450 sx	0
5 1/2"	17#	13612'	7 7/8"	1200 sx	0

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)  
9238-13457' (506)  
13510-13520' (60)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.  
DEPTH INTERVAL 9238-13457' AMOUNT AND KIND MATERIAL USED Acdz w/33205 gal 7 1/2%; Frac w/3073037# sand & 2581486 gal fluid

28. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
5/2/13	Pumping	Producing
Date of Test 5/7/13	Hours Tested 24	Choke Size 28/64"
Prod'n For Test Period	Oil - Bbl 656	Gas - MCF 762
Water - Bbl 1469	Gas - Oil Ratio	
Flow Tubing Press. 380#	Casing Pressure 200#	Calculated 24-Hour Rate
Oil - Bbl 656	Gas - MCF 762	Water - Bbl 1469
Oil Gravity - API - (Corr.)		

29. Disposition of Gas (Sold, used for fuel, vented, etc.)  
Sold

30. Test Witnessed By  
Adam Olguin

31. List Attachments  
Directional Surveys

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: [Signature] Printed Name: Stormi Davis Title: Regulatory Analyst Date: 5/9/13

E-mail Address: sdavis@concho.com

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 781'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2193'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Rustler 697'	T. Morrison	
T. Drinkard	T. Bone Spring Lime 6758'	T. Todilto	
T. Abo	T. 1 <sup>st</sup> Bone Spring 8197'	T. Entrada	
T. Wolfcamp	T. 2 <sup>nd</sup> Bone Spring 8956'	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology