District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subset \text{No} \)

| Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank | | | |
|--|---|--|--------------|
| Operator: Yates Petroleum Corporation Telephone: (505) 748-4372 e-mail address: debbiec@ypcnm.com | | | |
| Address: 105 South 4th Street, Artesia, NM 88210 | | | |
| Address: 105 South 4th Street, Artesia, NM 88210 Facility or well name: Samuel Smith Unit #2 API # 30 - 015-32518 U/L or Qtr/Qtr I Sec 32 T 23S R 24E | | | |
| County: Eddy Latitude Longitude NAD: 1927 | | | |
| Pit Type: Drilling ☑ Production ☐ Disposal ☐ | Below-grade tank | | RECEIVED |
| Workover ☐ Emergency ☐ | Volume:bbl Type of fluid: | | |
| Lined ⊠Unlined □ | Construction material: | | OCT 0 6 2005 |
| Liner type: Synthetic ⊠Thickness 12 mil | Double-walled, with leak detection? Yes If not, explain why not. | | OCD-ANTEBIA |
| Clay Volume 20,000 bbl | | | |
| | | (20 | |
| Depth to ground water (vertical distance from bottom of pit to seasonal | Less than 50 feet | (20 points) | G. |
| high water elevation of ground water.) | 50 feet or more, but less than 100 feet | (10 points) | 0 |
| | 100 feet or more | (O points) | |
| Wellhead protection area: (Less than 200 feet from a private domestic | Yes | (20 points) | 0 |
| water source, or less than 1000 feet from all other water sources.) | No | (points) | |
| water source, or less than 1000 feet from an other water sources. | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | Less than 200 feet | (20 points) | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet or more, but less than 1000 feet | (10 points) | |
| integration canalist, encoures, and perchinal and optionicial water courses. | 1000 feet or more | (0 points) | 0 |
| | | | |
| | Ranking Score (Total Points) | Points | 0 |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: | | | |
| onsite offsite from If offsite, name of facility | | | |
| end date. (4) Groundwater encountered: No 🗆 Yes 🗀 If yes, show depth below ground surface | | | |
| | | | |
| and a diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank | | | |
| has been/will be constructed or closed according to NMOCD guidelines ., a general permit , or an (attached) alternative OCD-approved plan . | | | |
| Data Oraba 7 2005 | | | |
| Date: October 7, 2005 Drived News/Title Dakkin L Coffell/Decoleton Technician Simon | 16 2 2 0 2 Cd) | $Q_{m}/$ | |
| Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature L. Caffall/Regulatory Sign | | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or | | | |
| regulations. | 000 | ` | |
| Approval: | <u> </u> |) | |
| Date: | | | |
| Printed Name/life 6 2005 Supervisor Signature | | | |
| | | | |
| | | | |
| · | | | į. |