

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
300 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-24966
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator STATE OF NM formerly MARKS & GARNER		6. State Oil & Gas Lease No.
3. Address of Operator 811 S. FIRST ST. ARTESIA NM 88210		7. Lease Name or Unit Agreement Name RED TWELVE STATE
4. Well Location Unit Letter H : 1650 feet from the NORTH line and 990 feet from the EAST line Section 4 Township 17S Range 29E NMPM County EDDY		8. Well Number #2
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 14070
		10. Pool name or Wildcat CAVE GB/SA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED PLUGGING PROCEDURE

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Maley Brown

TITLE

Compliance Officer

DATE

3/22/2013

Type or print name
or State Use Only

E-mail address:

PHONE:

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

JUN 18 2013

State of New Mexico formerly MARKS & GARNER PRODUCTION LTD CO.

LEASE NAME RED TWELVE STATE #2 API 30-0 15 - 24966

U.L. H Section 4 -T 17 S-R 29 E FROM 1650 W / S L, 990 E / W L.

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLs Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Set CIBP @ 2925'. Circulate MLF. Spot 25 sxs cmt on CIBP.
3. ~~Perf~~/Spot 25 sxs cmt @ 1800'. If perf. ~~WOC & TAG~~.
4. ~~Perf~~/Spot @ 430'. Sqz/Spot 45 sxs cmt or w/ sufficient volume to circ cmt to surface inside/~~outside~~ of csg strings.
5. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

PLUGGING & ABANDONMENT WORKSHEET

OPERATOR STATE OF NM Formerly MARKS & GARNER
LEASENAME RED TWELVE STATE

SECT 4 TWN 17 S WELL # 2
FROM 1650 N/S L 990 RNG 29 E
TD: 3565 FORMATION @ TD
PBD: FORMATION @ PBD

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	8 5/8	380	SURF.		
INTMED 1					
INTMED 2					
PROD	5 1/2	3565	SURF.		
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
CUT & PULL @				TOP - BOTTOM	
INTMED 1			PERFS		-
INTMED 2			OPENHOLE		-
PROD					

* REQUIRED PLUGS DISTRICT I

RUSTLER (ANYTD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
OLONIETA	
BLINERY	
TUBS	
DRINKARD	
LABO	
WC	
FERN	
STRAWN	
ATOKA	
WORLOW	
ADIS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	25 SXS	9850'
PLUG #2	SHOE	50 SXS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #3	CIBP	25 SXS	5300'
PLUG #4	STUB	50 SXS	4600'-4700'
PLUG #6	RETNR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

430

12 1/4" HOLE

8 5/8 24
@ 380
TOC SURF

7 7/8" HOLE

25 SXS CMT
CIBP @ 2925'

3001'-3351'

5 1/2 15.5"
@ 3565
TOC SURF

TD 3565'