

Submit 1 Copy To Appropriate District Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-22889
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation		6. State Oil & Gas Lease No. V-3346
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210		7. Lease Name or Unit Agreement Name Loving AIB State
4. Well Location Unit Letter <u>G</u> : <u>1550</u> feet from the <u>North</u> line and <u>1780</u> feet from the <u>East</u> line Section <u>16</u> Township <u>23S</u> Range <u>28E</u> NMPM <u>Eddy</u> County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3024' GR		9. OGRID Number 025575
		10. Pool name or Wildcat Loving; Brushy Canyon, East

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> OTHER: <input type="checkbox"/>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/25/13 – NU BOP. Made GR down to 5900'.  
6/26/13 – Set a CIBP at 5888'. Tagged plug and circulated 270 bbls plugging mud. Spotted 30 sx Class "C" cement on top of CIBP.  
6/27/13 – Perforated at 3738'. Set packer and pumped 170 bbls down tubing.  
6/28/13 – Packer at 2479'. Pressure tested casing to surface. Did not hold was communicating with 10-3/4" intermediate casing. Spotted 120 sx Class "C" cement through squeeze perms. Calc TOC 3500'.  
7/1/13 – Released packer. Killed with 140 bbls 10# brine water. Pumped 135 sx Class "C" cement with 2% CaCl. WOC.  
7/2/13 – Casing had 100 psi, bled down in 1 min. Tagged cement plug at 3099'. Spotted 70 sx Class "C" cement at 2773'. WOC. Tagged TOC at 2366'. Spotted 35 sx Class "C" cement at 489'. WOC.  
7/3/13 – Tagged cement plug at 326'. Spotted 30 sx Class "C" cement from 150' up to surface. Topped well off with 5 sx.  
7/9/13 – Dug out cellar and cut off wellhead. Installed dry hole marker. Filled cellar. **WELL IS PLUGGED AND ABANDONED.**

File Current C103 P&A for final inspection	Approved for plugging of well bore only. Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms: <a href="http://www.emnrd.state.nm.us/oed/">www.emnrd.state.nm.us/oed/</a>	<b>RECEIVED</b> JUL 17 2013 NMOC D ARTESIA
Spud Date: <input type="text"/>	Rig Release Date: <input type="text"/>	

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Reporting Supervisor DATE July 11, 2013  
Type or print name Tina Huerta E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: SR Dade TITLE Dis. & Supervisor DATE July 18, 2013  
Conditions of Approval (if any):

★ ★ Submit Subsequent C-103