•			· · · · · · · · · · · · · · · · · · ·	3-1245	
Form 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		OMB	1 APPROVED NO. 1004-0135 s: July 31, 2010		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Oil Well Gas Well Other			5. Lease Serial No. NMLC029426	B	
			6. If Indian, Allottee		
			7. If Unit or CA/Ag	 If Unit or CA/Agreement, Name and/or No. 8. Well Name and No. H E WEST B 043 	
2. Name of Operator Contact: TERRY B CALLAHAN LINN OPERATING INC. E-Mail: tcallahan@linnenergy.com			9. API Well No. 30-015-26049		
600 TRAVIS STREET, SUITE 5100 Ph: HOUSTON, TX 77002		3b. Phone No. (include area code) Ph: 281-840-4272	10. Field and Pool, o GRAYBURG	or Exploratory IACKSON;SR-Q-G-S	
4. Location of Well (Footage, Sec., 7	n)	11. County or Parish	a, and State		
Sec 9 T17S R31E Mer NMP 5 32.843670 N Lat, 103.880050	,	EDDY COUNT	ΓΥ, NM		
12. CHECK APPI	ROPRIATE BOX(ES) T	O INDICATE NATURE OF N	OTICE, REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
☑ Notice of Intent	 Acidize Alter Casing 	 Deepen Fracture Treat 	 Production (Start/Resume) Reclamation 	 Water Shut-Off Well Integrity 	
Subsequent Report	Casing Repair	New Construction	Recomplete	Other	
Final Abandonment Notice	Change Plans	Plug and Abandon	☐ Temporarily Abandon		
-	Convert to Injection		□ Water Disposal		
13. Describe Proposed or Completed Op If the proposal is to deepen directions Attach the Bond under which the wo	ally or recomplete horizontally	give subsurface locations and measur	ed and true vertical depths of all pert	inent markers and zones.	
If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f	ally or recomplete horizontally rk will be performed or provide d operations. If the operation re bandonment Notices shall be fi- final inspection.)	nt details, including estimated starting , give subsurface locations and measur e the Bond No. on file with BLM/BIA. esults in a multiple completion or recor led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE	ed and true vertical depths of all pert Required subsequent reports shall b npletion in a new interval, a Form 31 ng reclamation, have been completed	inent markers and zones. e filed within 30 days 60-4 shall be filed once I, and the operator has	
If the proposal is to deepen direction Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi inal inspection.) STRUCT A FLARE STAC DULD LIKE TO LAY A 2"	, give subsurface locations and measur e the Bond No. on file with BLM/BIA, ssults in a multiple completion or recoi led only after all requirements, includi	ed and true vertical depths of all pert Required subsequent reports shall b npletion in a new interval, a Form 31 ng reclamation, have been completed	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has	
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY.	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi- final inspection.) STRUCT A FLARE STAC OULD LIKE TO LAY A 2" S ARE ATTACHED Type Lease Status 043 Oil Federal Active 045 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active	, give subsurface locations and measure the Bond No. on file with BLM/BIA. essults in a multiple completion or recon- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE	ed and true vertical depths of all pert Required subsequent reports shall b npletion in a new interval, a Form 31 ng reclamation, have been completed OF SEC 9, T17S, R31E, EDDY E FLARE STACK TO THE H E	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has	
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-27148 H E WEST B # 30-015-27148 H E WEST B #	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi- final inspection.) STRUCT A FLARE STAC DULD LIKE TO LAY A 2" SARE ATTACHED Type Lease Status 043 Oil Federal Active 045 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active	, give subsurface locations and measure the Bond No. on file with BLM/BIA. essults in a multiple completion or recor- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE	ed and true vertical depths of all pert Required subsequent reports shall be mpletion in a new interval, a Form 31 ng reclamation, have been completed OF SEC 9, T17S, R31E, EDDY E FLARE STACK TO THE H E RECEIVED JUN 14 2013 IMOCD ARTESIA	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has COUNTY, EWEST	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-26099 H E WEST B # 30-015-27148 H E WEST B # 30-015-27150 H E WEST B # 30-015-27564 H E WEST B #	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi- final inspection.) STRUCT A FLARE STAC OULD LIKE TO LAY A 2" ARE ATTACHED Type Lease Status 043 Oil Federal Active 043 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active 062. Oil Federal Active	, give subsurface locations and measure the Bond No. on file with BLM/BIA. ssults in a multiple completion or recor- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE 2007659 verified by the BLM Well OPERATING INC., sent to the Ca	ed and true vertical depths of all pert Required subsequent reports shall be npletion in a new interval, a Form 31 ng reclamation, have been completed F SEC 9, T17S, R31E, EDDY F FLARE STACK TO THE H E JUN 14 2013 IMOCD ARTESIA	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has COUNTY, EWEST	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-26099 H E WEST B # 30-015-27148 H E WEST B # 30-015-27150 H E WEST B # 30-015-27564 H E WEST B #	ally or recomplete horizontally rk will be performed or provide d operations. If the operation re bandonment Notices shall be fi inal inspection.) STRUCT A FLARE STAC OULD LIKE TO LAY A 2" S ARE ATTACHED Type Lease Status 043 Oil Federal Active 045 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active 062. Oil Federal Active strue and correct. Electronic Submission # For LINN C	, give subsurface locations and measure the Bond No. on file with BLM/BIA. essults in a multiple completion or recon- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE POLY STEEL LINE FROM THE 207659 verified by the BLM Well OPERATING INC., sent to the Ca for processing by KURT SIMMON	ed and true vertical depths of all pert Required subsequent reports shall be npletion in a new interval, a Form 31 ng reclamation, have been completed F SEC 9, T17S, R31E, EDDY F FLARE STACK TO THE H E JUN 14 2013 IMOCD ARTESIA	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has COUNTY, EWEST	
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-26049 H E WEST B # 30-015-27148 H E WEST B # 30-015-27150 H E WEST B # 30-015-27564 H E WEST B # 30-015-27564 H E WEST B #	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi- final inspection.) STRUCT A FLARE STAC OULD LIKE TO LAY A 2" S ARE ATTACHED Type Lease Status 043 Oil Federal Active 043 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active 062. Oil Federal Active s true and correct. Electronic Submission # For LINN C Committed to AFMSS for CALLAHAN	, give subsurface locations and measure the Bond No. on file with BLM/BIA. ssults in a multiple completion or recor- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE POLY STEEL LINE FROM THE 207659 verified by the BLM Well OPERATING INC., sent to the Ca for processing by KURT SIMMON Title REG CC	ed and true vertical depths of all pert Required subsequent reports shall be npletion in a new interval, a Form 31 ng reclamation, have been completed F SEC 9, T17S, R31E, EDDY F FLARE STACK TO THE H E UN 1 4 2013 IMOCD ARTESIA	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has COUNTY, EWEST	
If the proposal is to deepen directions Attach the Bond under which the won following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-27148 H E WEST B # 30-015-27150 H E WEST B # 30-015-27150 H E WEST B # 30-015-27564 H E WEST B # 14. I hereby certify that the foregoing is	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi final inspection.) STRUCT A FLARE STAC DULD LIKE TO LAY A 2" SARE ATTACHED Type Lease Status 043 Oil Federal Active 043 Oil Federal Active 053 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active 062. Oil Federal Active strue and correct. Electronic Submission # For LINN C Committed to AFMSS fi CALLAHAN	, give subsurface locations and measure the Bond No. on file with BLM/BIA. esults in a multiple completion or recor- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 CP POLY STEEL LINE FROM THE POLY STEEL LINE FROM THE DPERATING IN C., sent to the Ca- for processing by KURT SIMMON Title REG CC Date 05/16/20	ed and true vertical depths of all pert Required subsequent reports shall be inpletion in a new interval, a Form 31 ing reclamation, have been completed OF SEC 9, T17S, R31E, EDDY E FLARE STACK TO THE H E RECEIVED JUN 1 4 2013 IMOCD ARTESIA Information System risbad IS on 05/21/2013 () MPLIANCE SPECIALIST III	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has COUNTY, EWEST	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-26099 H E WEST B # 30-015-27148 H E WEST B # 30-015-27150 H E WEST B # 30-015-27564 H E WEST B # 14. I hereby certify that the foregoing is Name (Printed/Typed) TERRY B Signature (Electronic S	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi final inspection.) STRUCT A FLARE STAC DULD LIKE TO LAY A 2" SARE ATTACHED Type Lease Status 043 Oil Federal Active 043 Oil Federal Active 053 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active 062. Oil Federal Active strue and correct. Electronic Submission # For LINN C Committed to AFMSS fi CALLAHAN	, give subsurface locations and measure the Bond No. on file with BLM/BIA. ssults in a multiple completion or recor- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE POLY STEEL LINE FROM THE 207659 verified by the BLM Well DPERATING IN C., sent to the Ca- for processing by KURT SIMMON Title REG CC Date 05/16/20 DR FEDERAL OR STATE C	ed and true vertical depths of all pert Required subsequent reports shall be inpletion in a new interval, a Form 31 ing reclamation, have been completed OF SEC 9, T17S, R31E, EDDY E FLARE STACK TO THE H E RECEIVED JUN 1 4 2013 IMOCD ARTESIA Information System risbad IS on 05/21/2013 () MPLIANCE SPECIALIST III	inent markers and zones. ie filed within 30 days 60-4 shall be filed once and the operator has COUNTY, WEST AMADA AMADA COUNTY, C	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for f LINN WOULD LIKE TO CONS NM. IN ADDITION, LINN WO B2 BATTERY. NOTE: SURVEY AND PLATS API Well Name Well Number 30-015-26049 H E WEST B # 30-015-26049 H E WEST B # 30-015-27148 H E WEST B # 30-015-27150 H E WEST B # 30-015-27564 H E WEST B # 30-015-27564 H E WEST B # 30-015-27564 H E WEST B #	ally or recomplete horizontally rk will be performed or provide operations. If the operation re bandonment Notices shall be fi inal inspection.) STRUCT A FLARE STAC DULD LIKE TO LAY A 2" SARE ATTACHED Type Lease Status 043 Oil Federal Active 043 Oil Federal Active 053 Oil Federal Active 054 Oil Federal Active 062. Oil Federal Active Committed to AFMSS fi CALLAHAN Submission) THIS SPACE FO	, give subsurface locations and measure the Bond No. on file with BLM/BIA. ssults in a multiple completion or recor- led only after all requirements, includi CK LOCATED IN NW/4 NW/4 C POLY STEEL LINE FROM THE POLY STEEL LINE FROM THE DOPERATING INC., sent to the Ca for processing by KURT SIMMOD Title REG CC Date 05/16/20 DR FEDERAL OR STATE C Title. FLELL S not warrant or	ed and true vertical depths of all pert Required subsequent reports shall be npletion in a new interval, a Form 31 ng reclamation, have been completed OF SEC 9, T17S, R31E, EDDY E FLARE STACK TO THE H E UN 1 4 2013 IMOCD ARTESIA	inent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has COUNTY, EWEST	


** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Additional data for EC transaction #207659 that would not fit on the form

32. Additional remarks, continued

i r

> 30-015-27480 H E WEST B #063 Oil Federal Active 30-015-27402 H E WEST B #064 Oil Federal Active 30-015-28132 H E WEST B #073 Oil Federal Active 30-015-28264 H E WEST B #074 Oil Federal Active 30-015-28314 H E WEST B #077 Oil Federal Active 30-015-28315 H E WEST B #079 Oil Federal Active 30-015-28316 H E WEST B #080 Oil Federal Active 30-015-28316 H E WEST B #080 Oil Federal Active 30-015-28300 H E WEST B #083 Oil Federal Active 30-015-28300 H E WEST B #084 Oil Federal Active 30-015-28388 H E WEST B #086 Oil Federal Active 30-015-28483 H E WEST B #086 Oil Federal Active 30-015-28468 H E WEST B #086 Oil Federal Active 30-015-28577 H E WEST B #088 Oil Federal Active 30-015-28565 H E WEST B #089 Oil Federal Active 30-015-28470 H E WEST B #089 Oil Federal Active 30-015-28470 H E WEST B #091 Oil Federal Active 30-015-28538 H E WEST B #092 Oil Federal Active



BLM LEASE NUMBER: NMLC 029426B COMPANY NAME: LINN Operating INC ASSOCIATED WELL NAME: H E West B 43

STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the application (Grant, Sundry Notice, APD) and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:

a. Activities of the holder including, but not limited to construction, operation, maintenance,

1

and termination of the facility.

b. Activities of other parties including, but not limited to:

- (1) Land clearing.
- (2) Earth-disturbing and earth-moving work.
- (3) Blasting.
- (4) Vandalism and sabotage.
- c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.

6. All construction and maintenance activity will be confined to the authorized right-of-way width of 20 feet. If the pipeline route follows an existing road or buried pipeline right-of-way, the surface pipeline must be installed no farther than 10 feet from the edge of the road or buried pipeline right-of-way. If existing surface pipelines prevent this distance, the proposed surface pipeline must be installed immediately adjacent to the outer surface pipeline. All construction and maintenance activity will be confined to existing roads or right-of-ways.

7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.

8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.

9. The pipeline shall be buried with a minimum of 24 inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface.

10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.

13. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.

14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.

15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

16. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, powerline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

17. Surface pipelines must be less than or equal to 4 inches and a working pressure below 125 psi.

3

- 18. Special Stipulations:
 - a. <u>Lesser Prairie-Chicken:</u> Oil and gas activities will not be allowed in lesser prairiechicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted.