

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 July 17, 2008																
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		1. WELL API NO. 30-015-41178 2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN 3. State Oil & Gas Lease No. X0 -0647-0405																
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)		5. Lease Name or Unit Agreement Name A State (308701) 6. Well Number: 065																
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER		<div style="border: 2px solid black; padding: 5px; display: inline-block;"> RECEIVED AUG 21 2013 </div>																
8. Name of Operator Apache Corporation		9. OGRID 873 NMOCD ARTESIA																
10. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		11. Pool name or Wildcat Artesia; Glorieta-Yeso (0) (96830)																
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	C	26	17S	28E		300'	N	2055'	W	Eddy								
BH:	C	26	17S	28E		353'	N	2291'	W	Eddy								
13. Date Spudded 05/22/2013	14. Date T.D. Reached 05/27/2013	15. Date Rig Released 05/28/2013		16. Date Completed (Ready to Produce) 06/25/2013		17. Elevations (DF and RKB, RT, GR, etc.) 3679' GR												
18. Total Measured Depth of Well 5919'		19. Plug Back Measured Depth 5871'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run HI-RES LL;BHC;HNGR;CN;CAL												
22. Producing Interval(s), of this completion - Top, Bottom, Name Blinebry/Tubb 4985'-5610'; Blinebry 4140'-4843'; Glorieta/Paddock 3440'-4057'																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED													
8.625"	24#	417'	12.25"	310 sx Class C														
5.5"	17#	5919'	7.875"	1010 sx Class C														
24. LINER RECORD																		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD													
					SIZE	DEPTH SET	PACKER SET											
					2-7/8"	5729'												
26. Perforation record (interval, size, and number) Blinebry/Tubb 4985'-5610' (1-JSPF 30 holes) Producing Blinebry 4140'-4843' (1-JSPF 32 holes) Producing Glorieta/Paddock 3440'-4057' (1-JSPF 33 holes) Producing					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:50%;">DEPTH INTERVAL</th> <th style="width:50%;">AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>Blinebry/Tubb</td> <td>199,164 gals 20#; 246,742# sand; 3,822 gals acid; 4,830 gals 10# gel</td> </tr> <tr> <td>Blinebry</td> <td>219,912 gals 20#; 271,215# sand; 3,528 gals acid; 3,990 gals 10# gel</td> </tr> <tr> <td>Glorieta/Paddock</td> <td>209,244 gals 20#; 275,861# sand; 3,864 gals acid; 3,318 gals 10# gel</td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	Blinebry/Tubb	199,164 gals 20#; 246,742# sand; 3,822 gals acid; 4,830 gals 10# gel	Blinebry	219,912 gals 20#; 271,215# sand; 3,528 gals acid; 3,990 gals 10# gel	Glorieta/Paddock	209,244 gals 20#; 275,861# sand; 3,864 gals acid; 3,318 gals 10# gel
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
Blinebry/Tubb	199,164 gals 20#; 246,742# sand; 3,822 gals acid; 4,830 gals 10# gel																	
Blinebry	219,912 gals 20#; 271,215# sand; 3,528 gals acid; 3,990 gals 10# gel																	
Glorieta/Paddock	209,244 gals 20#; 275,861# sand; 3,864 gals acid; 3,318 gals 10# gel																	
28. PRODUCTION																		
Date First Production 06/25/2013		Production Method (Flowing, gas lift, pumping - Size and type pump) 640 Pumping Unit				Well Status (Prod. or Shut-in) Producing												
Date of Test 07/13/2013	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 32	Gas - MCF 37	Water - Bbl. 459	Gas - Oil Ratio 1156											
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 38.9												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By Apache Corp.												
31. List Attachments Inclination Report, C-102, C-103, C-104 (Logs submitted 06/06/2013)																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																		
33. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude _____ Longitude _____ NAD 1927 1983																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature				Printed Name	Michael J. O'Connor	Title	Reg Tech I	Date	08/20/2013									
E-mail Address michael.oconnor@apachecorp.com																		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 598'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 827'	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1396'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 1791'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2083'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 3431'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 3544'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry 4062'	T. Gr. Wash	T. Dakota	
T. Tubb 5015'	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp	T. Tansill	T. Wingate	
T. Penn	T. Bowers-SD 1173'	T. Chinle	
T. Cisco (Bough C)	T. Yeso 3544'	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology