

,					
Form 3160-5 (August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS			OMB	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010	
			5. Lease Serial No. NMLC069513	3A	
Do not use ti abandoned w	6. If Indian, Allotte	e or Tribe Name			
SUBMIT IN TR	7. If Unit or CA/Ag	7. If Unit or CA/Agreement, Name and/or 1			
1. Type of Well 2 Oil Well 3 Gas Well 3 O		8. Well Name and No. PLU PHANTOM BANKS 1 FEDERAL			
2. Name of Operator BOPCO, L.P. Contact: DAVID P CORGILL E-Mail: dpcorgill@basspet.com			9. API Well No. 30-015-37030)	
3a. Address 3t 522 W. MERMOD #704 P		3b. Phone No. (include area code Ph: 575-887-7329 Fx: 575-887-7473) 10. Field and Pool, WILDCAT	10. Field and Pool, or Exploratory WILDCAT	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description))	11. County or Paris	11. County or Parish, and State	
Sec 1 T26S R30E 400FSL 1	980FEL		EDDY COUN	TY, NM	
12. CHECK API	PROPRIATE BOX(ES) TO) INDICATE NATURE OF	NOTICE, REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	C Acidize	Deepen	Production (Start/Resume)	🗖 Water Shut-O	
—	Alter Casing	Fracture Treat	Reclamation	🗖 Well Integrit	
Subsequent Report	Casing Repair	🛛 New Construction	Recomplete	🗖 Other	
Final Abandonment Notice	Change Plans	Plug and Abandon	Temporarily Abandon		
	Convert to Injection	Plug Back	U Water Disposal		
 Describe Proposed or Completed O If the proposal is to deepen direction 	nally or recomplete horizontally.	in dotains, morading estimated startin	ired and true vertical depths of all ner	tinent merilion and new	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.)	the Bond No. on file with BLM/BL/ sults in a multiple completion or rec ed only after all requirements, includ	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete	be filed within 30 days 160-4 shall be filed onc	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco,L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, an proposed powerline will conn located in section 28, T25, R attached showing powerline in	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt of ederal #1H well pad locate d.parallel El Paso Pipeline tect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ed only after all requirements, include verhead electric line that will d in section 1, T26S, R30E. ⁷ Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and the cleared of the	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is	be filed within 30 days 160-4 shall be filed ond d, and the operator has	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco,L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, an proposed powerline will conn located in section 28, T25, R attached showing powerline	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt of ederal #1H well pad locate d.parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ed only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and could for record MACCD	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is	be filed within 30 days 160-4 shall be filed onc	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco, L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, an proposed powerline will conn located in section 28, T25, R attached showing powerline to Sarface C	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt of ederal #1H well pad locate d parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ed only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and code 10/8//3 feet for record	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is	be filed within 30 days 160-4 shall be filed ond d, and the operator has	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco, L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, an proposed powerline will conn located in section 28, T25, R attached showing powerline to Sarface C	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt of ederal #1H well pad locate d.parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ed only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and could for record MACCD 218558 verified by the BLM We DPCO, L.P., sent to the Carlsb processing by JOHNNY DICKE	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is	be filed within 30 days 160-4 shall be filed ond d, and the operator has	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco,L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, an proposed powerline will conn located in section 28, T25, R attached showing powerline in Scrface C 14. Thereby certify that the foregoing Name(Printed/Typed) DAVID P	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt of ederal #1H well pad locate d.parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ed only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and could for record MACCD 218558 verified by the BLM We DPCO, L.P., sent to the Carlsb processing by JOHNNY DICKE	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is II Information System ad RSON on 08/29/2013 () JCTION FOREMAN	be filed within 30 days 160-4 shall be filed ond d, and the operator has	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco,L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, and proposed powerline will conn located in section 28, T25, R attached showing powerline to 14. Thereby certify that the foregoing Name(Printed/Typed) DAVID P	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt or ederal #1H well pad locate d parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ed only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and out 10/8/13 dec for record	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is II Information System ad RSON on 08/29/2013 () JCTION FOREMAN	be filed within 30 days 160-4 shall be filed ond d, and the operator has	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco,L.P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, and proposed powerline will conn located in section 28, T25, R attached showing powerline to 14. Thereby certify that the foregoing Name(Printed/Typed) DAVID P	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt or ederal #1H well pad locate d parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route.	the Bond No. on file with BLM/BL sults in a multiple completion or rec ad only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and code 10/8/13 Feed for record MACCE 218558 verified by the BLM We DPCO, L.P., sent to the Carlsb processing by JOHNNY DICKE Title PRODU Date 08/29/2 PR FEDERAL OR STATE	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete service Fhe proposed line e ROW. The OH well pad d survey plat is II Information System ad RSON on 08/29/2013 () JCTION FOREMAN	be filed within 30 days 160-4 shall be filed ond d, and the operator has	
Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for Bopco, L. P. respectfully reque the PLU Phantom Banks 1 F will be +/-1,692' in length, an proposed powerline will com- located in section 28, T25, R attached showing powerline in Signature (Electronic	ork will be performed or provide ed operations. If the operation ret Abandonment Notices shall be file final inspection.) est to install a 12470 volt or ederal #1H well pad locate d parallel El Paso Pipeline nect from an existing power 31E. Route has been previ route. K - R 0/25 is true and correct. Electronic Submission #2 For BC Committed to AFMSS for p CORGILL Submission) THIS SPACE FO Common	the Bond No. on file with BLM/BL/ sults in a multiple completion or rec ed only after all requirements, includ verhead electric line that will d in section 1, T26S, R30E. Co. road and existing pipelin line that services the PLU 42 ously arc cleared. A map and code 10/8/13 feed for record MACCD //S 218558 verified by the BLM We DPCO, L.P., sent to the Carlsb processing by JOHNNY DICKE Title PRODU Date 08/29/2 PR FEDERAL OR STATE	A. Required subsequent reports shall ompletion in a new interval, a Form 3 ling reclamation, have been complete Service The proposed line e ROW. The OH well pad d survey plat is II Information System ad RSON on 08/29/2013 () JCTION FOREMAN	be filed within 30 days 160-4 shall be filed ond d, and the operator has CEIVED CT 0 3 2013 DARTESIA	

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **



Ŷ



1120 N. West County Rd.	
Focused on excellence basinsurveys.com	

<u>Company Reference</u>: Bopco Well No. & Name: PLU Phantom Banks 1 Federal 1H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 <u>et seq</u>. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roasting, and nesting. Such proof shall be provided by a raptor expert

approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes with native soil.
- Phantom Bank Heronries
 - a. Surface disturbance will not be allowed within up to 200 meters of active heronries or by delaying activity for up to 120 days, or a combination of both.

P

.

Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

.

Ì