

OCD Artesia

Form 3160-5
(August 2007)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. BHL: NM 0560290

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Devon Energy Production Company, L.P.

3a. Address

333 West Sheridan, Oklahoma City, OK 73102

3b. Phone No. (include area code)

405-228-4248

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1875' FNL & 535' FEL Lot 8, Sec 3, T21S, R27E

660' FNL & 330' FEL Lot 1, Sec 2, T21S, R27E

PP: 1875' FNL & 535' FEL

7. If Unit of CA/Agreement, Name and/or No.

NM 70798X

8. Well Name and No.

Burton Flat Deep Unit 49H

9. API Well No.

30-015-40707

10. Field and Pool or Exploratory Area

East Avalon; Bone Spring

11. Country or Parish, State

Eddy, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent☒ Subsequent Report☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☒ Other Completion Report

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

4/29/13 - 5/29/13: MIRU Frac crew. TIH w/frac plug and guns. Set plug @ 12,112'. Perf Bone Spring from 7554-12097', total 288 holes. Frac'd 7554-12097' in 8 stages. Frac totals: 28,177g 15% HCL, 1,486,912 lbs 20/40 white sand, 527,000 lbs 16/30 siber prop. ND frac, MIRU PU, NU BOP. DO plugs and CO to PBTD 12,112'. CHC, FWB, ND BOP. RIH w/130 jts 2 7/8" L-80 tbg, set @ 6148'. TOP.

RECEIVED

OCT 23 2013

NMOCD ARTESIA

Accepted for record
NMOCD

LRDade 10/24/13

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)

Ryan DeLong

Title Regulatory Compliance Coordinator

Signature

Date 9/19/2013

ACCEPTED FOR RECORD

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Office

OCT 20 2013

Date

BUREAU OF LAND MANAGEMENT

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



BURTON FLAT DEEP UNIT 49H

WEST UNRESTRICTED

Perforation Summary

District		County		Field Name		Project Group				State/Province					
PERMIAN BASIN		EDDY		BURTON FLAT		DELAWARE BASIN				NM					
Surface Legal Location		API/UWI		Latitude (°)		Longitude (°)		Ground Elev MSL (ft)		KB - Ground Level (ft)		Orig KB Elevation (ft)		Tubing Head Elevation (ft)	
SEC3 T21S R27E		3001540707		32° 31' 3.118" N		104° 10' 13.894" W		3,217.70		25.00		3,242.70			
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method		
5/17/2013	BONE SPRING, OH	7,554.0	6,551.4	7,555.0	6,551.4			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	7,700.0	6,555.4	7,701.0	6,555.4			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	7,947.0	6,561.8	7,848.0	6,559.1			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	7,993.0	6,563.3	7,994.0	6,563.4			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,140.0	6,568.9	8,141.0	6,568.9			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,286.0	6,574.4	8,287.0	6,574.5			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,433.0	6,578.7	8,434.0	6,578.7			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,579.0	6,581.2	8,580.0	6,581.2			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,726.0	6,586.6	8,727.0	6,586.6			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,872.0	6,589.0	8,873.0	6,589.0			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,019.0	6,587.4	9,020.0	6,587.4			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,165.0	6,584.2	9,166.0	6,584.2			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,312.0	6,584.7	9,313.0	6,584.7			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,458.0	6,591.7	9,459.0	6,591.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,605.0	6,599.1	9,607.0	6,599.2			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,751.0	6,605.4	9,753.0	6,605.5			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,898.0	6,612.2	9,890.0	6,611.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,044.0	6,619.6	10,046.0	6,619.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,191.0	6,629.1	10,193.0	6,629.3			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,337.0	6,637.1	10,338.0	6,637.1			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,484.0	6,643.6	10,486.0	6,643.7			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,630.0	6,651.7	10,632.0	6,651.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,777.0	6,659.3	10,779.0	6,659.4			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,923.0	6,666.7	10,924.0	6,666.7			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,070.0	6,669.3	11,072.0	6,669.3			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,216.0	6,669.3	11,218.0	6,669.3			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,363.0	6,668.1	11,365.0	6,668.1			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,509.0	6,669.9	11,510.0	6,669.9			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,656.0	6,672.9	11,657.0	6,672.9			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,802.0	6,677.4	11,804.0	6,677.5			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,949.0	6,680.3	11,951.0	6,680.3			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	12,095.0	6,680.9	12,097.0	6,680.9			3 1/8	MILLENNIUM		5.0	60	WIRELINE		



BURTON FLAT DEEP UNIT 49H

WEST UNRESTRICTED

Perforation Summary

District		County		Field Name		Project Group				State/Province					
PERMIAN BASIN		EDDY		BURTON FLAT		DELAWARE BASIN				NM					
Surface Legal Location		API/UWI		Latitude (°)		Longitude (°)		Ground Elev MSL (ft)		KB - Ground Level (ft)		Orig KB Elevation (ft)		Tubing Head Elevation (ft)	
SEC3 T21S R27E		3001540707		32° 31' 3.118" N		104° 10' 13.894" W		3,217.70		25.00		3,242.70			
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method		
5/17/2013	BONE SPRING, OH	7,554.0	6,551.4	7,555.0	6,551.4			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	7,700.0	6,555.4	7,701.0	6,555.4			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	7,947.0	6,561.8	7,848.0	6,559.1			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	7,993.0	6,563.3	7,994.0	6,563.4			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,140.0	6,568.9	8,141.0	6,568.9			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,286.0	6,574.4	8,287.0	6,574.5			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,433.0	6,578.7	8,434.0	6,578.7			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,579.0	6,581.2	8,580.0	6,581.2			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,726.0	6,586.6	8,727.0	6,586.6			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	8,872.0	6,589.0	8,873.0	6,589.0			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,019.0	6,587.4	9,020.0	6,587.4			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,165.0	6,584.2	9,166.0	6,584.2			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,312.0	6,584.7	9,313.0	6,584.7			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,458.0	6,591.7	9,459.0	6,591.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,605.0	6,599.1	9,607.0	6,599.2			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,751.0	6,605.4	9,753.0	6,605.5			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	9,898.0	6,612.2	9,890.0	6,611.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,044.0	6,619.6	10,046.0	6,619.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,191.0	6,629.1	10,193.0	6,629.3			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,337.0	6,637.1	10,338.0	6,637.1			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,484.0	6,643.6	10,486.0	6,643.7			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,630.0	6,651.7	10,632.0	6,651.8			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,777.0	6,659.3	10,779.0	6,659.4			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	10,923.0	6,666.7	10,924.0	6,666.7			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,070.0	6,669.3	11,072.0	6,669.3			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,216.0	6,669.3	11,218.0	6,669.3			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,363.0	6,668.1	11,365.0	6,668.1			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,509.0	6,669.9	11,510.0	6,669.9			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,656.0	6,672.9	11,657.0	6,672.9			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,802.0	6,677.4	11,804.0	6,677.5			3 1/8	MILLENNIUM		4.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	11,949.0	6,680.3	11,951.0	6,680.3			3 1/8	MILLENNIUM		5.0	60	WIRELINE		
5/17/2013	BONE SPRING, OH	12,095.0	6,680.9	12,097.0	6,680.9			3 1/8	MILLENNIUM		5.0	60	WIRELINE		