

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0137
Expires: October 31, 2014

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
BHL: NM036379, SHL: NMNM0121211a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resrv.,

Other: _____

6. If Indian, Allottee or Tribe Name


7. Unit or CA Agreement Name and No.
Cotton Draw Unit8. Lease Name and Well No.
Cotton Draw Unit 125H2. Name of Operator
Devon Energy Production Company, L.P.3. Address 333 W. Sheridan Avenue
Oklahoma City, Oklahoma 731023a. Phone No. (include area code)
405-228-42489. API Well No.
30-015-38608

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface 160' FNL & 1345' FEL, Unit B, Sec 35, T24S-R31E

At top prod. interval reported below

At total depth 396' FSL & 1768' FEL, Unit O, Sec 35, T24S-R31E

10. Field and Pool or Exploratory
Paduca; Bone Spring (O)11. Sec., T., R., M., on Block and
Survey or Area Sec 35, T24S-R31E

12. County or Parish

Eddy County

13. State

NM

14. Date Spudded
05/01/201315. Date T.D. Reached
06/01/201316. Date Completed 06/28/2013
☐ D & A ☒ Ready to Prod.17. Elevations (DF, RKB, RT, GL)*
3502' GL18. Total Depth: MD 14950'
TVD 10394'19. Plug Back T.D.: MD 14889'
TVD20. Depth Bridge Plug Set: MD
TVD21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
CBL22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17 1/2"	13 3/8"	48#	0	795'		930 sx Cl C		0	
12 1/4"	9 5/8"	40#	0	4305'		1575 sx Cl C	top out/40 sx	0	
8 3/4"	5 1/2"	17#	0	14935'	DV @ 6046'	2257 sx C H	1st stage	3320'	
						864 sx Cl C	2nd stage		

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8"	10195'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Bone Spring	10755'	14852'	10755 - 14852'		768	open
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
10755 - 14852' (16 stages)	54K gals 7.5% HCL, 3544K gals slick water, 926K #100 mesh sd, 447K # 40/70 white sd, 300K # 40/70 resin coated sd.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
6/28/13	7/14/13	24	→	809	478	1059			pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
		900 psi	→				590.8529	producing	

RECLAMATION
DUE 12-28-13

ACCEPTED FOR RECORD

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

OCT 27 2013

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

*(See instructions and spaces for additional data on page 2)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

29. Disposition of Gas (Solid, used for fuel, vented, etc.) sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				Rustler	950'
				Salado	1283'
				Base of Salt	4204'
				Delaware	4399'
				Bone Spring	8263'

32. Additional remarks (include plugging procedure):

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☐ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geologic Report
 ☐ DST Report
 ☒ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Patti RiechersTitle Regulatory Specialist

Signature

Patti Riechers

Date

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

(Form 3160-4, page 2)



COTTON DRAW UNIT 125H

WEST UNRESTRICTED

Perforation Summary

District		County		Field Name		Project Group		State/Province							
PERMIAN BASIN		EDDY		PADUCA		DELAWARE BASIN		NM							
Surface Legal Location		API/UWI		Latitude (°)		Longitude (°)		Ground Elev MSL (ft)		KB - Ground Level (ft)		Orig KB Elevation (ft)		Tubing Head Elevation (ft)	
SEC35 T24S R31E		3001538608		32° 10' 50.402" N		103° 44' 39.832" W		3,502.80		28.00		3,530.80			
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg SZ (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method		
6/22/2013	BONE SPRING 2ND, ST02	10,755.0	10,400.3	10,757.0	10,400.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	10,820.0	10,406.6	10,822.0	10,406.7			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	10,885.0	10,409.7	10,887.0	10,409.8			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	10,950.0	10,411.2	10,952.0	10,411.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	11,015.0	10,411.6	11,017.0	10,411.6			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	11,080.0	10,411.1	11,082.0	10,411.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	11,145.0	10,409.8	11,147.0	10,409.7			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/22/2013	BONE SPRING 2ND, ST02	11,210.0	10,407.3	11,212.0	10,407.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,275.0	10,404.3	11,277.0	10,404.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,340.0	10,401.6	11,342.0	10,401.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,405.0	10,400.3	11,407.0	10,400.3			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,470.0	10,400.6	11,472.0	10,400.6			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,535.0	10,402.1	11,537.0	10,402.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,600.0	10,403.4	11,602.0	10,403.4			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,665.0	10,404.2	11,667.0	10,404.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,730.0	10,404.4	11,732.0	10,404.3			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,795.0	10,403.7	11,797.0	10,403.7			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,860.0	10,402.2	11,862.0	10,402.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,925.0	10,399.9	11,927.0	10,399.9			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	11,990.0	10,397.0	11,992.0	10,396.9			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	12,055.0	10,394.2	12,057.0	10,394.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	12,120.0	10,392.0	12,122.0	10,392.0			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	12,185.0	10,390.9	12,187.0	10,390.8			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/21/2013	BONE SPRING 2ND, ST02	12,250.0	10,390.8	12,252.0	10,390.8			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,315.0	10,390.6	12,317.0	10,390.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,380.0	10,389.1	12,382.0	10,389.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,445.0	10,388.2	12,447.0	10,388.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,510.0	10,388.0	12,512.0	10,388.0			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,575.0	10,389.1	12,577.0	10,389.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,640.0	10,392.2	12,642.0	10,392.3			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,705.0	10,395.9	12,707.0	10,396.0			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,770.0	10,399.0	12,772.0	10,399.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,835.0	10,401.3	12,837.0	10,401.3			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,900.0	10,402.2	12,902.0	10,402.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	12,965.0	10,402.2	12,967.0	10,402.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	13,030.0	10,402.5	13,032.0	10,402.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	13,095.0	10,402.9	13,097.0	10,402.9			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	13,160.0	10,403.3	13,162.0	10,403.3			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	13,225.0	10,403.7	13,227.0	10,403.7			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/20/2013	BONE SPRING 2ND, ST02	13,290.0	10,404.1	13,292.0	10,404.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		



COTTON DRAW UNIT 125H

WEST UNRESTRICTED

Perforation Summary

District		County				Field Name		Project Group			State/Province				
PERMIAN BASIN		EDDY				PADUCA		DELAWARE BASIN			NM				
Surface Legal Location		API/UWI		Latitude (°)		Longitude (°)		Ground Elev MSL (ft)		KB - Ground Level (ft)		Orig KB Elevation (ft)		Tubing Head Elevation (ft)	
SEC35 T24S R31E		3001538608		32° 10' 50.402" N		103° 44' 39.832" W		3,502.80		28.00		3,530.80			
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Blm (ftKB)	Blm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (s)	Conveyance Method		
6/19/2013	BONE SPRING 2ND, ST02	13,355.0	10,405.4	13,357.0	10,405.4			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,420.0	10,408.4	13,422.0	10,408.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,485.0	10,411.9	13,487.0	10,412.0			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,550.0	10,415.4	13,552.0	10,415.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,615.0	10,418.3	13,617.0	10,418.4			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,680.0	10,420.6	13,682.0	10,420.7			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,745.0	10,422.6	13,747.0	10,422.7			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/19/2013	BONE SPRING 2ND, ST02	13,810.0	10,424.4	13,812.0	10,424.4			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	13,875.0	10,425.2	13,877.0	10,425.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	13,940.0	10,425.3	13,942.0	10,425.3			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,005.0	10,424.9	14,007.0	10,424.9			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,070.0	10,424.5	14,072.0	10,424.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,135.0	10,424.3	14,137.0	10,424.2			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,200.0	10,424.0	14,202.0	10,424.0			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,265.0	10,423.0	14,267.0	10,422.9			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,330.0	10,420.6	14,332.0	10,420.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,395.0	10,417.2	14,397.0	10,417.1			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,460.0	10,414.0	14,462.0	10,413.9			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,525.0	10,410.6	14,527.0	10,410.5			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/18/2013	BONE SPRING 2ND, ST02	14,590.0	10,407.1	14,592.0	10,407.0			3 1/8	SHAPED	23.0	6.0	60	WIRELINE		
6/14/2013	BONE SPRING 2ND, ST02	14,655.0	10,404.0	14,657.0	10,403.9			3 1/8	SHAPED	23.0	6.0	60	TUBING		
6/14/2013	BONE SPRING 2ND, ST02	14,720.0	10,401.9	14,722.0	10,401.9			3 1/8	SHAPED	23.0	6.0	60	TUBING		
6/14/2013	BONE SPRING 2ND, ST02	14,785.0	10,400.3	14,787.0	10,400.2			3 1/8	SHAPED	23.0	6.0	60	TUBING		
6/14/2013	BONE SPRING 2ND, ST02	14,850.0	10,398.3	14,852.0	10,398.2			3 1/8	SHAPED	23.0	6.0	60	TUBING		