

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztes, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-33788	
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Allen	
8. Well Number 3	
9. OGRID Number 004378	
10. Pool name or Wildcat Delaware	

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
CHI Operating Inc.

3. Address of Operator
P.O. Box 1799 Midland, TX 79702

4. Well Location
 Unit Letter **B** : **660** feet from the **North** line and **1980** feet from the **East** line
 Section **31** Township **22S** Range **27E** NMPM County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application or Closure

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water N/A

Pit Liner Thickness: _____ mll Below-Grade Tank: Volume _____ bbls: Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103 For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/22/13----Set 5 1/2 CIBP @ 2650' - circ 60 bbls MLF Spot 25 sxs from 2650' to 2403'. Spot 25 sxs from 1403' to 1156'. Circ 50 sxs from 457' to surface. RDMO.

Approved for plugging of well bore only.
 Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms. www.enmrtd.state.nm.us/ocd.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan .

SIGNATURE Greg Bryant TITLE P & A Tech (Basic Energy Services) DATE 8/26/13

Type or print name: Greg Bryant E-mail address: _____ Telephone No. 432-563-3355

For State Use Only

APPROVED BY JD Wade TITLE Dist. Supervisor DATE 11/20/13

Conditions of Approval (if any):


Submit Subsequent C-103

Chi Operating, Inc

Allen Com. #3
Sec 31, T22S-R27E
Eddy Co. N.M.

API: 30-015-33788

Wellhead Equipment: 2000# Larkin



8 5/8" 32# @ 357'

Cemented w/200 sks C+4% gel+2% CaCl2+2 pps LCM-1
Tail 100 sks "C"+2%CaCL2=.25 pps CF
(Circ. 16 sks.)

Circ 25 sks from 457' - surf.

Spot 25 sks from 1403' - 1156

DV @ 1944'

Cmtd 2nd stage w/450sks "C"+15% gel+10% salt+.25 CF
50 sks "C"+1% CaCl2+.25 pps CF - Circ -75 sks.

Set 5 1/2 CIBP @ 2650' - Circ 60 bbls MLF

Spot 25 sks from 2650' - 2403'

Tbg: 2 3/8" - J-55

Perf: 2688-2700

Perf: 2822-2828;
2834-2842

CIBP @ 4850'

Perf: 4933-4952

CIBP @ 5185'

Perf: 5202-5213

Perf 3/22/2005

3/22/2005

Cmtd 1st stage w/685 sks "C"+.4% gel+.25 CF - Circ 18 sks.

5 1/4" 15.5# - J-55 @ 5353'