
HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES



Dirt Work * On-Site Remediation * Soil Testing * Excavation

21Feb13

To: Mike Bratcher, NM OCD District II

Reference: Reserve Pit Closure

Operator: Cambrian Management, LTD Location: Renata 16 State Comm No. 001

Legals: UL. A, Sec16, T23S, R24E Eddy County, NM

GPS: N32.30920 W-104.49810

Dear Mr. Bratcher,

This Closure Plan is being submitted on behalf of Cambrian Management, LTD for the approval to close the drilling reserve pit at the above reference location. The point of contact for Cambrian Management is Mr. W. A. Baker, 432-557-0120. The location is in rural Eddy County, NM in the Dark Canyon area east of Dark Canyon Road (408) off Red Juniper Road. Enclosed in the submittal will be the C-144 and supporting documents.

Protocols and Procedures

The drilling reserve pit will be closed using the Waste Excavation and Removal Method. Based upon the Eddy County Depth to Ground Water Map, the depth to ground water is 225'. The pit will be excavated to a depth of 1' below the liner. All pit contents, to include the synthetic liner, will be thoroughly mixed as to solidify the mixture before loading for transport.

Confirmation Sampling

As per NMAC 19.15.17.13 B (1) (b) (ii), a five point composite sample will be obtained from the bottom of the pit and laboratory analysis conducted for BTEX, TPH (GRO/DRO), and Chlorides. Laboratory results will be presented to NM OCD's Mike Bratcher. Closure approval will be sought if contaminant levels are at or below closure limits. Should contaminant levels exceed the closure limits, guidance for continuation will be sought.

Disposal Facility

All contaminated soil excavated from the pit will be transported to a Lea Land, Inc, permit #131401.

Soil Backfill and Cover Design

Upon receipt of closure approval, the affected area will be backfilled using the stockpiled material that was stockpiled during pit construction.

Re-vegetation Plan

The affected area will be seeded with appropriate seed mixture for this geographical area.

Site Reclamation Plan

The affected area will be restored to the condition that existed prior to oil and gas operations. The affected area will be brought to grade and contoured to match the surrounding terrain.

Please feel free to contact me if you have any questions concerning this closure plan.

Vernon K. Black, Hungry Horse, LLC

cc. W. A. Baker, Cambrian Management, LTD

Form C-144 Revised August 1, 2011

District I 1625 N. French Dr., Hobbs, NM 88240 District II. 81.1 S. First St., Artesia, NM 88210 District III. 1000 Rio Brazos Road, Aztec; NM 87410 District IV. 1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks; submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Thoposed Atternative ivi	lethod Permit or Closure Pian Application
Closure of a pit, clo Modification to an e	bmitted for an existing permitted or non-permitted pit, closed-loop system,
Instructions: Please submit one application (Form C-	144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the open not relieve the open of its responsibility. Nor does approval relieve the operator of its responsibility.	crator of liability should operations result in pollution of surface water, ground water or the lity to comply with any other applicable governmental authority's rules, regulations or ordinances.
Öperator: Cambrian Management ÉTD Address: PO Box 272 Midland, TX 79702	OGRID #: 198688
a prima territoria del constante de la constan	

Address: PO Box 272 Midland, TX 79	0702		<u></u>	
Facility or well name: Renata 16 State	Comm No. 001	A magnetic production of the first contract of the contract of		
API Number: 30-015-35029				
U/L or Qtf/Qtr ASect				
Center of Proposed Design: Latitude N	132.30920	Longitude W-104.49810_		_ NAD: □1927 X 1983
Surface Owner: Tederal X State	•	• • •		
2,				
X Pit: Subsection P or G of 19.15.17	LII NMAC			
Temporary: X:Drilling Workover				
X Permanent TEmergency Cavit	ntion 🔲 P&A			
X Lined Unlined Liner type: Th	ickness 20mil 🔲 LÚDPE	X HDPE. PVC Dother		
X String-Reinforced				
Liner Scaniss Welded Factory	X Other Stitched	Volume: 2000 bbl Dime	nsions: L 125° x W 12	5' x D 8'
3.				424
Closed-loop System: Subsection	II of 19.15.17.11 NMAC			
Type of Operation: P&A Driffintent)	ng a new well Workover	or Drilling (Applies to activities which	ch require prior approv	al of a permit or notice of
Drying Pad	el Tanks 🔲 Haul-off Bins	Other		
☐ Isined ☐ Unlined Liner type: Thi	cknessmil	☐ LLDPE ☐ HDPE ☐ PVC ☐	Other	بِ السَّامِ عَلَى السَّامِ
Liner Seams: Welded D Eactory	Other			
4.				
Below-grade fank: Subsection I				
Volume:bbl	Type of fluid:			,
Tank Construction material:	and a single-consequence of the contract of th	N. T.		
		lls, Ijner, 6-inch lift and automatic ove		
☐ Visible sidewalls and liner ☐ Vi	sible sidewalls only [Oth	er		
Liner type: Thickness				
5.				
Alternative Method:				

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Contract of the second of the		
Encing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)		
Four-foot height, four strands of barbed wire evenly spaced between one and four feet	L day of	
Alternate. Please specify		
	7	
Netting: Subsection Pof49.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	1	
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)	<u> </u>	
Signs: Subsection C of 19.15.17.11 NMAC		
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers: Signed in compliance with 19.55 16.8 NMAC		
Ti office in combining Min 15 foxioto interce		
9. Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19:15:17 NMAC for guidance.		
Please check a box if one of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office:for	
consideration of approval.		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	otable source	
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro- office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a	priate district	
Applicant must attach justification for request. Please refer to 19.15.17.10 NMA Cfor guidance. Siting criteria does not apply to dry	ing pads or	
above-grade tanks associated with a closed-loop system.	Yes No	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, on below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes ☐ No	
- Topographic map: Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No	
(Applies to temporary, emergency, or cavilation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes. No	
(Applies to permanent pits) - Visital inspection (certification) of the proposed site; Acrial photo; Satellite image	□ NA	
	Yes No	
Within 500 horizontal feet of aprivate, domestic fresh water well or spring that less than five frouseholds use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	,,,	
Within incorporated municipal boundaries or within a defined municipal fresh water well field-covered under a municipal ordinance	Yes No	
adopted pursuant to NMSA-1978, Section 3-27-3, as amended. Written approval obtained from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes, No	
Within the area-overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No	
Within an unstable area.	Yes No	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		
Within at 1,00-year floodplain.	Yes No	
÷ FEMA map.	الماري السارة وهيد السارة	

Form C-144

Oil Genservation Division

Type: X Drilling: Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: X. Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench-Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Santa Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached: X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC X Re-vegetation Plan - based upon the appropriate requirements of Subsection L of 19.15.17.13 NMAC	
Closed-Long Nystems Permit Application Attachment Checklist: Subsection B of D-15.17.9 NMAC marked in the box, that the documents are attached.	Instructions: Each of the following items must be attaclied to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19:15.17.9 NMAC and 19:15.17.13 NMAC
Closed-Long Nystems Permit Application Attachment Checklist: Sebsection B of 19.15.17.9 NMAC mark in the box, that the documents are attached.	
Previously, Approved Operating and Maintenance Plan	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Sitting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously, Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tenks or hand-off bins and propose to implement waste removal for-closure) Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Plans indicate, by a check.mark in the bins, that the documents are attached: Historogoologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC Climatological Factors Assessment Climatological Factors Climatological	Previously Approved Design (attach copy of design) API Number:
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.10 NMAC Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC Cilimatological Factors Assessment	Previously, Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Instructions: Please complete the applicable baxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: X Drilling: Workover: Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative. Proposed Closure Method: X, Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench-Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fc Environmental Bureau for consideration) 18. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached: X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached: Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance of Hazardous Odors; including H2S, Prevention Plan Genergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Eposion-Control Plan Eposion-Control Plan
closure plan. Please indicate, by a check mark in the box, that the documents are attached: X. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC. X. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC. X. Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings). X. Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC. X. Re-vegetation Plan - based upon the appropriate requirements of Subsection Lof 19.15.17.13 NMAC.	Instructions: Please; complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: X Drilling: Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed, Closure Method: X. Waste Excavation and Removal Waste Removal (Closed-loop systems only) Onesite Closure Method (Only for temporary pits and closed-loop systems) In-place Burial Onesite Trench-Burial
A Site Rectamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	D NMAC) more thạn two	
Disposal Facility Name: Disposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser	vice and operations?	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection FL of 19.15.17.13 NMA Re-vegetation Plan-based upon the appropriate requirements of Subsection L of 19.15.17.13 NMAC Site Reclamation Plan-based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable some provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate distributed in exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justice demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - WATERS database search; USGS: Data obtained from nearby wells	Yes No	
Ground: water is between 50, and 1.00 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Y.cs No	
Ground water is more than 100 feet below the bottom of the buried waste, - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map: Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospitals institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site.	Y.cs No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended, - Written confirmation or verification from the municipality: Written approval obtained from the municipality	Yes No	
Within 500 feet of a wetland. - US Fish and Wildlife Weiland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes: No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No	
Within a 100-year floodplain FEMA map	Yes No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check markin the box, that the documents are attached. Siting Griteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 9.15.17.13 NMAC Confirmation Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

19.		
Operator Application Certification: Thereby certify that the information submitted with this application is	is true; accurate and complete to the best of my knowledge and belief.	
Traine (Frint): W. F. Caker III	Date: 2/22/13	
Signature: MASSAL II	Date: 2/22/13	
e-mail address: Wbaker @ Cambrian mgmt. com	Telephone: 432-557-0120	-
OCD Approval: Permit Application (including closure plan)		
OCD Approval: Permit Application (including closure plan) OCD Representative Signature: Accepted for December 1	vd MB Approval Date:	
Title:	OCD Doursit Niembour	
21. Closure Report (required within 60 days of closure completion): Instructions: Operators are required to obtain an approved closure	Subsection K of 19.15.17.13 NMAC e plan prior to implementing any closure activities and submitting the closure is 60 days of the completion of the closure activities. Please do not complete this ed and the closure activities have been completed:	report. is
22.	Closure Completion Date:	
Closure Method:	Alternative Closure Method Waste Removal (Closed-loop systems o	only)
	oop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: liquids, drilling fluids and drill cuttings were disposed. Use attachment if mo.	
Disposal Facility Name:	•	1
Disposal Facility Name:		
Were the closed-loop system operations and associated activities perf	formed on or in areas that will not be used for future service and operations? No.	
Required for impacted areas which will not be used for future service Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	e and-óperations:	ا
,24.		heck
25.		
	this closure report is true, accurate and complete to the best of my knowledge and sure requirements and conditions specified in the approved closure plan.	d
Name (Print):	Title:	
Signature	Date:	
e-mail address:	Telephone:	

Focus C-144

Of Conservation Division

6..... #



