

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-41587
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator RKI EXPLORATION & PRODUCTION		6. State Oil & Gas Lease No.
3. Address of Operator 210 PARK AVE, STE 900, OKC, OK 73102		7. Lease Name or Unit Agreement Name PINNACLE STATE 36
4. Well Location Unit Letter C : 150 feet from the NORTH line and 1700' feet from the WEST line Section 36 Township 22S Range 28E NMPM County EDDY		8. Well Number 32H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GR 3,143'		9. OGRID Number 246289
		10. Pool name or Wildcat CULEBRA BLUFF; BONE SPRING; S

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING, ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☒
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Surface Sundry

well spud on 8-31-2013. on 8-30-2013, drilled hole 17 1/2" to 0'-450'. Ran 13 3/8" 54.5 J-55

CEMENT

Lead: C+2%PF1, 475 sks, 14.8 ppg, 1.34 yield; circ. to surface

Spud Date:

8/31/2013

Rig Release Date:

9/24/2013

RECEIVED

JAN 21 2014

NMCCD ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Heather Brehm

TITLE **REGULATORY ANALYST**

DATE **1/13/2014**

Type or print name **HEATHER BREHM**

E-mail address: **hbrehm@rkixp.com**

PHONE: **405-949-2221**

For State Use Only

APPROVED BY:

[Signature]

TITLE

[Signature]

DATE

Jan 21, 2014

Conditions of Approval (if any):