District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

regulations.

Approval:

Printed Name/Title

Field Supervisor

State of New Mexico Energy Minerals and Natural Resources

01/2

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM-87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Pank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\sigma\) No \(\sigma\)		
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No } \subseteq \) Type of action: Registration of a pit of below-grade tank \(\subseteq \text{Closure of a pit or below-grade tank } \subseteq \)		
Type of action. Registration of a pr	closure of a pit of below-g	SEP 2,6 2005
Operator: CHI OPERATING, INC	Telephone: 432-685-5001 e-mait ad	Idress: 065-AH+EDIA
Address: P.O. BOX 1799 MIDLAND, TX, 79702		- The state of the
Facility or well name: WIZARD FED. #3 API #: 30-015-32210 U/L or Qtr/Qtr J Sec 1 T 198 R 30E		
County: EDDY Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling 🖾 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🖾 Unlined 🗀	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness 9 mil Clay ☐		
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)	110	(o points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you		
are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗆 Yes 🗀 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: CLOSE PIT USING OPTION (A) (CAP/ENCAPSULATE/COVER). THE PIT WILL BE DRIED, MIXED WITH EARTHEN MATERIAL IF		
NECESSARY, THE PLASTIC FOLDED INWARD, CAPPED WITH 20 MIL PLASTIC, BACKFILL WITH 3' OF DIRT, SEEDED AS PER BLM REQUIREMENT.		
Because liner has been compromised - Samples must be		
taken for all Coc's. Delineate to OCD RRAL.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ageneral permit , or an (attached) alternative OCD-approved plan .		
Printed Name/Title JOHN W. WOLF Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or		

Signature