District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grånd Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office


Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	of a pit or below-grade tank . Closure of a pit or below-grade		
Operator: Pogo Producing Company	Telephone: 432-685-8100 e-mail address: Wri	ghtc@pogoproducing.com	
Address: P.O. Box 10340, Midland, TX			
	API#: 30-015-32618 U/L or Qtr/Qtr K	Sec 10 T 24S R 29E	
County: Eddy			
Surface Owner: Federal  State Private  Indian			
<u>Pit</u>	Below-grade tank		
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	RECEIVED	
Workover    Emergency	Construction material:		
Lined W Unlined	Double-walled, with leak detection? Yes  If not,	ACT T 1 200C	
Liner type: Synthetic 🖫 Thickness 12 mil Clay 🗍		OCD-AHTESIA	
Pit Volume 23000bbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to sea	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more X	( 0 points) 0	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private dom	nestic	( O points)	
water source, or less than 1000 feet from all other water sources.)	No X	( o points) 0	
Distance to surface water: (horizontal distance to all wetlands, pl	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercours	200 feet or more, but less than 1000 feet	(10 points)	
magazion cariatis, anoncos, and porominar and opnominar watercoan	1000 feet or more X	( 0 points)	
	Ranking Score (Total Points)	0	
If this is a pit closure: (1) Attach a diagram of the facility showin	a the miss relationship to other equipment and tentre. (2) Indicate	· · · · · · · · · · · · · · · · · · ·	
your are burying in place) onsite 🛣 offsite 🔲 If offsite, name of			
remediation start date and end date. (4) Groundwater encountered: No 🖸 Yes 🗋 If yes, show depth below ground surfaceft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments: Constructed before 4/15/04			
Amended to show onsite disposal			
The last of the desired states of the desire			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit , or an (attached) alternative OCD-approved plan .			
Date: 10/07/05			
Printed Name/Title Cathy Wright, Sr. Eng Tech Signature Cathy Must			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
A	000	007 4 4 0005	
Approval: Printed Name/Title  Field Supervisor		OCT 14 2005	
Printed Name/Title Preid Supervisor	Signature Signature	Date:	

## Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



Fage 8

103:58:24.2