District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank								
Operator: Pun Resources LP Telephone: 432.498.8662 e-mail address: Sear 04 @ leaco = net								
Address: 500 w Illinois Min	land Tx 79701							
Facility or well name: MEAD # 7 API #: 3	10.015.34066 @ or Qtr/Qtr B	Sec 3 T 22 R_ 27						
County: Edd Latitude	32. 24'. 42" Longitude 104	12 32 NAD: 1927 🗆 1983 🗀						
Surface Owner: Federal 🗌 State 🗋 Private 🗷 Indian 🗍		•						
Pit	Below-grade tank							
Type: Drilling 🗷 Production 🗌 Disposal 🗍	Volume:bbi Type of fluid:	D505						
Workover ☐ Emergency ☐	Construction material: RECEIVED							
Lined Lined Unlined	Double-walled, with leak detection? Yes [] If no	ot, explain why not. SEP 2 8 2005						
Liner type: Synthetic Thickness 12 mil Clay								
Pit Volume 2000 bbl		WOOD-WHIEDW						
Double a served water (water) distance from bottom of sixty appeared	Less than 50 feet	(20 points)						
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)						
high water elevation of ground water.) 23	100 feet or more	(0 points)						
	Yes	(20 points)						
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)						
water source, or less than 1000 feet from all other water sources.)		points						
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)						
and white the product and the pr	1000 feet or more	(0 points)						
	Ranking Score (Total Points)	20						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	a relationship to other acquirement and to the CON II die							
your are burying in place) onsite offsite I foffsite, name of facility								
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y		ft. and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excavat	tions.							
Additional Comments: Pure plans to exc	evaluant hand the	contents of						
the duilling Rit to a BCD	approved partity.	the excevate						
are well they be backful	but with clean so,	1. contoured I levold						
Notify OCD before starting	and like sundry not	tice often closing.						
will begin soon alter and	robal	7						
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the	he above-described pit or below-grade tank						
	o gg, a general permit	uve OCD-approved plan Na.						
Date: 927 05	~ 0							
Printed Name/Title Edd. u W Saa Hagan	Signature	- Par						
Your certification and NMOCD approval of this application/closure does not be revise and application will be able to the revise and application and NMOCD approval of this application and NMOCD approval of the second application application and NMOCD approval of the second application app	ot relieve the operator of liability should the contents	of the pit or tank contaminate ground water or						
otherwise endanger public health or the environment. Nor does it relieve the regulations.	ne operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or						
Approval:								
Printed Name/Title	Signature Sunenviser	Dat OCT 14 2005						
	— Field Supervise—							

New Mexico Office of the State Engineer Well Reports and Downloads

NAD27 X:	Zone:	Search Radius:
County: Basin:	No.	umber: Suffix:
Owner Name: (First)	(Last)	○ Non-Domestic ○ Domestic ● All
Well / Surface Data Report	Avg Depth to Water F	Report Water Column Repor

AVERAGE DEPTH OF WATER REPORT 09/20/2005

							(Depth	Water in	Feet)
Bsn	Tws	Rng Sec	Zone	x	Y	Wells	Min	Max	Avg
C	22S	27E 08				7	17	40	23

Record Count: 7



