District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

### APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

**Apache Corporation** Applicant A. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until Yr , for the following described tank battery (or LACT): Washington 33 State Battery Name of Pool Yeso & Grayburg-SA Location of Battery: Unit Letter \_\_\_\_\_Section \_\_\_\_ Township Range 55 Number of wells producing into battery 1400 Based upon oil production of B. barrels per day, the estimated \* volume of gas to be flared is MCF; Value C: Name and location of nearest gas gathering facility: DCP / Frontier Empire Abo Plant Distance Estimated cost of connection D. This exception is requested for the following reasons: DCP & Frontier curtails their gas E. due to repairs or plant problems. This is an extension to the permit that expires 03/31/2014. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above Approved Until is true and complete to the best of my knowledge and belief. Signature 6 Printed Name Fatima Vasquez - Regulatory Analyst II & Title Fatima Vasquez@apachecorp.com E-mail Address (432) 818-1015 Telephone No.

Sec Attached COA's

<sup>\*</sup> Gas-Oil ratio test may be required to verify estimated gas volume.

Office ;	tate of New Mexico		Form C-103
District 1 - (575) 393-6161 Energy, M 1625 N. French Dr., Hobbs, NM 88240	inerals and Natural Resources	WELL API NO.	evised August 1, 2011
District II - (575) 748-1283	NSERVATION DIVISION		
District III - (505) 334-6178 [226]	South St. Francis Dr.	5. Indicate Type of Lea STATE ✓	se FEE
2100110111	anta Fe, NM 87505	6. State Oil & Gas Leas	
1220 S. St. Francis Dr., Santa Fe, NM 87505	,	,	
SUNDRY NOTICES AND REPO		7. Lease Name or Unit	Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DIFFERENT RESERVOIR. USE "APPLICATION FOR PERM		Washington 33 State Ba	ttery
PROPOSALS.)  1. Type of Well: Oil Well  Gas Well  C	Other	8. Well Number	
2. Name of Operator		9. OGRID Number	
Apache Corporation   3. Address of Operator		873 10. Pool name or Wilde	cat
303 Veterans Airpark Lane, Suite 3000 Midland, TX	79705	Yeso (96830) & Graybur	
4. Well Location			
	rom theline and _		
	nship 17S Range 28E		inty Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO	o: St	JBSEQUENT REPOR	RT OF:
PERFORM REMEDIAL WORK PLUG AND AB			ERING CASING 🔲
TEMPORARILY ABANDON CHANGÉ PLA	<u> </u>	DRILLING OPNS. PAN	ID A
PULL OR ALTER CASING MULTIPLE CO  DOWNHOLE COMMINGLE	MPL CASING/CEM	ENI JOR []	•
· · · · · · · · · · · · · · · · · · ·			
OTHER: Flare Gas OTHER:			
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of			
proposed completion or recompletion.			
Apache is requesting permission to temporarily flare all of the Washington 33 State wells. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well are as follows:			
	30-015-39895	30-015-40020 30	0-015 <del>-</del> 40078
30-015-30299 30-015-22821 30-015-30276 30-015-30332	30-015-39883 3	30-015-40021 30	0-015-40078 0-015-40114
30-015-30299       30-015-22821         30-015-30276       30-015-30332         30-015-30277       30-015-30195	30-015-39883 3 30-015-39884 3	30-015-40021 30 30-015-40022 30	0-015-40114 0-015-40110
30-015-30299 30-015-22821 30-015-30276 30-015-30332	30-015-39883 3 30-015-39884 3 30-015-39885 3	30-015-40021 30 30-015-40022 30 30-015-40023 30	0-015-40114
30-015-30299     30-015-22821       30-015-30276     30-015-3032       30-015-30277     30-015-30195       30-015-30138     30-015-30196       30-015-30189     30-015-30334       30-015-30190     30-015-01690	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3	30-015-40021     36       30-015-40022     36       30-015-40023     36       30-015-40087     36       30-015-40088     36	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116
30-015-30299     30-015-22821       30-015-30276     30-015-3032       30-015-30277     30-015-30195       30-015-30138     30-015-30196       30-015-30189     30-015-30334       30-015-30190     30-015-01690       30-015-30191     30-015-22464	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3	30-015-40021     36       30-015-40022     36       30-015-40023     36       30-015-40087     36       30-015-40088     36       30-015-40089     36	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117
30-015-30299     30-015-22821       30-015-30276     30-015-30332       30-015-30277     30-015-30195       30-015-30138     30-015-30196       30-015-30189     30-015-30334       30-015-30190     30-015-01690       30-015-30191     30-015-22464       30-015-30193     30-015-22605	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3	30-015-40021       36         30-015-40022       36         30-015-40023       36         30-015-40087       36         30-015-40088       36         30-015-40089       36         30-015-40090       36	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117 0-015-40112
30-015-30299     30-015-22821       30-015-30276     30-015-3032       30-015-30277     30-015-30195       30-015-30138     30-015-30196       30-015-30189     30-015-30334       30-015-30190     30-015-01690       30-015-30191     30-015-22464	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3	30-015-40021     36       30-015-40022     36       30-015-40023     36       30-015-40087     36       30-015-40088     36       30-015-40089     36       30-015-40090     36       30-015-40113     3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117
30-015-30299       30-015-22821         30-015-30276       30-015-30332         30-015-30277       30-015-30195         30-015-30138       30-015-30196         30-015-30189       30-015-30334         30-015-30190       30-015-01690         30-015-30191       30-015-22464         30-015-22524       30-015-22124	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 3 30-015-40076 3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117 0-015-40112 0-015-40118
30-015-30299       30-015-22821         30-015-30276       30-015-30332         30-015-30277       30-015-30195         30-015-30138       30-015-30196         30-015-30189       30-015-30334         30-015-30190       30-015-01690         30-015-30191       30-015-22464         30-015-22605       30-015-22605         30-015-30194       30-015-22417         30-015-22822       30-015-22465	30-015-39883 30-015-39884 30-015-39885 30-015-39886 30-015-40015 30-015-40016 30-015-40017 30-015-40018 30-015-40019	30-015-40021       36         30-015-40022       36         30-015-40023       36         30-015-40087       36         30-015-40088       36         30-015-40089       36         30-015-40090       36         30-015-40113       3         30-015-40076       3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117 0-015-40112 0-015-40118 0-015-40119
30-015-30299       30-015-22821         30-015-30276       30-015-30332         30-015-30277       30-015-30195         30-015-30138       30-015-30196         30-015-30189       30-015-30334         30-015-30190       30-015-01690         30-015-30191       30-015-22464         30-015-22524       30-015-22124         30-015-30194       30-015-22417	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3	30-015-40021       36         30-015-40022       36         30-015-40023       36         30-015-40087       36         30-015-40088       36         30-015-40089       36         30-015-40090       36         30-015-40113       3         30-015-40076       3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117 0-015-40112 0-015-40118 0-015-40119
30-015-30299 30-015-22821 30-015-30276 30-015-30332 30-015-30277 30-015-30195 30-015-30138 30-015-30196 30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 36 30-015-40076 36 30-015-40077 3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117 0-015-40112 0-015-40118 0-015-40119
30-015-30299       30-015-22821         30-015-30276       30-015-30332         30-015-30277       30-015-30195         30-015-30138       30-015-30196         30-015-30189       30-015-30334         30-015-30190       30-015-01690         30-015-30191       30-015-22464         30-015-22605       30-015-22605         30-015-30194       30-015-22417         30-015-22822       30-015-22465	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 36 30-015-40076 36 30-015-40077 3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40116 0-015-40117 0-015-40112 0-015-40118 0-015-40119
30-015-30299 30-015-22821 30-015-30276 30-015-30332 30-015-30277 30-015-30195 30-015-30138 30-015-30196 30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22464 30-015-22524 30-015-22124 30-015-22822 30-015-22417 30-015-22822 30-015-22465  Spud Date:	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3  Rig Release Date:	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 3 30-015-40076 3 30-015-40077 3	0-015-40114 0-015-40110 0-015-40115 0-015-40116 0-015-40117 0-015-40112 0-015-40118 0-015-40119 0-015-40120
30-015-30299 30-015-22821 30-015-30276 30-015-30332 30-015-30277 30-015-30195 30-015-30138 30-015-30196 30-015-30189 30-015-01690 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465  Spud Date:  I hereby certify that the information above is true and	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3  Rig Release Date:	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 3 30-015-40076 3 30-015-40077 3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40117 0-015-40112 0-015-40118 0-015-40119 0-015-40120
30-015-30299 30-015-22821 30-015-30276 30-015-30332 30-015-30277 30-015-30195 30-015-30138 30-015-30196 30-015-30189 30-015-01690 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465  Spud Date:  Thereby certify that the information above is true and SIGNATURE  Type or print name Fatima Vasquez	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3  Rig Release Date:	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 3 30-015-40076 3 30-015-40077 3	0-015-40114 0-015-40110 0-015-40115 0-015-40116 0-015-40117 0-015-40112 0-015-40118 0-015-40119 0-015-40120
30-015-30299 30-015-22821 30-015-30276 30-015-30332 30-015-30277 30-015-30195 30-015-30138 30-015-30196 30-015-30189 30-015-01690 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465  Spud Date:  I hereby certify that the information above is true and	30-015-39883 3 30-015-39884 3 30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3  Rig Release Date:	30-015-40021 36 30-015-40022 36 30-015-40023 36 30-015-40087 36 30-015-40088 36 30-015-40089 36 30-015-40090 36 30-015-40113 3 30-015-40076 3 30-015-40077 3	0-015-40114 0-015-40110 0-015-40115 0-015-40111 0-015-40117 0-015-40112 0-015-40118 0-015-40119 0-015-40120

Conditions of Approval (if any):

A Hocked COA'S

### NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <a href="http://www.gacc.nifc.gov/swcc">http://www.gacc.nifc.gov/swcc</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

3/11/14

11

Your initials here

## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

# Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="https://www.nmforestry.com">www.nmforestry.com</a> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: <a href="http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa">http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa</a> monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.