

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.**FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 20105. Lease Serial No.
NMLC063167

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
891000326X8. Well Name and No.
BIG EDDY UNIT D19 35H9. API Well No.
30-015-42007-00-X110. Field and Pool, or Exploratory
WILDCAT

WC-015-608 52129150 BS

11. County or Parish, and State
EDDY COUNTY, NM

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
BOPCO LPContact: WHITNEY MCKEE
E-Mail: wbmckee@basspet.com

3a. Address

MIDLAND, TX 79702

3b. Phone No. (include area code)
Ph: 432-683-2277

4. Location of Well (Footage, Sec., T., R., M., or Survey Description).

Sec 21 T21S R30E SESE 90FSL 809FEL
32.272792 N Lat, 103.524536 W Lon

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original APD
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BOPCO, L.P. respectfully requests to amend the 8 pt. drilling program for the Big Eddy Unit D19 #35H to include a pilot hole in order to evaluate the area. The pilot hole will be drilled into the Wolfcamp at a total depth of 10,600'. BOP/BOPE equipment will be tested to 5,000 psi-high and 250 psi low before entering the Wolfcamp formation. The attached cement plugs will be set once logging operations in the pilot hole have been completed.

RECEIVED

MAR 31 2014

Accepted for record
NMOCD105
3/31/2014SEE ATTACHED FOR
CONDITIONS OF APPROVAL
NMOCD ARTESIA

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #239131 verified by the BLM Well Information System

For BOPCO LP, sent to the Carlsbad

Committed to AFMSS for processing by CHRISTOPHER WALLS on 03/25/2014 (14CRW0195SE)

Name (Printed/Typed) COURTNEY LOCKHART

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 03/18/2014

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

APPROVED

FEB 25 2014

/s/ Chris Walls

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

8-3/4" Pilot Hole 1st Plugback Plug Cement Design and Notes – Halliburton

Fluid	Amount	Cement + Additives	Density	Yield	H ₂ O	Depth/Length
Lead	175 sk	VERSACEM™ SYSTEM + 0.30% HR-601	14.5	1.205	5.37	10,600- 10,100/500

- Cement volume based on 0% excess over 500' of hole volume. Volumes will be adjusted once open hole caliper log is evaluated.

8-3/4" Pilot Hole 2nd Plugback Cement Plug to Support Kick-off Plug

Fluid	Amount	Cement + Additives	Density	Yield	H ₂ O	Depth/Length
Lead	175 sk	VERSACEM™ SYSTEM + 0.30% HR-601	14.5	1.205	5.37	8,700- 8,200/500

- Cement volume based on 0% excess over 500' of hole volume. Volumes will be adjusted once open hole caliper log is evaluated.

8-3/4" Pilot Hole 3rd Plugback Kick-off Plug

Fluid	Amount	Cement + Additives	Density	Yield	H ₂ O	Depth/Length
Lead	225 sk	PLUGCEM™ SYSTEM + 0.4%BWOC Halad (R)-322 + 0.4% BWOC CFR-3 + 0.4% BWOC HR-800	17.5	0.95	3.47	8,200- 7,700/500

- Cement volume based on 0% excess over 500' of hole volume. Volumes will be adjusted once open hole caliper log is evaluated.

**Conditions of Approval
Big Eddy Unit DI9 35H
30-015-42007**

Pilot hole plugging procedure approved as written. The BLM is to be contacted (575-361-2822) prior to tag of bottom plug, which must be a minimum of 210' in length.

CRW 032514