Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

OCD Artesia

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No. NM0560290

6. If Indian, Allottee or Tribe Name

abandoned well. Use	e Form 3160-3 (A	NPD) for such proposal	s.			
SUBMIT IN TRIPLICATE – Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.		
I. Type of Well						
✓ Oil Well Gas Well Other				8. Well Name and No. BURTON FLAT DEEP UNIT #51H		
2. Name of Operator DEVON ENERGY PRODUCTION CO	9. API We		9. API Well No. 30-015-4	0681		
3a. Address	3b. Phone No. (include area code)		10. Field and Pool or Exploratory Area			
PO BOX 250, ARTESIA, NM 88211	575-748-3371		AVALON BONE SPRING, EAST			
4. Location of Well (Footage, Sec., T., R., M.	1)		11. Country or Parish, State			
UNIT A, SEC 3, T21S, R27E			EDDY COUNTY, NM			
12. CHECK T	THE APPROPRIATE BO	OX(ES) TO INDICATE NATURI	E OF NOTIC	CE, REPORT OR OTH	IER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent	Acidize	Deepen	Prod	uction (Start/Resume)	Water Shut-Off	
Notice of fixent	Alter Casing	Fracture Treat	Recla	lamation Well Integrity		
Subsequent Report	Casing Repair	New Construction	Reco	complete Other		
Subsequent Report	Change Plans	Plug and Abandon	Temp	nporarily Abandon		
Final Abandonment Notice	Convert to Injection	Plug Back	✓ Wate	er Disposal		
13. Describe Proposed or Completed Opera the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Aba determined that the site is ready for fin	or recomplete horizonta k will be performed or properations. If the operat andonment Notices must	Ily, give subsurface locations and rovide the Bond No. on file with E ion results in a multiple completion	measured an BLM/BIA. For or recomp	nd true vertical depths Required subsequent re eletion in a new interva reclamation, have bee	of all pertinent markers and zones. ports must be filed within 30 days il, a Form 3160-4 must be filed once	
1. This well is producing from the Avalon Bone Spring, East				i	"LOLIVED	
2. Water produced is approximately 1000 BWPD.					APR 28 2014	
3. There are no tanks on location. Water	er first goes to the BF	DU #52 tanks, then pipelined to	o the wells	below. N	MOCD ARTESIA	
4. Water will be pipelined to the a) Burt a) API #'s: 30-015-40987 and b) 30		I and the b) Burton Flat Deep t	Jnit #44, bo	-	THE RESERVE THE PARTY OF THE PA	
5. a) SE4SW4, Sec 2, T21S, R27E b) SE4SW4, Sec 3, T21S, R27E		Accepted for reci	ord 19 -/Y			
6. a) SWD-1403 (attached) b) SWD-1427 (attached)		SUBJECT TO LIKE			TACHED FOR NS OF APPROVAL	

Denise Menoud (575-746-5544)

Title Admin. Field Support 4

Signature

THIS SPACE FOR FEDERAL OR STATE OFFICE USE VED

Approved by

/s/ Jerry Blakley

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and withfully companies to APR 18 2014 Date Office in the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CARL SRAD FIELD OFFICE

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey, Division Director
Oil Conservation Division



Administrative Order SWD-1427 July 5, 2013

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Pursuant to the provisions of 19.15.26.8B NMAC, Devon Energy Production Company, LP (Devon Energy or the "operator"), seeks an administrative order to utilize its Burton Flat Deep Unit Well No. 44 with a location of 3555 feet from the South line and 1660 feet from the West line, Lot number 14 of Section 3, Township 21 South, Range 27 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC and satisfactory information has been provided that affected parties as defined in said rule have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Devon Energy (ORID 6137), is hereby authorized to utilize its Burton Flat Deep Unit Well No. 44 (API 30-015-32274) with a location of 3555 feet from the South line and 1660 feet from the West line, Lot number 14 of Section 3, Township 21 South, Range 27 East, NMPM, Eddy County, for disposal of oil field produced water (UIC Class II only) into the Devonian formations through open hole from approximately 12306 feet to 12600 feet. Injection will occur through internally coated tubing and a packer set within 100 feet of the permitted interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the approved disposal interval and is not permitted to escape to other formations or onto the surface. This includes all changes in well construction proposed and described in the application.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT testing procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A. NMAC. The Division Director retains the right to require at any time wireline verification of completion and packer setting depths in this well.

The wellhead injection pressure on the well shall be limited to **no more than 2460 psig**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate Test.

The operator shall notify the supervisor of the Division's district II office of the date and time of the installation of disposal equipment and of any MIT test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district II office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two (2) years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/prg

cc: Oil Conservation Division – Artesia District Office
United States Bureau of Land Management – Carlsbad Office

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



Administrative Order SWD-1403 March 5, 2013

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of 19.15.26.8B NMAC, Devon Energy Production Company, L.P. seeks an administrative order to utilize its proposed Burton Flat Deep Unit SWD Well No. 1 (API 30-015-40987) to be located 330 feet from the South line and 1550 feet from the West line, Unit letter N of irregular Section 2, Township 21 South, Range 27 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC and satisfactory information has been provided that affected parties as defined in said rule have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Devon Energy Production Company, L.P., is hereby authorized to utilize its proposed Burton Flat Deep Unit SWD Well No. 1 (API 30-015-40987) to be located 330 feet from the South line and 1550 feet from the West line, Unit letter N of irregular Section 2, Township 21 South, Range 27 East, NMPM, Eddy County, for disposal of oil field produced water (UIC Class II only) into the Devonian, Silurian, and Ordovician through an open hole interval from approximately 12155 feet to 14500 feet through internally coated tubing and a packer set within 100 feet of the permitted interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the approved disposal interval and is not permitted to escape to other formations or onto the surface.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT testing procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A. NMAC. The Division Director retains the right to require at any time wireline verification of completion and packer setting depths in this well.

The wellhead injection pressure on the well shall be limited to **no more than 2431 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any MIT test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Administrative Order SWD-1403 Devon Energy Production Company, L.P. March 5, 2013 Page 3 of 3

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/wvjj

cc: Oil Conservation Division – Artesia District Office

Bureau of Land Management - Carlsbad Field Office

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

4/18/2014 Approved subject to conditions of approval JDB:

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. All above ground structures on the lease shall be painted Shale Green (5Y 4/2), or as per approved APD stipulations. This is to be done within 90 days, if you have not already done so.
- 6. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 7. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 8. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 9. This **approval is for produced water disposal only** and any hydrocarbons removed from lease by this method will be subject to royalty payment as well as other enforcement actions as necessary.
- 10. Disposal at any other site will require prior approval.
- 11. Subject to like approval by NMOCD.

JDB2014