District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

4

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Devon Energy Produ	uction Company, LP	
	whose address is333 West Sheridan A	Avenue, OKC, OK 73102	
	hereby requests an exception to Rule 19.15.1	8.12 for90	_days or until
	<u>N/A</u> , Yr <u>,</u> for the	e following described tank battery (or LACT)):
	Name of LeaseName of Pool?	aduca; Bone Spring	
	Location of Battery: Unit Letter PSec	tion <u>2</u> Township <u>25S</u> Range _	<u>31E</u>
	Number of wells producing into battery Cott	on Draw Unit #219 & #220 (API: 30-015-41363 .	<u>& 30-015-41364)</u>
В.	Based upon oil production of1000_	barrels per day, the estimated *	volume
	of gas to be flared isMC	F; Value 7000 per day	•
. C.	Name and location of nearest gas gathering f	acility:	
	Cotton Draw Booster	· 1	<u></u>
D.	Distance <u>On location</u> Estimated of	cost of connection <u>Already exists</u>	·
E.	This exception is requested for the following	reasons: <u>Waiting for approval for gas line</u>	e from
	The State.	· · · · · · · · · · · · · · · · · · ·	- <u>,</u>
	: 		
	, 		
OPERATOR		OIL CONSERVATION DIVISION	
I hereby certify.th Division have be	nat the rules and regulations of the Oil Conservation excomplied with and that the information given above events to the best of my knowledge and belief.	Approved Until Avg 30 20	014
Signature	Budkmen	By AD ade	
Printed Name	Workman, Regulatory Compliance Prof.	Title Dest R Sepeniso	<u>۱</u>
E-mail Addres	r.	Date Mary 12, 2014	·.
Date 04.03.14	Telephone No. (405) 552-7970		

 Date 04.03.14
 Telephone No. (405) 552-1510

 * Gas-Oil ratio test may be required to verify estimated gas volume.

 * See
 A Hacked COA;

Submit 1 Office	l Copy To Approp	riate District		State of N			t					1 C-10
District I	<u>I</u> – (575) 393-6161		Energy, N	Ainerals a	and Natu	al Resource	s r	WITT ADI		R	evised July	/ 18, 201
	French Dr., Hobbs II – (575) 748-128							WELL API		20720		
811 S. Fi	irst St., Artesia, N	M 88210	OIL CO	OIL CONSERVATION DIVISION		1 -	30-015-39729 5. Indicate Type of Lease			<u> </u>		
District I	<u>III</u> – (505) 334-61	78	122	20 South	St. Fran	cis Dr.		STATE STATE			1	
	o Brazos Rd., Azte <u>IV</u> – (505) 476-346		5	Santa Fe	, NM 87	505	ŀ	6. State Oil				1
	St. Francis Dr., Sa				,			o, build on	u Gu	5 Louse	1,40.	
87505				000000						T T 1. 1	·	
			ICES AND REP					7. Lease Na		r Unit A n Draw		t Name
			CATION FOR PERM							~		
PROPOS	SALS.)				,		1	8. Well Nur	mber	219	Н	
	e of Well: Oil		Gas Well	Other				0 OGDID				
2. Nan	ne of Operator		NI ENTERCY DI			DANK TD	1	9. OGRID I	Numb		-	
3 Ada	lress of Operat		ON ENERGY PF			PANI, LF.		10. Pool na	meor	613 Wildca		
J. Auc	mess of Operat		EST SHERIDA	N AVENI		OK 73102	1				elaware,	South
4 337	11 T				<u>, okc</u> ,	<u>OK 75102</u>	<u></u>				<u> </u>	
4. We	ll Location	1 220	C (C)	1 .1	· ·		<u> </u>		_	1.		
	Unit Letter_	2.	feet from the \underline{S}		line and _			om the <u>F</u>		-		
	Section	11		wnship	25S	Range	31E	NMP	PM	Eddy,	County	
			11. Elevation	(Show wh	ether DR,	RKB, RT, GI	R, etc.)		1			
				······································				·····	police.			
								EQUENT				
	ORM REMEDIA ORARILY ABA	, —	PLUG AND A						Ц			_
		· <u> </u>						LING OPNS	Ľ	P AND	Α	·
	OR ALTER CA	SING 🔲	MULTIPLE CO	JIVIPL		CASING/CE	EMENI	JOB	Ļ			
CLOSE OTHEF	ED-LOOP SYS R:	T,EM	pleted operations	. (Clearly	state all r	OTHER:	ils, and	give pertine	nt date	es, inclu	Iding estin	mated d
CLOSE OTHEF 13.	ED-LOOP SYS R: Describe prop	TEM	oleted operations ork). SEE RULE completion.			ertinent detai						
CLOSE OTHEF 13.	ED-LOOP SYS R: Describe prop of starting any	TEM	ork). SEE RULH			ertinent detai						
CLOSE OTHEF 13.	ED-LOOP SYS R: Describe prop of starting any proposed com	TEM	ork). SEE RULH	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS R: Describe prop of starting any proposed com Devon Energy	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS R: Describe prop of starting any proposed com Devon Energy	TEM	ork). SEE RULI completion.	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS R: Describe prop of starting any proposed com Devon Energy application. V	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS R: Describe prop of starting any proposed com Devon Energy	TEM osed or comp proposed we pletion or rec Production	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Composed proposed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Control Control C	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAČ	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Control Control C	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAC	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE <u>OTHEF</u> 13.	ED-LOOP SYS Control Control C	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7.	14 NMAČ	ertinent detai	ole Com	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE OTHEF 13. 129	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir	E 19.15.7. spectfully ne.	14 NMAC requests t	ertinent detai	t	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE OTHEF 13. 129	ED-LOOP SYS Composed composed	TEM	ork). SEE RULF completion. Company, LP res	E 19.15.7. spectfully ne.	14 NMAC requests t	ertinent detai	t	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE OTHEF 13. 129	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir	E 19.15.7. spectfully ne.	14 NMAC requests t	ertinent detai	t	pletions: At	tach v	vellbore	e diagram	of ·
CLOSE OTHEF 13. 129 Spud Da	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be	ertinent detai 2. For Multip o flare the Cc te:	t bitton D	pletions: At raw Unit 219 and belief.	PH & 2	220H as	e diagram	of ·
CLOSE OTHEF 13. 129	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be	ertinent detai	t bitton D	pletions: At raw Unit 219 and belief.	PH & 2	220H as	e diagram	of ·
CLOSE OTHER 13. 129 Spud Da I hereby SIGNAT	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir above is true and	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be <u>.E_Regul</u>	ertinent detai 2. For Multip o flare the Cc o flare the Cc est of my kno atory Compli	ele Com otton D wledge	pletions: At raw Unit 219 and belief.	DA	vellbore 220H as	4/04/14	of
CLOSE OTHER 13. 129 129 Spud Da I hereby SIGNAT Type or	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir above is true and	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be <u>.E_Regul</u>	ertinent detai 2. For Multip o flare the Cc o flare the Cc est of my kno atory Compli	ele Com otton D wledge	pletions: At raw Unit 219 and belief.	DA	vellbore 220H as	e diagram	of
CLOSE OTHER 13. 129 129 Spud Da I hereby SIGNAT Type or For Stat	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir above is true and	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be <u>.E_Regul</u>	ertinent detai 2. For Multip o flare the Cc o flare the Cc est of my kno atory Compli	ele Com otton D wledge	pletions: At raw Unit 219 and belief.	DA	vellbore 220H as	4/04/14	of
CLOSE OTHER 13. 129 129 Spud Da I hereby SIGNAT Type or For Stat APPRO	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir above is true and	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be <u>.E_Regul</u>	ertinent detai 2. For Multip o flare the Cc o flare the Cc est of my kno atory Compli	ele Com otton D wledge	pletions: At raw Unit 219 and belief.	DA	vellbore 220H as TE(4/04/14	of
CLOSE OTHER 13. 129 129 Spud Da I hereby SIGNAT Type or For Stat APPRO	ED-LOOP SYS Composed composed	TEM	ork). SEE RULI completion. Company, LP res proval for gas lir above is true and MAC	E 19.15.7. spectfully ne. Rig R d complet	14 NMAC requests t celease Da e to the be <u>.E_Regul</u>	ertinent detai 2. For Multip o flare the Cc o flare the Cc est of my kno atory Compli	ele Com otton D wledge	pletions: At raw Unit 219 and belief.	DA DA DA	vellbore 220H as TE(4/04/14	of

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

/ / 2011

Jami Bailey, Division Director

Oil Conservation Division

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: <u>http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

> 1220 South St. Francis Drive • Santa Fe, New Mexico 87505 Phone (505) 476-3460 • Fax (505) 476-3462 • www.emnrd.state.nm.us/ocd

