Submit I Copy To Appropriate District Office	State of New Mexico		Form C-103	
<u>District 1</u> – (575) 393-6161 ^a Energy	, Minerals and Natural Resources		sed August 1, 2011	
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283		WELL API NO.		
811 S. First St., Artesia, NM 88210 OIL C	CONSERVATION DIVISION	5. Indicate Type of Lease		
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	220 South St. Francis Dr.		EE 🗆	
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease N		
1220'S, St. Francis Dr., Santa Fc, NM				
SUNDRY NOTICES AND RI	EPORTS ON WELLS	7. Lease Name or Unit Ag	reement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL	LOR TO DEEPEN OR PLUG BACK TO A		_	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PI PROPOSALS.)	ERMIT" (FORM C-101) FOR SUCH	Washington 33 State Batter	У	
1. Type of Well: Oil: Well Gas Well	Other	8. Well Number		
2. Name of Operator;		9. OGRID Number		
Apache Corporation		873		
3. Address of Operator	TV -0-0-	10. Pool name or Wildcat		
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		Yeso (96830) & Grayburg-S	an Andres (3230)	
4. Well Location				
<u> </u>		feet from the	line	
	ownship 17S Range 28E	NMPM County	Eddy -	
11. Elevation	on (Show whether DR, RKB, RT, GR, e	tc.)		
10 10 10 10 10 10 10 10 10 10 10 10 10 1		A Street Street		
		D		
1/2. Check Appropriate	Box to Indicate Nature of Notice	e, Report or Other Data		
NOTICE OF INTENTION	TO: Si	BSEQUENT REPORT	OF·	
	ABANDON REMEDIAL WO		NG CASING 🔲	
TEMPORARILY ABANDON				
PULL OR ALTER CASING MULTIPLE				
DOWNHOLE COMMINGLE				
Eloro Cas			_	
OTHER: Flare Gas 13. Describe proposed or completed operation	OTHER:	and give portions dates includ	ing antimated data	
of starting any proposed work). SEE RU				
proposed completion or recompletion.	19.19.7.14 WWW. Tor Willipie	completions. Attach welloofe t	magráin or	
	flore all of the Machinetee 22 Chate we	la Interesittant flavian will accoun	مط النب مما مص	
Apache is requesting permission to temporarily measured prior to flaring. The API# for each we	flare all of the Washington 33 State we	is. Intermittent flaring will occur	and gas will be	
	•	2007	4E 40079	
30-015-30299 30-015-22821 30-015-30276 30-015-30332			15-40078 15-40114	
30-015-30277				
4	30-013-38004		15-40110	
30-015-30138 \$ 30-015-30196	-		15-40110 15-40115	
30-015-30189 30-015-30334	30-015-39885 3 -30-015-39886 3	0-015-40023 30-0 0-015-40087 30-0	15-40115 15-40111	
30-015-30189 30-015-30334 30-015-30190 ; 30-015-01690	30-015-39885 3 -30-015-39886 3 -30-015-40015 3	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0	15-40115 15-40111 15-40116	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464	30-015-39885 3 -30-015-39886 3 -30-015-40015 3 -30-015-40014 3	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0	15-40115 15-40111 15-40116 15-40117	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605	30-015-39885 3 -30-015-39886 3 -30-015-40015 3 -30-015-40014 3 -30-015-40016 3	0-015-40023 30-0* 0-015-40087 30-0* 0-015-40088 30-0* 0-015-40089 30-0* 0-015-40090 30-0*	15-40115 15-40111 15-40116 15-40117 15-40112	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464	30-015-39885 3 -30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3	0-015-40023 30-0* 0-015-40087 30-0* 0-015-40088 30-0* 0-015-40089 30-0* 0-015-40090 30-0* 0-015-40113 30-0*	15-40115 15-40111 15-40116 15-40117	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124	30-015-39885 3 -30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40113 30-0 0-015-40076 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-22417 30-015-22465	30-015-39885 3 -30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40113 30-0 0-015-40076 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465	30-015-39885 3 -30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40113 30-0 0-015-40076 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-22417 30-015-22465	30-015-39885 3 -30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40113 30-0 0-015-40076 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40113 30-0 0-015-40076 30-0 0-015-40077 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40113 30-0 0-015-40076 30-0 0-015-40077 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40113 30-0 0-015-40076 30-0 0-015-40077 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40113 30-0 0-015-40076 30-0 0-015-40077 30-0 edge and belief.	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40113 30-0 0-015-40076 30-0 0-015-40077 30-0	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40076 30-0 0-015-40077 30-0 0-015-40077 30-0 0-015-40077 30-0 DATE 03/	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40076 30-0 0-015-40077 30-0 0-015-40077 30-0 0-015-40077 30-0 DATE 03/	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date: Thereby certify that the information above is true SIGNATURE Type or print name Fatima Vasquez For State Use Only	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	20-015-40023 30-0 20-015-40087 30-0 20-015-40088 30-0 20-015-40089 30-0 20-015-40090 30-0 20-015-40076 30-0 20-015-40077 30-0 20-015-40077 PHONE: (4	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date: Type or print name Fatima Vasquez For State Use Only APPROVED BY:	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	0-015-40023 30-0 0-015-40087 30-0 0-015-40088 30-0 0-015-40089 30-0 0-015-40090 30-0 0-015-40076 30-0 0-015-40077 30-0 0-015-40077 30-0 0-015-40077 30-0 DATE 03/	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date: Type or print name Fatima Vasquez For State Use Only APPROVED BY: Conditions of Approval (if any):	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date: TITLE Regulatory Analyst II E-mail address: Fatima.Vasqueze TITLE A Fatima.Vasqueze	20-015-40023 30-0 20-015-40087 30-0 20-015-40088 30-0 20-015-40089 30-0 20-015-40090 30-0 20-015-40076 30-0 20-015-40077 30-0 20-015-40077 PHONE: (4	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date: Type or print name Fatima Vasquez For State Use Only APPROVED BY: Conditions of Approval (if any):	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date: TITLE Regulatory Analyst II E-mail address: Fatima.Vasqueze TITLE A Fatima.Vasqueze	20-015-40023 30-0 20-015-40087 30-0 20-015-40088 30-0 20-015-40089 30-0 20-015-40090 30-0 20-015-40076 30-0 20-015-40077 30-0 20-015-40077 PHONE: (4	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	
30-015-30189 30-015-30334 30-015-30190 30-015-01690 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-22524 30-015-22124 30-015-30194 30-015-22417 30-015-22822 30-015-22465 Spud Date: Type or print name Fatima Vasquez For State Use Only APPROVED BY: Conditions of Approval (if any):	30-015-39885 3 30-015-39886 3 30-015-40015 3 30-015-40014 3 30-015-40016 3 30-015-40017 3 30-015-40018 3 30-015-40019 3 Rig Release Date:	20-015-40023 30-0 20-015-40087 30-0 20-015-40088 30-0 20-015-40089 30-0 20-015-40090 30-0 20-015-40076 30-0 20-015-40077 30-0 20-015-40077 PHONE: (4	15-40115 15-40111 15-40116 15-40117 15-40112 15-40118 15-40119 15-40120	

District 1 1625 N. French Dr., Hobbs, NM 88240 811 S. First St., Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Conservation Division 20 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) **Apache Corporation** Applicant A. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for _____ days or until , Yr _____, for the following described tank battery (or LACT): Washington 33 State Battery Name of Pool Yeso & Grayburg-SA Name of Lease Number of wells producing into battery _____ barrels per day, the estimated * volume Başed upon oil production of В. 2.2 MCF; Value _____per day. of gas to be flared is C. Name and location of nearest gas gathering facility: DCP / Frontier Empire Abo Plant D. Distance Estimated cost of connection This exception is requested for the following reasons: DCP & Frontier curtails their gas E. due to repairs or plant problems. This is an extension to the permit that expires 03/31/2014. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature 6 Printed Name Fåtima Vasquez - Regulatory Analyst II & Title ¹Fatima.Vasquez@apachecorp.com Date E-mail Address (432) 818-1015

Gas-Oil ratio test may be required to verify estimated gas volume.

Telephone No.

\$500 Attached

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

3/26/2014

/ /

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.