Office	State of New Mexico Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION		Form C-103 Revised August 1, 2011
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210			5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fra		STATE STATE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505		6. State Oil & Gas Lease No.
	CES AND REPORTS ON WELL	.S	7. Lease Name or Unit Agreement Name
	SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A CATION FOR PERMIT" (FORM C-101) FOR SUCH		A State 40 Battery
1. Type of Well: Oil Well 🔽	Gas Well 🗌 Other		8. Well Number
2. Name of Operator Apache Corporation			9. OGRID Number 873
3. Address of Operator			10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 30	000 Midland, TX 79705		Yeso
4. Well Location			<u></u>
Unit Letter:_	feet from the		
Section 26	Township 17S F 11. Elevation (Show whether D	Range 28E	NMPM County Eddy
	TT. Elevation (Snow whether Di	$\mathbf{K}, \mathbf{K}\mathbf{K}\mathbf{D}, \mathbf{K}\mathbf{I}, \mathbf{G}\mathbf{K}, \mathbf{e}\mathbf{u}$	
12 Check A	ppropriate Box to Indicate 1	Nature of Notice	Report or Other Data
			•
			BSEQUENT REPORT OF: RK
—	CHANGE PLANS		
		COMMENCE D	
PULL OR ALTER CASING DOWNHOLE COMMINGLE		CASING/CEME	
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEMEI	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEME	
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEMEI	
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEME OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f	NT JOB
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEME OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f	NT JOB
PULL OR ALTER CASING DOWNHOLE COMMINGLE DOWNHOLE COMMINGLE DI COMMINGLE DI COMMINGLE DI CONTERNI Flare Permit 13. Describe proposed or completion or recompletion or recompletion or recompletion or recompletion or gas at this battery so we will necessary as a state stat	MULTIPLE COMPL \Box eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA ompletion. χ flare gas from the A State #40 Ba ed to flare it. Gas will be measure 30-015-41022 A Sta	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring.	NT JOB
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring.	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL \Box eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA ompletion. χ flare gas from the A State #40 Ba ed to flare it. Gas will be measure 30-015-41022 A Sta	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring.	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring.	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring.	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring.	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. ate #80 ate #81 ate #82	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. ate #80 ate #81 ate #82	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. ate #80 ate #81 ate #82	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. ate #80 ate #81 ate #82	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. ate #80 ate #81 ate #82	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. ate #80 ate #81 ate #82 Date:	NT JOB
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN OTHER: I pertinent details, a AC. For Multiple Co attery. Intermittent f ed prior to flaring. Ate #80 Ate #81 Ate #82 Date: Date: best of my knowled Matory Analyst II SS: Fatima.Vasquez@a	NT JOB

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

А.	pplicant,			
	whose address is			
	hereby requests an exception to Rule 19.15.1			
	, Yr, for the following described tank battery (or LACT)			
	Name of Lease A State 40 Battery	Name of Pool		
	Location of Battery: Unit Letter	Name of Pool Yeso Section 26 17S 28E		
	Number of wells producing into battery	11		
В.	Based upon oil production of	barrels per day, the estimated * volume		
	of gas to be flared is	MCF; Value per day.		
C.	Name and location of nearest gas gathering facility: Frontier Empire Abo Unit			
D.	DistanceEstimated cost of connection			
E	This exception is requested for the following reasons:			
	cannot take our gas at this new battery. This is an extension to the permit that			
	expires 06/30/2014.			
		·····		
		OIL CONSERVATION DIVISION		
Division have be	that the mala search and the order of the O'l Compared in a	Approved Until Sept 30, 2014		
Signature		By ADado		
Printed Name & Title	Fatima Vasquez - Regulatory Analyst II	Title Dr ST IT Sepension		
· E-mail Addre	Fatima.Vasquez@apachecorp.com	Date June 23 2014		
Date 06/17/	2014 Telephone No. (432) 818-1015)		
* Gas-Oil rati	io test may be required to verify estimated gas See Attached COA	volume. 75		

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- I 1.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here *HD*

6 123 2014

State of New Mexico Energy, Minerals and Natural Resources Department

Jami Bailey, Division Director

Oil Conservation Division

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

> 1220 South St. Francis Drive • Santa Fe, New Mexico 87505 Phone (505) 476-3460 • Fax (505) 476-3462 • www.emind.state.nm.us/ocd

