Form 3160-5 (August 2007)

### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**OCD Artesia** 

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMNM0503

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an  abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM0503		
					6. If Indian, Allottee o	r Tribe Name	
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No.						
1. Type of Well ☐ Oil Well ☐ Gas Well ☑ Other: UNKNOWN OTH					8. Well Name and No. COTTON DRAW UNIT 219		
Name of Operator					9. API Well No. 30-015-41363		
3a. Address ATTN: JOE LARA P.O. BOX 250 ARTESIA, NM 88211			. (include area code) 9-3991	-	10. Field and Pool, or Exploratory UNDESIGNATED ADDICATES		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)				11. County or Parish,		
Sec 2 T25S R31E Mer NMP 2			EDDY COUNTY	COUNTY, NM			
	·						
12. CHECK APPI	ROPRIATE BOX(ES) TO I	NDICATE	NATURE OF 1	NOTICE, R	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION			TYPE OI	F ACTION			
Notice of Intent	Notice of Intent		oen .	☐ Product	ion (Start/Resume)	☐ Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing		ture Treat	Reclam	•	☐ Well Integrity	
	Casing Repair	_	Construction	Recomp		☑ Other Surface Disturbance	
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	☐ Plug	and Abandon Back	☐ Vater I	arily Abandon		
determined that the site is ready for f To lay a buried 8 inch SDR-7 of Section 2, T25S-R31E to co 12, T25S-R31E.	poly gas line from the Cotto onnect to a proposed buried	n Draw Uni gas line lo	t #219 located ir cated in the NW	the SE/4SI /4NW/4 of S	NM OIL CO	NSERVATION	
This line is expected to carry	IIII 1 6 2014						
The spacing for said line is 30	feet wide by 1,578.95 (95.6	39.rods), co	ntaining 1.09 ac			•	
See attached plat #29120.	Acce	pted fo	or record CD 19 19-16	الم CON	SEE ATTAGEO DITIONS OF	<b>EIVED</b> OR Approval	
14. I hereby certify that the foregoing is	true and correct.  Electronic Submission #24:  For DEVON ENERG  Committed to AFMSS for p	¥Y PRODU¢	TIÓN CO., sent t	o the Hobbs			
Name (Printed/Typed) SCOTT S.	ANKEY	· · · · · · · · · · · · · · · · · · ·	Title AUTHO	RIZED AGE	ENT	·	
Signature (Electronic S	Submission)		Date 04/17/2	014	,		
	THIS SPACE FOR	FEDERA	L OR STATE	OFFICE U	SE		
Approved By			Title	<del> </del>		Date	
Conditions of approval, if any, are attache ertify that the applicant holds legal or equivalent would entitle the applicant to conduct the applicant the applicant to conduct the applicant to conduct the applicant the app	iitable title to those rights in the su		Office				
itle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a cristatements or representations as to	me for any pe any matter wi	rson knowingly and thin its jurisdiction.	willfully to ma	ake to any department or	agency of the United	


EDDY COUNTY. NEW MEXICO. N55'27'21"W S89'50'11"W OWNER: USA LESSEE: H&K FARMS INC

SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M.,

A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

SECTION 12= 71.5 FEET= 4.33 RODS= 0.01 MILES= 0.05 ACRES

1000



BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO

Disk: KAN 29120P

W.O. Number: 29120 Drawn By: K. NORRIS

Date: 8-12-2013

Survey Date: 7-24-2013

Sheet

1000

of

Sheets

2000 FEET


PIPELINE CROSSING USA LAND IN SECTION 12, TOWNSHIP 25 SOUTH, RANGE 31 EAST,

DEVON ENERGY PRODUCTION CO., LP.

REF: PROP 8" WATER PIPELINE COTTON DRAW UNIT #219-220


N.M.P.M., EDDY COUNTY, NEW MEXICO.

SECTION 1, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.



A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 1, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

SECTION 1= 67.0 FEET= 4.06 RODS= 0.01 MILES= 0.05 ACRES



BASIN SURVEYS P.O. BOX 1786—HOBBS, NEW MEXICO

W.O. Number: 29120 Drawn By: K. NORRIS

Date: 8-12-2013 Disk: KAN 29120P

1000 0 1000 2000 FEET

## DEVON ENERGY PRODUCTION CO., LP.


REF: PROP 8" WATER PIPELINE COTTON DRAW UNIT #219-220

PIPELINE CROSSING USA LAND IN
SECTION 1, TOWNSHIP 25 SOUTH, RANGE 31 EAST,

N.M.P.M., EDDY COUNTY, NEW MEXICO.

Survey Date: 7-24-2013 | Sheet 2 of 3 Sheets

SECTION 2, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY. NEW MEXICO.



A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 2, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY.

BEGINNING AT A POINT ON THE EAST SECTION LINE WHICH LIES N.0016'59"E., 38.1 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 2; THENCE N.55'27'21"W., 22.6 FEET; THENCE N.89'55'06"W., 789.0 FEET; THENCE N.43'37'02"W., 41.0 FEET; THENCE N.00'38'47"E., 298.8 FEET; THENCE N.44'42'21"W., 21.1 FEET; THENCE N.89'24'41"W., 252.9 FEET; THENCE S.00'35'19"W., 15.0 FEET TO THE END OF THIS LINE WHICH LIES S.25 46'52"W., 2500.9 FEET FROM THE EAST QUARTER CORNER OF SAID SECTION 2. SAID STRIP OF LAND BEING 1440.4 FEET OR 87.30 RODS IN LENGTH AND CONTAINING 0.99 ACRES, MORE OR LESS, AND BEING ALLOCATED BY FORTIES. AS FOLLOWS: ALLOCATED BY FORTIES

1000



**Basin surveyS** p.o. box 1786—hobbs, new mexico

Disk: KAN 29120P

W.O. Number: 29120

Date: 8-12-2013

Drawn By:

K. NORRIS

Survey Date: 7-24-2013

Sheet

Sheets


2000 FEET

DEVON ENERGY PRODUCTION CO., L.P.

1000

REF: PROP 8" WATER PIPELINE COTTON DRAW UNIT #219-220

PIPELINE CROSSING STATE LAND IN SECTION 2, TOWNSHIP 25 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.



PROP. COTTON DRAW UNIT #219-220 8" WATER PIPELINE Section 2, Township 25 South, Range 31 East, N.M.P.M., EDDY County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393—7316 — Office (575) 392—2206 — Fax basinsurveys.com

W.O. Number: KAN ~ 29120P	ļ
Survey Date: 7-24-2013 .	1
Scale: 1" = 2000'	Ţ
Date: 8-12-2013	4

DEVON ENERGY PRODUCTION COMPANY, L.P.

# BLM LEASE NUMBER: NMNM036379 0503 COMPANY NAME: Devon Energy Production Company ASSOCIATED WELL NAME: Cotton Draw Unit 219 Buried SWD, and Gas Pipeline

### **BURIED PIPELINE STIPULATIONS**

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.
6. The pipeline will be buried with a minimum cover of <u>36</u> inches between the top of the pipe and ground level.
7. The maximum allowable disturbance for construction in this right-of-way will be $\underline{30}$ feet:
• Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed 20 feet. The trench is included in this area. (Blading is defined as the complete removal of brush and ground vegetation.)
• Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.)
• The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (Compressing can be caused by vehicle tires, placement of equipment, etc.)
8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately6 inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.
9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.
11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.
( ) seed mixture 1 ( ) seed mixture 3 ( ) seed mixture 2 ( ) seed mixture 4 (X) seed mixture 2/LPC ( ) Aplomado Falcon Mixture

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
  - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
  - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.
- 19. Special Stipulations:

### Lesser Prairie-Chicken

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration

other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.