Form 3160- 5	UNITED STATES FORM APPROVE							
(August, 2007)	DEPARTMENT OF		OMB No. 1004- 0137 Expires: July 31, 2010					
	BUREAU OF LANI	) MANAGEMEN I		5. Lease Serial				
SU	NMLC-065710A							
Do abar	6. If Indian, Allottee, or Tribe Name							
abandoned well. Use Form 3160-3 (APD) for such proposals					7. If Unit or CA. Agreement Name and/or No.			
Type of Well					8. Well Name and No.			
Image: Construction of Construction Gas Well Other					Lusk Deep Unit A #30H			
Name of Operator COG Operating LLC					9. API Well No.			
3a. Address	3b. Phone No. (include area code)				30-025-41513			
2208 W. Main Street Artesia, NM 88210	575-748-6940			10. Field and Pool, or Exploratory Area				
4. Location of Well (Footage, Sec., T., R.	., M., or Survey Description)	Lat.	Lat.		Lusk; Bone Spring			
330' FSL & 360' FWL, U	nit M, Sec 20, 19S-32E	Long.		11. County or F Lea Co				
12. CHECK APPROPRIATE BO	X(S) TO INDICATE NATU	IRE OF NOTICE, REP	ORT, OR OTHER D					
TYPE OF SUBMISSION			TYPE OF ACTION					
X Notice of Intent	Acidize	Deepen	Production ( S	Start/ Resume)	Water Shut-off			
	Altering Casing	Fracture Treat	Reclamation		Well Integrity			
Subsequent Report	Casing Repair	New Construction	Recomplete		X Other			
	Change Plans	Plug and abandon	Temporarily A	bandon	Gas Line			
Final Abandonment Notice	Convert to Injection	Plug back	Water Dispos	al				
Attach the Bond under which the following completion of the involv	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be	ally, give subsurface locat the Bond No. on file w results in a multiple comp	ions and measured and ith the BLM/ BIA. Re pletion or recompletion	l true vertical de quired subsequent in a new interva amantion, have b	epths or pertinent markers and san reports shall be filed within 30 d l, a Form 3160-4 shall be filed o een completed, and the operator			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be	ally, give subsurface locat the Bond No. on file w results in a multiple comp	ions and measured and ith the BLM/ BIA. Re pletion or recompletion	l true vertical de quired subsequent in a new interva amantion, have b	epths or pertinent markers and sam reports shall be filed within 30 d a Form 3160-4 shall be filed of een completed, and the operator PPTED for record NMOCD / pg			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be hal inspection.)	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T1	tions and measured and tith the BLM/ BIA. Re bletion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me	Potes or pertinent markers and same reports shall be filed within 30 d I, a Form 3160-4 shall be filed of een completed, and the operator Poted for record NMOCD (P) H in Unit M, Sec			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the l	rectionally or recomplete horizont work will performed or provide ved operations. If the operation Abandonment Notice shall be hal inspection.)	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para	ions and measured and ith the BLM/ BIA. Re betion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co allel to the approve	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.)	Potes or pertinent markers and same reports shall be filed within 30 d I, a Form 3160-4 shall be filed of een completed, and the operator Poted for record NMOCD (P) H in Unit M, Sec			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the l (A steel surface flowline w	rectionally or recomplete horizont work will performed or provide ved operations. If the operation Abandonment Notice shall be hal inspection.)	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para	ions and measured and ith the BLM/ BIA. Re betion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co allel to the approve	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.)	Physical and the operators and same reports shall be filed within 30 dd , a Form 3160-4 shall be filed of energy and the operator and the operator and the oper			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) boses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see	ions and measured and ith the BLM/ BIA. Re betion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co allel to the approve	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.)	Physical array of the second s			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) boses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see	ions and measured and ith the BLM/ BIA. Re betion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co allel to the approve	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.)	Provide the second seco			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) boses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see a	ions and measured and ith the BLM/ BIA. Re betion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co allel to the approve	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.)	Provide the second seco			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx The gas line will be approx	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) boses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see the sec 20, T19 this line will run para	ions and measured and ith the BLM/ BIA. Re betion or recompletion irements, including recl from the Lusk Dec 9S-R32 E, Lea Co allel to the approve	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Mo d line.)	Provide the second seco			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) boses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see <u>COA 5 7</u>	tions and measured and tith the BLM/ BIA. Re bletion or recompletion irements, including recl 9S-R32 E, Lea Co allel to the approve attached).	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Mo d line.)	Provide the second seco			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx The gas line will be approx	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be all inspection.) boses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see <u>COA 5 7</u>	tions and measured and tith the BLM/ BIA. Repletion or recompletion irements, including recl 9S-R32 E, Lea Co allel to the approve attached).	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Mo d line.) NN	Provide the second seco			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx The gas line will be approx Suffact 14. I hereby certify that the foregoing is truname ( <i>Printed/Typed</i> ) Monti Sanders Signature: MMM	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be all inspection.) posses a 4" surface SDR 7 j Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar <u>c OK See AHa</u> ue and correct.	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T11 this line will run para and 30 feet wide (see a <u>the CoA s</u> <u>Title:</u> Re Date: 3/2 <b>COR FEDERAL OR S</b>	tions and measured and tith the BLM/ BIA. Repletion or recompletion irements, including recl 9S-R32 E, Lea Co allel to the approve attached).	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.) NN an SE	Physical arrows and service of the s			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx The gas line will be approx It. I hereby certify that the foregoing is tre Name ( <i>Printed/Typed</i> ) Monti Sanders Signature: MMMA Approved by: <b>IS/STEH</b> Conditions of approval, if any are attac certify that the applicant holds legal or which would entitle the applicant holds legal or	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) Dosses a 4" surface SDR 7 y Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar <u>correct.</u> THIS SPACE I PHEN J. CAFFEY ched. Approval of this notice dose equitable fuile to those rights in pplicant to conduct oper	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see a <u>this line will run para</u> <u>this line will run para</u>	ions and measured and ith the BLM/ BIA. Re obtion or recompletion irements, including recl 9S-R32 E, Lea Co allel to the approve attached).	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.) NN an	Physical array of the second s			
If the proposal is to deepen dir Attach the Bond under which the following completion of the involv testing has been completed. Final determined that the site is ready for fin COG Operating LLC, prop 20, T19S-R32E to the the I (A steel surface flowline w The gas line will be approx The gas line will be approx The gas line will be approx It. I hereby certify that the foregoing is tr Name ( <i>Printed/Typed</i> ) Monti Sanders Signature: MMMA	rectionally or recomplete horizont work will performed or provide ved operations. If the operation 1 Abandonment Notice shall be al inspection.) Dosses a 4" surface SDR 7 p Lusk Deep Unit A #25H i vas approved in the APD, ximately 1790 feet long ar <u>correct.</u> THIS SPACE I PHEN J. CAFFEY ched. Approval of this notice doe equitable fuile to those rights in pplicant to conduct oper itte 43 U.S.C. Section 1212, ma	ally, give subsurface locat the Bond No. on file w results in a multiple comp filed only after all requ poly gas line psi #60 n Unit E, Sec 20, T19 this line will run para and 30 feet wide (see a this line will run para and 30 feet wide (see a Title: Re Date: 3/2 FOR FEDERAL OR S Title: Title: Title: Ses not warrant or the subject lease ations thereon. Ke it a crime for any per	ions and measured and ith the BLM/ BIA. Re obtion or recompletion irements, including recl 9S-R32 E, Lea Co allel to the approve attached).	t true vertical de quired subsequent in a new interva amantion, have b ACCE ep Unit A #30 unty, New Me d line.) NN an	Physical array of the second s			

,

# LOCATION VERIFICATION MAP

2 No 1 Noon	DH DH				<u> </u>
	36091	Pit 1	<u>ੂੰ 36</u> μη		12-13
5598T	3608T	SODH SAN		OH	
A PM ASSA				- ILUZ	
	DH 35987	35991 5-89 3603T		$\sim$	3622T
		595T			-1/16
		DH J		UPL	
3572		359471	3598T		3607
25842 -3560	Ase 3584T	35897		DH3	02T
35774	N. C.	stor Z			
10 DH	35787		#25H		<b></b>
35927		00			
D 2 25517 GAS	100 P	FIELD	2003 - SS	°G2.	
SSCRI ODH	OH:	5-90			1 21 (35
35391×	Contraction of the second s	OH \$55733	<b>23584</b> T	3584 3584	Ť O al
Not Not	7	3566T	N OH	A	DOR
√3536T 3549T,	366275		35787-		<u>- 22</u>
3634				3573 <u>1</u>	
26T 3538 8 3536	-3538 (- 5 E	258 gyl:LUSKDEEP.UNIT/AI#3		et	
	35487	3557T	27 X == ==	25E	N.
35/9T	35491 		Sugar.		5591 <u>2</u> 8
to the second se	and the second	он 3046Т	, NSZ	ew 35	
35361 352ITS		3546T 35552T	36E9T	<b>Geographic Socie</b>	
			2013 National	Geographic Socie	NHI CUbed


SEC. 20, TWP. 19S, RGE. 32E SURVEY: N.M.P.M COUNTY: LEA STATE: NEW MEXICO DESCRIPTION: LUSK DEEP UNIT A FLOWLINE LENGTH: 2,810'

OPERATOR: COG OPERATING LLC LEASE: LUSK DEEP UNIT

W.O. # 13-432

٦,

ę.



HARCROW SURVEYING, LLC 1107 WATSON, ARTESIA N.M. 88210 PH: (575) 513-2570 FAX: (575) 746-2158 chad\_harcrow77@yahoo.com



MAP DATE: 6/25/2013

## BLM LEASE NUMBER: NMLC065710A <u>COMPANY NAME</u>: COG Production, LLC <u>ASSOCIATED WELL NAME</u>: Lusk Deep Unit A #30H

### STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the application (Grant, Sundry Notice, APD) and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this rightof-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:

a. Activities of the holder including, but not limited to construction, operation, maintenance,

1

and termination of the facility.

b. Activities of other parties including, but not limited to:

(1) Land clearing.

(2) Earth-disturbing and earth-moving work.

(3) Blasting.

(4) Vandalism and sabotage.

c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.

6. All construction and maintenance activity will be confined to the authorized right-of-way width of <u>20</u> feet. If the pipeline route follows an existing road or buried pipeline right-of-way, the surface pipeline must be installed no farther than 10 feet from the edge of the road or buried pipeline right-of-way. If existing surface pipelines prevent this distance, the proposed surface pipeline must be installed immediately adjacent to the outer surface pipeline. All construction and maintenance activity will be confined to existing roads or right-of-ways.

7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.

8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.

9. The pipeline shall be buried with a minimum of 24 inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface.

10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.

13. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.

14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.

15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

16. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, powerline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

17. Surface pipelines must be less than or equal to 4 inches and a working pressure below 125 psi.

3

### 18. Special Stipulations:

**Lesser Prairie-Chicken:** Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted.

#### **Fence Requirement**

Where entry is granted across a fence line, the fence must be braced and tied off on both sides of the passageway with H-braces prior to cutting. Once the work is completed, the fence will be restored to its prior condition, or better. The operator shall notify the private surface landowner or the grazing allotment holder prior to crossing any fence(s).