Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010	
5. Lease Serial No. NMNM012121	
6 If Indian Allottee or Tribe Name	

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name					
7. If Unit or CA/Agreement, Name and/or No.	_				

SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. 891005247X				
1. Type of Well ☐ Gas Well ☐ Other					8. Well Name and No. COTTON DRAW UNIT 167H				
2. Name of Operator Contact: SANDRA FARLEY DEVON ENERGY PRODUCTION CO EFMail: sandy.farley@dvn.com					9. API Well No. 30-015-41385-00-S1				
3a. Address 333 WEST SHERIDAN AVE OKLAHOMA CITY, OK 73102	3b. Phone No. Ph: 575-74	(include area code) 6-5587		10. Field and Pool, or Exploratory PADUCA					
4. Location of Well (Footage, Sec., T.					11. County or Parish, a	and State			
Sec 25 T24S R31E NESW 23	ì	•	EDDY COUNTY	, NM					
12. CHECK APPR	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF N	NOTICE, RI	EPORT, OR OTHER	R DATA	·		
TYPE OF SUBMISSION			TYPE OF	ACTION					
Acidize		□ Deep	Deepen		tion (Start/Resume)		Shut-Off		
☐ Notice of Intent	☐ Alter Casing	☐ Frac	ture Treat	☐ Reclam.	ation	☐ Well Integrity			
, 🛮 Subsequent Report	□ Casing Repair	□ New	Construction	☐ Recomplete		Other			
☐ Final Abandonment Notice	□ Change Plans	Plug	and Abandon	☐ Temporarily Abandon					
,	Convert to Injection	🗖 Plug	Back	₩ Water Disposal					
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit. 1. This well is producing from 2. Water produced is approxim 3. There are four 500 BBL tan 4. Water will be trucked to the Energy Production Co LP. a)A 5. a)SW4SE4, S3, T25S, R31b)SE4NE4, S36, T24S, R31E	k will be performed or provide to operations. If the operation restorted in the performed of the operation restorted in the Paduca; BoneSpring mately 1200 BWPD ks on location a)Cotton Draw 89 SWD b.PI 30-015-31381 b) 30-01	he Bond No. on ults in a multiple d only after all r	file with BLM/BIA completion or recequirements, includ	Required submpletion in a ring reclamation R-N RESOCKE	osequent reports shall be new interval, a Form 3166, have been completed, a NM OIL ART JU	CONSEFESIA DISTA L 1 4 20 ECEIVED	O days led once or has RVATION RICT		
14. I hereby certify that the foregoing is true and correct. Electronic Submission #234603 verified by the BLM Well Information System For DEVON ENERGY PRODUCTION CO LP, sent to the Hobbs Committed to AFMSS for processing by CATHY QUEEN on 06/19/2014 (14CQ0111SE)									
Name(Printed/Typed) SANDRA	I ARLE I		Title AUTHO	NIZED HEF	RESENTATIVE				
Signature (Electronic S	Submission)		Date 02/05/2	014 "	ا العداوة التي يعمل التي الدوار التي موار				
orginature (Electronic B	THIS SPACE FO	R FEDERA			SE	<u> </u>			
Approved By			Title		JUL 1 0 2014	Date			
Conditions of approval, if any, are attached ertify that the applicant holds legal or equivalent would entitle the applicant to condu	itable title to those rights in the sect operations thereon.	Office	1 1/ 30	JAMES A. AMOS					
itle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a c statements or representations as t	rime for any pe o any matter wi	rson knowingly and thin its jurisdiction.	willfully-to-ma	ike to any department or	agency of the	United		

New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John H. Bemis Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



Administrative Order SWD-1307 November 10, 2011

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of 19.15.26.8B NMAC, Devon Energy Production Company, L.P. seeks an administrative order to utilize its Cotton Draw Well No. 89 (API 30-015-31381) located 250 feet from the South line and 1980 feet from the East line, Unit letter O of Section 3, Township 25 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC and satisfactory information has been provided that affected parties as defined in said rule have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Devon Energy Production Company, L.P., is hereby authorized to utilize its Cotton Draw Well No. 89 (API 30-015-31381) located 250 feet from the South line and 1980 feet from the East line, Unit letter O of Section 3, Township 25 South, Range 31 East, NMPM, Eddy County, New Mexico, for disposal of oil field produced water (UIC Class II only) into the Devonian formation through an open hole interval from approximately 17100 to 17400 feet through lined tubing and a packer set less than 100 feet above the permitted disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and



equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT testing procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A. NMAC.

The wellhead injection pressure on the well shall be limited to no more than 3420 psi. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any MIT test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

AMI BAILEY

Director

JB/wvjj

cc: Oil Conservation Division – Artesia Bureau of Land Management - Carlsbad

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey, Division Director Oil Conservation Division



Administrative Order SWD-1448 October 23, 2013

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Pursuant to the provisions of 19.15.26.8B. NMAC, Devon Energy Production Company, LP (the "operator") seeks an administrative order for its Cotton Draw Unit SWD Well No. 181 with a location of 1568 feet from the North line and 1189 feet from the East line, Unit letter H of Section 36, Township 24 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B. NMAC and satisfactory information has been provided that affected parties as defined in said rule have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

The applicant, Devon Energy Production Company, LP (OGRID 6137), is hereby authorized to utilize its Cotton Draw Unit SWD Well No. 181 (API 30-015-41649) with a location of 1568 feet from the North line and 1189 feet from the East line, Unit letter H of Section 36, Township 24 South, Range 31 East, NMPM, Eddy County, for disposal of oil field produced water (UIC Class II only) into the interval from the Devonian formation to 100 feet below the upper contact of the Ellenburger formation through open hole from approximately 16742 feet to approximately 19185 feet. Injection will occur through internally-coated tubing and a packer set within 100 feet of the permitted interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the approved disposal interval and is not permitted to escape to other formations or onto the surface. This includes the well construction proposed and described in the application.

The operator shall supply the Division with a copy of a mudlog over the permitted disposal interval and an estimated insitu water salinity based on open-hole logs. If significant hydrocarbon shows occur while drilling, the operator shall notify the Division's district II and the operator shall be required to receive written permission prior to commencing disposal. The

operator shall also provide a copy of a cement bond log (CBL) or equivalent to the Division's district II office showing the top of cements for the 9 5/8-inch and 7-inch casings.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT testing procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A. NMAC. The Division Director retains the right to require at any time wireline verification of completion and packer setting depths in this well.

The wellhead injection pressure on the well shall be limited to **no more than 3348 psig**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate Test.

The operator shall notify the supervisor of the Division's district II office of the date and time of the installation of disposal equipment and of any MIT test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district II office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The Division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The Division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two (2) years after the effective date of this order if the operator has not commenced injection operations into the subject well. One

year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

1.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY

Director

JB/prg

cc: Oil Conservation Division – Artesia District Office State Land Office – Oil, Gas, and Minerals Division

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14