			OIL CONSE		1 /4	1-14-69-	
Form 3160-5 (August 2007) Di B	UNITED STATES EPARTMENT OF THE IN UREAU OF LAND MANAG	ITERIOR	SEP 11		. OMB N	4 APPROVED NO. 1004-0135 s: July 31, 2010	
SUNDRY NOTICES AND REPORTS ON W Do not use this form for proposals to drill or to re abandoned well. Use form 3160-3 (APD) for such			ELLS PECEIVED proposals.		NMNM114979 6. If Indian, Allottee		<u> </u>
SUBMIT IN TR	IPLICATE - Other instruct	ions on revers	se side.		7. If Unit or CA/Agre	eement, Name and/o	or No.
I. Type of Well ☑ Oil Well ☐ Gas Well ☐ Ot	- 	8. Well Name and No CANVASBACK 1). 13 FEDERAL 3H				
Name of Operator COG OPERATING LLC	RAND FREN	OH .		9. API Well No. 30-015-41529			
3a. Address 2208 WEST MAIN STREET ARTESIA, NM 88210		3b. Phone No. (in Ph: 575-748-6)		DÉLAWÁRE,E	AST
4. Location of Well (Footage, Sec., 1		:		11. County or Parish, and State EDDY COUNTY COUNTY, NM			
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NA	ATURE OF N	NOTICE, RE	PORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION			ACTION		,	
Notice of Intent	Acidize Alter Casing	☐ Deepen☐ Fracture	• ***	☐ Production ☐ Reclama	on (Start/Resume)	□ Water Shut □ Well Integr	
☐ Subsequent Report ☐ Final Abandonment Notice	Change Plans Convert to Injection	□ New Co □ Plug and □ Plüg Bă	onstruction d Abandon	Recompl	lete rily Abandon	Other Right of Way	
13. Describe Proposed or Completed Op- If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved testing has been completed. Final At- determined that the site is ready for f	ally or recomplete horizontally, gi rk will be performed or provide th I operations. If the operation resul pandonment Notices shall be filed	ive subsurface loca se Bond No. on file	tions and measure with BLM/BIA	red and true ver Required sub-	tical depths of all pertir sequent reports shall be	nent markers and zo: e filed within 30 day	nes. s
COG Operating LLC is propos to a tie in point 364.3 feet soul	th of the well pad.	•				epted for NMOCI	
COG Operating LLC is also pr well to a tie in point 364.3 feet	oposing a three phase elect south of the well pad.	tric line from th	e Canvasbac	k 13 Federa	I #4H	1 11 91 0 0	-10)
		·	CO.	SEE AT NDITION	TACHED FO	OVAL	9-1/1
Sorface Ob	- See Atlached	rodí. Je	8/29/19	4		•	
14. I hereby certify that the foregoing is Name(Printed/Typed) MONTI SA	Electronic Submission #24 For COG OPE Committed to AFMSS for p	7426 verified by	the BLM Well sent to the Ca NDA DENNIST	Information :	/2014 ()	,	
	•						
Signature (Electronic S	THIS SPACE FOR	FEDERAL C				·	
\ e 2T	ephen J. Caffey			7.7.102.00	<u>-</u>		
Approved By		Tit	le			Gub	4 2014
onditions of approval, it any, are attached trify that the applicant holds legal or equal high would entitle the applicant to condu-	itable title to those rights in the su	ibject lease	fice	<u></u>		·	
tle 18 U.S.C. Section 1001 and Title 43 t States any false, fictitious or fraudulent s	J.S.C. Section 1212, make it a critatements or representations as to	me for any person any matter within i	knowingly and vits jurisdiction.	villfully to make	e to any department or	agency of the United	1

SECTION 13, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO. 1/4 COR. GLO B.C. 11 12 12 N89'48'40"E - 2641.48" 1916 N89'40'00"E - 2641.13" GLO B.C. "1916" -GLO B.C. "1916" EOL @ ANCHOR POWERPOLE 1 18 13 14 (TIE) BPL TIE IN POLE (TIE) <u>584'06'18"W</u> 1560.81' 0 + 32.0BEGIN SURVEY @ ANCHOR 563'44'06 0+00.0 1135.30 .69 N11'08'48"E 364.3' 2641 500'18'23'E 1/4 COR. 1/.4 .COR. GLO B.C. 4 "1916" USA O CLO B.C. 1916 (BENT) 2638. S00'24'26'E - 26. IR32E R31E 1/4 COR. GLO B.C. "1916" S89'43'03'W - 2641.46' S89'41'14"W - 2644.11 19 "1916"(BENT) "1916"(BENT) 23 24

DESCRIPTION

A STRIP OF LAND 30.0 FEET WIDE AND 364.3 FEET OR 22.08 RODS OR 0.069 MILES IN LENGTH CROSSING USA LAND IN SECTION 13, TOWNSHIP 24 SOUTH, RANGE 31 EAST, EDDY/LEA COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND 15.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

HARCROW SURVEYING, LLC

2314 W. MAIN ST, ARTESIA, N.M. 88210 PH: (575) 513-2570 FAX: (575) 746-2158 chad_harcrow77@yahoo.com



I, CHAD HARCROW, A NEW MEXICO REGISTERED PROFESSIONAL SURVEYOR CERTIFY THAT I DIRECTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THIS SURVEY AND PLATMEET THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO. HAD L. HARCA

0001 1000 2000 FEET SCALE: !"=1000

COG OPERATING, LLC

SURVEY OF A PROPOSED POWERLINE LOCATED IN SECTION 13, TOWNSHIP 24 SOUTH, RANGE 31 EAST, EDDY COUNTY, NMPM, NEW MEXICO

SURVEY DATE:	MAY 13, 2014	LINE #1
DRAFTING DATE:	MAY 20, 2014	PAGE 1 OF 1
APPROVED BY: CH	DRAWN BY: SP	FILE: 14-396

5/27/14

SECTION 13. TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY. NEW MEXICO. ĞLO B.C. "1916" 12 N89'40'00"E - 2641.13" N89'48'40"E - 2641.48 GLO B.C. "1916" GLO B.C. EOL & ANCHOR POWERPOLE 1 BPL (TIE) 3+60.6 3+28.6 1+29.1 18 14 1916 CANVASBACK FED 04H <u>570.42</u>18"I (TIE) TIE IN POLE BEGIN SURVEY O ANCHOR 0+32.0 0+00.0 77'06'47"W 2335.7 2641.50 S00'18'23'E 1/4 COR. GLO B C ĞLO B.C. "1916"(BENT) 26. R31E 3.9₹ 500.24 GLO B.C. 1/4 COR. GLO B.C. "1916" S89'43'03"W - 2641.46" \$89'41"14"W - 2644.11 "1916"(BENT) "1916"(BENT) 23

DESCRIPTION

A STRIP OF LAND 30.0 FEET WIDE AND 360.6 FEET OR 21.85 RODS OR 0.068 MILES IN LENGTH CROSSING USA LAND IN SECTION 13, TOWNSHIP 24 SOUTH, RANGE 31 EAST, EDDY/LEA COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND 15.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

BASIS OF BEARING:

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983, DISTANCES ARE SURFACE VALUES.

HARCROW SURVEYING, LLC

2314 W. MAIN ST, ARTESIA, N.M. 88210 PH: (575) 513-2570 FAX: (575) 746-2158 chad_harcrow77@yahoo.com



CERTIFICATION

I, CHAD HARCROW, A NEW MEXICO REGISTERED PROFESSIONAL SURVEYOR CERTIFY THAT I DIRECTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO.

MACL HAMMEN NO. 17777

CHAD HARCROW N.M.P.S.

L. HARCRO POFESSIONA

1000 2000 FEET SCALE: 1"=1000"

COG OPERATING, LLC

SURVEY OF A PROPOSED POWERLINE LOCATED IN SECTION 13, TOWNSHIP 24 SOUTH, RANGE 31 EAST, EDDY COUNTY, NMPM, NEW MEXICO

SURVEY DATE: MAY 13, 2014	line #2
DRAFTING DATE: MAY 20, 2014	PAGE 1 OF 1
APPROVED BY: CH DRAWN BY: SP	FILE: 14-398

Company Reference: COG Operating, LLC Well No. & Name: Canvasback 13 Federal 3H and 4H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property-arising-from-the-occupancy-or-use-of-public-lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976-as-amended, 15-USC-2601-et-seq-(1982) with-regards-to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert

approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

<u>Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken</u>: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft, from the source of the noise.