Office	State of New Mexico	Form C-103
District 1 - (575) 393-6161	Energy, Minerals and Natural Resources	Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
District II – (575) 748-1283 st 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	
District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
<u>District IV</u> – (505) 476-3460 -1220 S. St. Francis Dr., Santa Fe, NM	Sunta 1 0, 1111 0, 15 05	6. State Off & Gas Lease No.
8,7505	•	
SUNDRY NOTIC	ES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSA DIFFERENT RESERVOIR: USE "APPLICA	ALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A TION FOR PERMIT" (FORM C-101) FOR SUCH	A State 42 Battery
PRÓPOSALS.)	<u> </u>	8. Well Number
	Sas Well Other	
2. Name of Operator : Apache Corporation		9. OGRID Number 873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 300	0 Midland TX 79705	Yeso
4. Well Location	o Wildiana, 17 Foros	1650
1 1	· · · · · · · · · · · · · · · · · · ·	e de la de
Unit Letter K	feet from the line and	
Section 26	Township 17S Range 28E	NMPM County Eddy
4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	11. Elevation (Show whether DR, RKB, RT, GR, etc.	· /
		30, 31, 2 × 100 (2) 30, 31, 31, 31, 31, 31, 31, 31, 31, 31, 31
No. Cl. 11.	the product of the contract of the contract of	D. A. Old D.A.
12. Check A	opropriate Box to Indicate Nature of Notice	, Report or Other Data
NOTICE OF INT	ENTION TO: SHE	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON ☐ REMEDIAL WOR	
TEMPORARILY ABANDON	1 .	RILLING OPNS. P AND A
PULL OR ALTER CASING	MULTIPLE COMPL CASING/CEMEN	
DOWNHOLE COMMINGLE		•
Flore Bormis		
OTHER: Flare Permit	OTHER:	
	sted operations. (Clearly state all pertinent details, and k). SEE RULE 19.15.7.14 NMAC. For Multiple Co	
or starting any proposed wor		
proposed completion or reco	in letion	originations: Attach welloofe diagram of
proposed completion or reco	mpletion.	oriiptetions: Attacii wenoofe diagram of
	mpletion.	
Apache is requesting an extension t	mpletion. o flare gas from the A State wells. Intermittent flaring	
	mpletion. o flare gas from the A State wells. Intermittent flaring	
Apache is requesting an extension to problems. Gas will be measured pri	mpletion. o flare gas from the A State wells. Intermittent flaring or to flaring.	g will occur due to Frontier's repair and plant
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578. A State #42	impletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54	g will occur due to Frontier's repair and plant 30-015-41126 A State #66
Apache is requesting an extension to problems. Gas will be measured process. 30-015-38578. A State #42. 30-015-38546. A State #43.	o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56	g will occur due to Frontier's repair and plant 30-015-41126 A State #66 30-015-41127 A State #67
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578. A State #42	impletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54	g will occur due to Frontier's repair and plant 30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578 A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46	impletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578 A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41189 A State #50	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578 A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578 A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41189 A State #50	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be measured problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41189 A State #50 30-015-38582 A State #51	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77
Apache is requesting an extension to problems. Gas will be measured problems. 30-015-38578 A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41189 A State #50	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be measured problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41189 A State #50 30-015-38582 A State #51	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	ampletion. o flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	of flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date: Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
Apache is requesting an extension to problems. Gas will be measured problems. Gas will be mea	or flare gas from the A State wells. Intermittent flaring or to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78

A See Attached COA's

1625 N. French Dr., Hobbs, NM 88240 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised August 1, 2011 Submit one copy to appropriate District Office

Form C-129

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Apache Corporation Applicant A. 1945 Bluestem Road, Artesia, NM 88210 90 hereby requests an exception to Rule 19.15.18.12 for days or until , Yr , for the following described tank battery (or LACT): Name of Lease A State 42 Battery Name of Pool Yeso Location of Battery: Unit Letter ___ K Section 26 Township 17S Range 28E Number of wells producing into battery 1600 Başed upon oil production of barrels per day, the estimated * volume B. of gas to be flared is ______ MCF; Value _____ per day. C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance _____Estimated cost of connection D, This exception is requested for the following reasons: _____ This is for an extension to the E. prévious one that will expire April 30, 2014. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature Printed Name Fatima Vasquez - Regulatory Analyst II & Title Fatima Vasquez@apachecorp.com E-mail Address (432) 818-1015

Telephone No.

#See Attached COA's

Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- **4.** Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here AD

1 1

5/5/14

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.