	UNITED STATES EPARTMENT OF THE IN REAU OF LAND MANA	TERIOR	tesia 5. Lease Serial No.	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2014
SUNDRY Do not use this	NOTICES AND REPOR form for proposals to Use Form 3160-3 (AP	RTS ON WELLS drill or to re-enter a	NM-555443 6. If Indian, Allotte	e or Tribe Name
	AIT IN TRIPLICATE – Other in	structions on page 2.	-	reement, Name and/or No. IIT (NMNM-71027X)
I. Type of Well	Well Other		8. Well Name and N RDU FEDERAL 2	No.
2. Name of Operator RKI EXPLORATION & PRODUCT	· · · · · · · · · · · · · · · · · · ·		9. API Well No. 30-015-38435	
3a. Address 210 PARK AVENUE, SUITE 900 DKLAHOMA CITY, OKLAHOMA 73102	31	 p. Phone No. (include area control 405) 987-2140 (PAUL MUN 	ode) 10. Field and Pool of	
4. Location of Well <i>(Footage, Sec. 1</i> SHL: 660 FNL & 1500 FWL, SECTION 27, T. SHL: 660 FSL & 1650 FWL, SECTION 34, T.	<i>C.R.M. or Survey Description)</i> 26 S., R. 30 E. 26 S., R. 30 E.		11. County or Paris EDDY, NM	h, State
12. CHI	ECK THE APPROPRIATE BOX	(ES) TO INDICATE NATUR	RE OF NOTICE, REPORT OR OT	THER DATA
TYPE OF SUBMISSION		T	YPE OF ACTION	· · · · · · · · · · · · · · · · · · ·
Notice of Intent	Acidize	Deepen Fracture Treat	 Production (Start/Resume) Reclamation Recomplete 	Water Shut-Off Well Integrity Other
Subsequent Report	Change Plans	Plug and Abandon	Temporarily Abandon	BATTERY FACILITY
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal	& PIPELINES
following completion of the invo testing has been completed. Fina determined that the site is ready t	al Abandonment Notices must be	results in a multiple completi	on or recompletion in a new interv	reports must be filed within 30 days val, a Form-3160-4 must be filed once een completed and the operator has
testing has been completed. Fina determined that the site is ready t RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF	al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA	results in a multiple completi filed only after all requirement ROVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S	wal, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E.
testing has been completed. Fina determined that the site is ready to RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD	al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL	results in a multiple completi filed only after all requiremen COVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER)	ion or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S ((FLOWLINES APPROVED U	val, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S).
testing has been completed. Fina determined that the site is ready to RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R	al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V JNIT 27 WEST BATTERY. S 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM	results in a multiple completi filed only after all requirement OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER WAS NEVER DRILLED AN BE A BURIED 6" GAS PII THE NORTHEAST CORN	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S ((FLOWLINES APPROVED U ND NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4 th SU JER OF THE BATTERY TO TH	val, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E
testing has been completed. Fina determined that the site is ready in RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE P LATERAL E PIPELINE. SOUTHER	al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. 3 300 X 350 FT. THERE WILL SUNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H	results in a multiple completi filed only after all requirement OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PIN THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOWI	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED U ND NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU IER OF THE BATTERY TO TH BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR	val, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS
testing has been completed. Fina determined that the site is ready to RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE P LATERAL E PIPELINE. SOUTHEI REQUIRED.	Al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. S 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PIF THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOW SO RUNS THROUGH TH	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S ((FLOWLINES APPROVED U ND NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU JER OF THE BATTERY TO TH BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N	AI, a Form 3160-4 must be filed once ten completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA
testing has been completed. Fina determined that the site is ready in BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL OF SEE ATTACHED MAP FOR ALL OF THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW U THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE P LATERAL E PIPELINE. SOUTHEI REQUIRED. BATTERY INSTALLATION AND F	Al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. 3 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL PIPELINE CONSTRUCTION V	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PII THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOW! SO RUNS THROUGH TH VILL BEGIN UPON APPRO	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED UN NO NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU UER OF THE BATTERY TO THE BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N OVAL OF THIS APPLICATION ACCEPTED	val, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA OF IECOTO ARTESIA DISTRICT NOV 1 0 2014
testing has been completed. Fina determined that the site is ready in RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE F LATERAL E PIPELINE. SOUTHER REQUIRED. BATTERY INSTALLATION AND F	Al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. 3 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL PIPELINE CONSTRUCTION V	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PII THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOW! SO RUNS THROUGH TH VILL BEGIN UPON APPRO	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED UN NO NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU UER OF THE BATTERY TO THE BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N OVAL OF THIS APPLICATION ACCEPTED	AI, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA
testing has been completed. Fina determined that the site is ready in RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE F LATERAL E PIPELINE. SOUTHER REQUIRED. BATTERY INSTALLATION AND F	Al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. 3 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL PIPELINE CONSTRUCTION V	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PII THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOW! SO RUNS THROUGH TH VILL BEGIN UPON APPRO	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED UN NO NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU UER OF THE BATTERY TO THE BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N OVAL OF THIS APPLICATION ACCEPTED	val, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA OF IECOTO ARTESIA DISTRICT NOV 1 0 2014
testing has been completed. Fina determined that the site is ready in RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE P LATERAL E PIPELINE. SOUTHEI REQUIRED. BATTERY INSTALLATION AND F	Al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. S 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL PIPELINE CONSTRUCTION V IS true and correct. Name (Printed/T	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PII THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOWI SO RUNS THROUGH TH VILL BEGIN UPON APPRO	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED U ND NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU JER OF THE BATTERY TO THE BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N DVAL OF THIS APPLICATION ACCEPTED NMO T AGENT FOR RKI EXPLORA	val, a Form 3160-4 must be filed once een completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA OF IECOTO ARTESIA DISTRICT NOV 1 0 2014
testing has been completed. Fina determined that the site is ready in RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE P LATERAL E PIPELINE. SOUTHER REQUIRED. BATTERY INSTALLATION AND F	Al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. S 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL PIPELINE CONSTRUCTION V S true and correct. Name (Printed/T THIS SPACE FO	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE /LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PIF THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOW (SO RUNS THROUGH TH VILL BEGIN UPON APPRO (Syped) Title PERMI Date OR FEDERAL OR ST	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED U ND NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU JER OF THE BATTERY TO THE BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N DVAL OF THIS APPLICATION ACCEPTED NMO T AGENT FOR RKI EXPLORA	Al, a Form 3160-4 must be filed once the completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA ARTESIA DISTRICT OF IECOIO NOV 1 0 2014 (12-14 TION & PRODUCTEDED
testing has been completed. Fina determined that the site is ready in RKI EXPLORATION & PRODUCT BATTERY FACILITY FOR ALL OF SEE ATTACHED MAP FOR ALL OF SEE ATTACHED MAP FOR ALL OF THE RDU FEDERAL 27-2H PAD BE CALLED THE ROSS DRAW L THE EXISTING PAD MEASURES DISPOSAL) PIPELINE (90 PSI) R GAS/SWD LINE VALVE. THE LIN RKI IS A PARTICIPANT IN THE P LATERAL E PIPELINE. SOUTHEI REQUIRED. BATTERY INSTALLATION AND F 14. Thereby certify that the foregoing is BARRY W. HUNT Signature	al Abandonment Notices must be for final inspection.) FION, LLC. REQUESTS APPR F THE VERTICAL ROSS DRA THE WELLS RUNNING FLOW WAS BUILT BUT THE WELL V UNIT 27 WEST BATTERY. S 300 X 350 FT. THERE WILL UNNING TOGETHER, FROM IE WILL BE 480 FT. OR 0.33 A PERMIAN BASIN MOA AND H RN UNION GAS PIPELINE AL PIPELINE CONSTRUCTION V IS true and correct. Name (Printed/T INS SPACE FO	results in a multiple completi filed only after all requirement (OVAL TO UTILIZE THE E W UNIT 27 FEDERAL WE //LINES TO THE BATTER) WAS NEVER DRILLED AN BE A BURIED 6" GAS PIF THE NORTHEAST CORN ACRES OF NEW DISTURE AS AVOIDED ALL KNOW! SO RUNS THROUGH TH VILL BEGIN UPON APPRO (yped) Title PERMI Date Date CR FEDERAL OR ST DISTURE Date	on or recompletion in a new inter- nts, including reclamation, have be XISTING RDU FEDERAL 27-2 LLS IN THE WEST HALF OF S (FLOWLINES APPROVED U ND NOW HAS EXPIRED. THE PELINE (250 PSI) AND A 4" SU UER OF THE BATTERY TO THE BANCE (SEE ATTACHED EXH N SITES AND HAS PAID FOR IS AREA AND THEREFORE N DVAL OF THIS APPLICATION ACCEPTED NMO T AGENT FOR RKI EXPLORA	Al, a Form 3160-4 must be filed once ten completed and the operator has H WELL PAD FOR A TANK SECTION 27, T. 26 S., R. 30 E. NDER INDIVIDUAL APD'S). TANK BATTERY FACILITY WILL JRFACE POLY SWD (SALT WATER IE EXISTING LATERAL E IIBIT FOR PIPELINES). THE 27-2H WELL PAD AND IO ADDITIONAL PAYMENT IS NM OIL CONSERVA ARTESIA DISTRICT OF IECOIO ARTESIA DISTRICT NOV 1 0 2014 IION & PRODUCRECEIVED

EXHIBIT **B**



LEGEND

Electric line	
Flowline	
Road	an a

-Gast Swp Line

BLM Lease Number: NM555443 <u>Company Reference</u>: RKI Exploration and Production LLC <u>Well Name & Number</u>:RDU Federal 27-1H Central Tank Battery.

STANDARD STIPULATIONS FOR OIL AND GAS RELATED SITES

A copy of the application (Grant/Sundry Notice) and attachments, including stipulations and map, will be on location during construction. BLM personnel may request to view a copy of your permit during construction to ensure compliance with all stipulations.

The holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer, BLM.

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant and for all response costs, penalties, damages, claims, and other costs arising from the provisions of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. Chap. 82, Section 6901 et. seq., from the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), 42 U.S.C. Chap. 109, Section 9601 et. seq., and from other applicable environmental statues.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976, as amended (15 U.S.C. 2601, et. seq.) with regard to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized by this grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation and Liability Act, Section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the Authorized Officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et. seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et. seq.) on the right-of-way (unless the release or threatened release is wholly unrelated to the right-of-way holder's activity on the right-of-way). This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the site or related pipeline(s), any oil or other pollutant should be discharged from site facilities, the pipeline(s) or from containers or vehicles impacting Federal lands, the control and total removal, disposal, and cleanup of such oil of other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such

discharge on or affecting Federal lands, or to repair all damages to Federal lands resulting therefrom, the Authorized Officer may take such measures as deemed necessary to control and cleanup the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any liability or responsibility.

5. Sites shall be maintained in an orderly, sanitary condition at all times. Waste materials, both liquid and solid, shall be disposed of promptly at an appropriate, authorized waste disposal facility in accordance with all applicable State and Federal laws. "Waste" means all discarded matter including, but not limited to, human waste, trash, garbage, refuse, petroleum products, brines, chemicals, oil drums, ashes, and equipment.

6. The operator will notify the Bureau of Land Management (BLM) authorized officer and nearest Fish and Wildlife Service (FWS) Law Enforcement office within 24 hours, if the operator discovers a dead or injured federally protected species (i.e., migratory bird species, bald or golden eagle, or species listed by the FWS as threatened or endangered) in or adjacent to a pit, trench, tank, exhaust stack, or fence. (If the operator is unable to contact the FWS Law Enforcement office, the operator must contact the nearest FWS Ecological Services office.)

7. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" designated by the Rocky Mountain Five-State Interagency Committee. The color selected for this project is **Shale Green**, Munsell Soil Color Chart Number 5Y 4/2.

8. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on the holder's behalf, on public or Federal land shall be immediately reported to the Authorized Officer. The holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to the proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

9. A sales contract for removal of mineral material (caliche, sand, gravel, fill dirt) from an authorized pit, site, or on location must be obtained from the BLM prior to commencing construction. There are several options available for purchasing mineral material: contact the BLM office (575-234-5972).

10. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed-land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

11. Once the site is no longer in service or use, the site must undergo final abandonment. At final abandonment, the site and access roads must undergo "final" reclamation so that the character and productivity of the land are restored. Earthwork for final reclamation must be completed within six (6) months of the abandonment of the site. All pads and facility locations and roads must be reclaimed to a satisfactory revegetated, safe, and stable condition, unless an agreement is made with the landowner or BLM to keep the road and/or pad intact. After all disturbed areas have been satisfactorily prepared, these areas need to be revegetated with the seed mixture provided. Seeding should be accomplished by drilling on the contour whenever practical or by other approved methods. Seeding may need to be repeated until revegetation is successful, as determined by the BLM.

Operators shall contact a BLM surface protection specialist prior to surface abandonment operations for site specific objectives (Jim Amos: 575-234-5909).

13. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3
() seed mixture 2	() seed mixture 4
(X) seed mixture 2/LPC	() Aplomado Falcon Mixture

14. In those areas where erosion control structures are required to stabilize soil conditions, the holder shall install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound management practices. Any earth work will require prior approval by the Authorized Officer.

15. Open-topped Tanks - The operator will take actions necessary to prevent wildlife and livestock access, including avian wildlife, to all open-topped tanks that contain or have the potential to contain salinity sufficient to cause harm to wildlife or livestock, hydrocarbons, or Resource Conservation and Recovery Act of 1976-exempt hazardous substances. At a minimum, the operator will net, screen, or cover open-topped tanks to exclude wildlife and livestock and prevent mortality. If the operator uses netting, the operator will cover and secure the open portion of the tank to prevent wildlife entry. The operator will net, screen, or cover the tanks until the operator removes the tanks from the location or the tanks no longer contain substances that could be harmful to wildlife or livestock. Use a maximum netting mesh size of 1 ½ inches. The netting must not be in contact with fluids and must not have holes or gaps

16. The operator will prevent all hazardous, poisonous, flammable, and toxic substances from coming into contact with soil and water. At a minimum, the operator will install and maintain an impervious secondary containment system for any tank or barrel containing hazardous, poisonous, flammable, or toxic substances sufficient to contain the contents of the tank or barrel and any drips, leaks, and anticipated precipitation. The operator will dispose of fluids within the containment system that do not meet applicable state or U. S. Environmental Protection Agency

livestock water standards in accordance with state law; the operator must not drain the fluids to the soil or ground. The operator will design, construct, and maintain all secondary containment systems to prevent wildlife and livestock exposure to harmful substances. At a minimum, the operator will install effective wildlife and livestock exclosure systems such as fencing, netting, expanded metal mesh, lids, and grate covers. Use a maximum netting mesh size of 1 ½ inches.

17. Open-Vent Exhaust Stack Exclosures – The operator will construct, modify, equip, and maintain all open-vent exhaust stacks on production equipment to prevent birds and bats from entering, and to discourage perching, roosting, and nesting. (Recommended exclosure structures on open-vent exhaust stacks are in the shape of a cone.) Production equipment includes, but may not be limited to, tanks, heater-treaters, separators, dehydrators, flare stacks, in-line units, and compressor mufflers.

18. Containment Structures - Proposed production facilities such as storage tanks and other vessels will have a secondary containment structure that is constructed to hold the capacity of 1.5 times the largest tank, plus freeboard to account for precipitation, unless more stringent protective requirements are deemed necessary.

19. Special Stipulations:

Lesser Prairie-Chicken

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted. Exhaust noise from permanent engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

Phantom Bank Heronries

Surface disturbance will not be allowed within up to 200 meters of active heronries or by delaying activity for up to 120 days, or a combination of both. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.