Office	State of New Me			m C-103	
<u>District I</u> – (575) 393-6161	Energy, Minerals and Nati	ral Resources	Revised Ju	ly 18, 2013	
1625 N. French Dr., Hobbs, NM 88240 District II - (575) 748-1283			WELL API NO. 30-015-42625		
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Type of Lease		
District III - (505) 334-6178			STATE X FEE	¬	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 8	7505	6. State Oil & Gas Lease No.	<del></del>	
1220 S. St. Francis Dr., Santa Fe, NM 87505					
SUNDRY NOT	ICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreemen	nt Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		£'	354)		
1. Type of Well: Oil Well.	Gas Well Other		8. Well Number 4H		
2. Name of Operator Devon Energy Production	Co., L.P. Lin	da Good	9. OGRID Number 6137		
3. Address of Operator			10. Pool name or Wildcat		
333 West Sheridan Ave, Ok	ahoma City, OK 73102 4	05-552-6558	WC-015 G-04 S232628M; I	3.S.	
4. Well Location					
Unit Letter P :	175' feet from the Sout		feet from the East	line	
Section 28	23S Township 26E R		NMPM County Ed	ay	
	11. Elevation (Show whether DR 3337' GR	, KKB, KI, GR, etc.,			
10 Charles	Annuanista Dav ta Indiasta N	Introp of Notice	Danatit on Othan Data	• gray +1 +1002 *	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data					
	ITENTION TO:		SEQUENT REPORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR		SING	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI	4 14 15	. Ц	
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	CASING/CEMEN	i jób E	•	
CLOSED-LOOP SYSTEM					
OTHER: Deepen Pilot Hol	e <b>[2</b> ]	OTHER:			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date					
	of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of				
of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA		mpletions: Attach wellbore diagran		
	ork). SEE RULE 19.15.7.14 NMA		mpletions: Attach wellbore diagran		
of starting any proposed w proposed completion or rec	ork). SEE RULE 19.15.7.14 NMA(completion.	C. For Multiple Con	,	of	
of starting any proposed we proposed completion or recommendation. Devon Energy Prod. Co., I	ork). SEE RULE 19.15.7.14 NMA(completion. P. respectfully requests perm	C. For Multiple Con	change in the Cletus 28 State	of Com 4H	
of starting any proposed we proposed completion or recommendation. Devon Energy Prod. Co., I drilling plan by deepening	ork). SEE RULE 19.15.7.14 NMA(completion. P. respectfully requests perm	C. For Multiple Con	,	of Com 4H	
of starting any proposed we proposed completion or recommendation. Devon Energy Prod. Co., I	ork). SEE RULE 19.15.7.14 NMA(completion. P. respectfully requests perm	C. For Multiple Con	change in the Cletus 28 State	of Com 4H	
of starting any proposed we proposed completion or recommend. Co., I drilling plan by deepening following cement volume.	ork). SEE RULE 19.15.7.14 NMA completion.  P. respectfully requests perm the pilot hole depth from 887	C. For Multiple Con ission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of recompletion Energy Prod. Co., I drilling plan by deepening following cement volume.  Plug cement as follows: 11	ork). SEE RULE 19.15.7.14 NMAGE ompletion.  P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2	C. For Multiple Consission to make a 0' to 9200'. The	change in the Cletus 28 State	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of recompletion Energy Prod. Co., I drilling plan by deepening following cement volume.  Plug cement as follows: 11	ork). SEE RULE 19.15.7.14 NMA completion.  P. respectfully requests perm the pilot hole depth from 887	C. For Multiple Consission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of recompletion Energy Prod. Co., I drilling plan by deepening following cement volume.  Plug cement as follows: 11	ork). SEE RULE 19.15.7.14 NMAGE ompletion.  P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2	C. For Multiple Consission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of recompletion Energy Prod. Co., I drilling plan by deepening following cement volume.  Plug cement as follows: 11 ppg, Yield of 1.19 cf.sk, wa	ork). SEE RULE 19.15.7.14 NMAGE ompletion.  P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2	C. For Multiple Consission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of recompletion Energy Prod. Co., I drilling plan by deepening following cement volume.  Plug cement as follows: 11 ppg, Yield of 1.19 cf.sk, wa	ork). SEE RULE 19.15.7.14 NMAGE ompletion.  P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2	C. For Multiple Conission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of the proposed completion of recompletion and the proposed completion of recompletion of the proposed completion of the propo	ork). SEE RULE 19.15.7.14 NMAGE completion.  P. respectfully requests permethe pilot hole depth from 887  86 sacks Class H. cement + 0.2 ter requirement of 5.39 gal/sk	C. For Multiple Conission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of the proposed completion of recompletion and the proposed completion of recompletion of the proposed completion of the propo	ork). SEE RULE 19.15.7.14 NMAGE completion.  P. respectfully requests permethe pilot hole depth from 887  86 sacks Class H. cement + 0.2 ter requirement of 5.39 gal/sk	C. For Multiple Conission to make a 0' to 9200'. The	change in the Cletus 28 State pilot hole will be plugged bacl	Com 4H c with the	
of starting any proposed we proposed completion or recompressed completion or recompressed and the proposed completion or recomplete and the proposed completion or recomplete and the proposed and the proposed complete and the proposed completion or recomplete and the proposed complete and the pr	ork). SEE RULE 19.15.7.14 NMAGE completion.  P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk	ission to make a 0' to 9200'. The 2% Halad 9 + 0.2	change in the Cletus 28 State pilot hole will be plugged back % HR-601 + 60.5 % fresh Wat	Com 4H c with the	
of starting any proposed we proposed completion or recompletion or recompletion of recompletion of recompletion of the proposed completion of recompletion and the proposed completion of recompletion of the proposed completion of the propo	ork). SEE RULE 19.15.7.14 NMAGE completion.  P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk	ission to make a 0' to 9200'. The 2% Halad 9 + 0.2	change in the Cletus 28 State pilot hole will be plugged back % HR-601 + 60.5 % fresh Wat	Com 4H c with the	
of starting any proposed we proposed completion or recompressed completion or recompressed and the proposed completion or recomplete and the proposed completion or recomplete and the proposed and the proposed complete and the proposed completion or recomplete and the proposed complete and the pr	ork). SEE RULE 19.15.7.14 NMA(completion.  D.P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk  Rig Release Definition of the base of the	ission to make a 0' to 9200'. The 20% Halad 9 + 0.20 ate:	change in the Cletus 28 State pilot hole will be plugged back  % HR-601 + 60.5 % fresh Wat  e and belief.	Com 4H c with the	
of starting any proposed we proposed completion or recompressed completion or recompressed and the proposed completion or recomplete and the proposed completion or recomplete and the proposed and the proposed complete and the proposed completion or recomplete and the proposed complete and the pr	ork). SEE RULE 19.15.7.14 NMA(completion.  D.P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk  Rig Release Definition of the base of the	ission to make a 0' to 9200'. The 20% Halad 9 + 0.20 ate:	change in the Cletus 28 State pilot hole will be plugged back % HR-601 + 60.5 % fresh Wat	Com 4H c with the	
of starting any proposed we proposed completion or recompressed completion or recompressed by the proposed completion or recompressed by the proposed completion or recompressed by the proposed by the propos	ork). SEE RULE 19.15.7.14 NMAGE completion.  D.P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk  D14 Rig Release Date of the base of the	ission to make a 0' to 9200'. The 20% Halad 9 + 0.20 ate:	change in the Cletus 28 State pilot hole will be plugged back  W HR-601 + 60.5 % fresh Wat  e and belief.	Com 4H c with the er, 15.6	
of starting any proposed we proposed completion or recompressed completion or recompressed and the proposed completion or recompressed and the proposed completion or recompressed and the proposed completion of the proposed completion or recompletion or recomplet	ork). SEE RULE 19.15.7.14 NMAGE completion.  D.P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk  D14 Rig Release Date of the base of the	ission to make a 0' to 9200'. The 2% Halad 9 + 0.2' est of my knowledge clatory Compliants: linda.good@d	change in the Cletus 28 State pilot hole will be plugged back % HR-601 + 60.5 % fresh Wat e and belief.  cee Specialist DATE 11/24/2 cvn.com PHONE: 405-55	Com 4H c with the er, 15.6	
of starting any proposed we proposed completion or recompressed completion or recompressed in the proposed completion or recompressed in the proposed completion or recompressed in the proposed in the propos	ork). SEE RULE 19.15.7.14 NMAGE completion.  D.P. respectfully requests perm the pilot hole depth from 887  86 sacks Class H cement + 0.2 ter requirement of 5.39 gal/sk  D14 Rig Release Date of the base of the	ission to make a 0' to 9200'. The 2% Halad 9 + 0.2' est of my knowledge clatory Compliants: linda.good@d	change in the Cletus 28 State pilot hole will be plugged back  W HR-601 + 60.5 % fresh Wat  e and belief.	Com 4H c with the er, 15.6	