06	State of New Me	exico		Form C-103
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources			rised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			WELL API NO.	
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Type of Lease	
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE  FEE	
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 87	/505	6. State Oil & Gas Lease	No.
1220 S. St. Francis Dr., Santa Fe, NM 87505				
	CES AND REPORTS ON WELLS		7. Lease Name or Unit A	greement Name
(DO NOT USE THIS FORM FOR PROPOS DIFFERENT RESERVOIR. USE "APPLIC			AB State 647 Battery	
PROPOSALS.)  1. Type of Well: Oil Well 🗸	Gas Well  Other		8. Well Number	
2. Name of Operator	Out Well Outer		9. OGRID Number	
Apache Corporation			873	
3. Address of Operator	00 Midland TV 70705		10. Pool name or Wildca	t .
303 Veterans Airpark Lane, Suite 30	oo Midand, IX 79705	•	Yeso	
4. Well Location Unit Letter N:	fact from the	line and	feet from the	line
Section 32	feet from the Township 17S Ra	fille and ange 28E		ty Eddy
Section 32	11. Elevation (Show whether DR			) Ludy
•				
12. Check A	appropriate Box to Indicate N	lature of Notice,	Report or Other Data	·
NOTICE OF IN	ΤΕΝΤΙΩΝ Τά:	l SHR	SEQUENT REPORT	OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	_	RING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI		
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	T JOB 🔲	
DOWNHOLE COMMINGLE				
OTHER: Flare Permit	T. 7 1. 1.	OTHER:		
OTHER: Flare Permit13:- Describe proposed-or comp				
13:- Describe proposed or comp of starting any proposed wo	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMAG	pertinent details, and		
of starting any proposed wo proposed completion or reco	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.	pertinent details, and C. For Multiple Cor	mpletions: Attach wellbore	diagram of .
of starting any proposed wo proposed completion or recompletion or recompletion by the starting permission to	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I	pertinent details, and C. For Multiple Con	mpletions: Attach wellbore  flaring will occur due to Fro	diagram of .
of starting any proposed wo proposed completion or reco	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I	pertinent details, and C. For Multiple Con	mpletions: Attach wellbore  flaring will occur due to Fro	diagram of .
of starting any proposed wo proposed completion or recompletion or recompletion by the starting permission to	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I	pertinent details, and C. For Multiple Con	mpletions: Attach wellbore flaring will occur due to Froove battery are as follows:	diagram of
of starting any proposed wo proposed completion or recompletion or recompletion in the starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery.	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I ill be measured prior to flaring. Well  30-015-41493 AB S	pertinent details, and C. For Multiple Con Battery. Intermittent is included in the about 15 per 16	impletions: Attach wellbore flaring will occur due to Fro ove battery are as follows:  NM OIL CO	diagram of  ntier's inability to  ONSERVATION
of starting any proposed wo proposed completion or recompletion or recompletion or graph and the starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery. Gas with a starting permission to take our gas at this battery.	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 lill be measured prior to flaring. Well  30-015-41493 AB S 30-015-41494 AB S	pertinent details, and C. For Multiple Con Battery. Intermittent is included in the about 15 per 16	impletions: Attach wellbore flaring will occur due to Fro ove battery are as follows:  NM OIL CO	diagram of
of starting any proposed or composed completion or recomposed in the proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 lill be measured prior to flaring. Well  30-015-41493 AB S 30-015-41494 AB S 30-015-41495 AB S 30-015-41496 AB S	pertinent details, and C. For Multiple Con Battery. Intermittent is included in the about 15 per 16	Inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES	diagram of  ntier's inability to  ONSERVATION
of starting any proposed or composed completion or recomposed in the proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 lill be measured prior to flaring. Well  30-015-41493 AB S 30-015-41494 AB S 30-015-41495 AB S 30-015-41496 AB S 30-015-41497 AB S	pertinent details, and C. For Multiple Con Battery. Intermittent is included in the about 15 and 16	Inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES	diagram of  ntier's inability to  ONSERVATION IA DISTRICT
of starting any proposed or composed completion or recomposed in the proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 lill be measured prior to flaring. Well  30-015-41493 AB S 30-015-41494 AB S 30-015-41495 AB S 30-015-41496 AB S 30-015-41497 AB S 30-015-41498 AB S 30-015-41498 AB S	pertinent details, and C. For Multiple Con Battery. Intermittent is included in the about 15 per 16	inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
Of starting any proposed or composed for composed completion or recomposed in the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this battery. Gas with the starting permission to take our gas at this batter	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I will be measured prior to flaring Well  30-015-41493 AB State 30-015-41494 AB State 30-015-41495 AB State 30-015-41497 AB State 30-015-41498 AB State 30-015-41498 AB State 30-015-41504 AB Stat	Portinent details, and C. For Multiple Con Battery. Intermittent is included in the about 15 and 16	inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV	diagram of  ntier's inability to  ONSERVATION IA DISTRICT
One of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of the composed completion or recomposed completion or recomposed completion or recomposed in the composed of the compos	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I will be measured prior to flaring Well  30-015-41493 AB State 30-015-41494 AB State 30-015-41495 AB State 30-015-41497 AB State 30-015-41498 AB State 30-015-41498 AB State 30-015-41504 AB Stat	pertinent details, and C. For Multiple Coronal Battery Intermittent is included in the about the first of the	inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  REC	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
Of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recomposed completion	teted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 lill be measured prior to flaring Well  30-015-41493 AB S 30-015-41494 AB S 30-015-41496 AB S 30-015-41497 AB S 30-015-41511 AB S 30-015-41511 AB S	pertinent details, and C. For Multiple Con Battery Intermittent is included in the about 15 STATE 647 #10 STATE 647 #11 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #15 STATE 647 #16	inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
One of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of the composed completion or recomposed completion or recomposed completion or recomposed in the composed of the compos	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 I will be measured prior to flaring Well  30-015-41493 AB State 30-015-41494 AB State 30-015-41495 AB State 30-015-41497 AB State 30-015-41498 AB State 30-015-41498 AB State 30-015-41504 AB Stat	pertinent details, and C. For Multiple Con Battery Intermittent is included in the about 15 STATE 647 #10 STATE 647 #11 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #15 STATE 647 #16	inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  REC	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
Of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recomposed completion	teted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If flare gas from the AB State #647 lill be measured prior to flaring Well  30-015-41493 AB S 30-015-41494 AB S 30-015-41496 AB S 30-015-41497 AB S 30-015-41511 AB S 30-015-41511 AB S	pertinent details, and C. For Multiple Con Battery Intermittent is included in the about 15 STATE 647 #10 STATE 647 #11 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #15 STATE 647 #16	inpletions: Attach wellbore I flaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  REC	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
Of starting any proposed or composed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recomposed completion	acted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If a gas from the AB State #647 I will be measured prior to flaring. Well  30-015-41493 AB State and the	pertinent details, and C. For Multiple Corona Battery. Intermittent is included in the about 5 TATE 647 #9 STATE 647 #10 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 STATE 647 #16 state 647 #16	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  REC	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
Of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of take our gas at this battery. G	acted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If a gas from the AB State #647 I will be measured prior to flaring. Well  30-015-41493 AB State and the	pertinent details, and C. For Multiple Corona Battery. Intermittent is included in the about 5 TATE 647 #9 STATE 647 #10 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 STATE 647 #16 state 647 #16	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  REC	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014
of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of take our gas at this battery. G	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA6 completion.  If are gas from the AB State #647 lill be measured prior to flaring. Well  30-015-41493 AB State and state	pertinent details, and C. For Multiple Corona Battery Intermittent is included in the about the first of the	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  RECO  Re and belief.	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014  CEIVED
Of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of take our gas at this battery. G	eted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA6 completion.  If are gas from the AB State #647 lill be measured prior to flaring. Well  30-015-41493 AB State and state	pertinent details, and C. For Multiple Corona Battery. Intermittent is included in the about 5 TATE 647 #9 STATE 647 #10 STATE 647 #12 STATE 647 #13 STATE 647 #14 STATE 647 #15 STATE 647 #16 STATE 647 #16 state 647 #16	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  REC	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014  CEIVED
of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of take our gas at this battery. G	ceted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If a gas from the AB State #647 It ill be measured prior to flaring. Well state and complete to the base of the state and complete to the state and complete and complete to the state and complete a	pertinent details, and C. For Multiple Corona Battery Intermittent is included in the about the first of the	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  RECO  The and belief.  DATE 11	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014  CEIVED
of starting any proposed wo proposed completion or recompletion of recompletio	ceted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If a gas from the AB State #647 It ill be measured prior to flaring. Well state and complete to the base of the state and complete to the state and complete and complete to the state and complete a	pertinent details, and C. For Multiple Corona Battery. Intermittent is included in the about 15 included in the about 16 included in the about 16 included in the about 17 included in the about 18	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  RECO  The and belief.  DATE 11	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014  CEIVED
of starting any proposed or composed completion or recomposed completion or recomposed is requesting permission to take our gas at this battery. Gas with a start of take our gas at this battery. G	ceted operations. (Clearly state all rk). SEE RULE 19.15.7.14 NMA completion.  If a gas from the AB State #647 It ill be measured prior to flaring. Well state and complete to the base of the state and complete to the state and complete and complete to the state and complete a	pertinent details, and C. For Multiple Corona Battery. Intermittent is included in the about 15 included in the about 16 included in the about 16 included in the about 17 included in the about 18	Inpletions: Attach wellbore Inflaring will occur due to Fro ove battery are as follows:  NM OIL CO ARTES NOV  RECO  The and belief.  DATE 11	diagram of  ntier's inability to  ONSERVATION IA DISTRICT 1 4 2014  CEIVED

# See Attached COAS

1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

l Conservation Division 20 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

#### APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) **Apache Corporation** Applicant Α. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until , Yr , for the following described tank battery (or LACT): AB State 647 Battery Name of Lease Name of Pool Township 28F Section Location of Battery: Unit Letter Number of wells producing into battery Based upon oil production of barrels per day, the estimated \* volume B. of gas to be flared is MCF; Value C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance Estimated cost of connection D. This exception is requested for the following reasons: Frontier Empire Abo Unit Gas Plant E. cannot take our gas at this new battery. This is an extension to the permit that expires 12/31/2014. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature Printed Name Paige Futrell - Regulatory Analyst I & Title Paige.Futrell@apachecorp.com E-mail Address (432) 818-1893

Gas-Oil ratio test may be required to verify estimated gas volume.

Telephone No.

### NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

#### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <a href="http://www.gacc.nifc.gov/swcc">http://www.gacc.nifc.gov/swcc</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

1/12/1/2014

## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: <u>iim.winchester@state.nm.us</u>

# Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="https://www.nmforestry.com">www.nmforestry.com</a> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa\_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.