	State of New Mexico	Form C-103
Office District I – (575) 393-6161	Energy, Minerals and Natural Resources	Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240	,	WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
District III – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE
<u>District IV</u> - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOTICE	ES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	LS TO DRILL OR TO DEEPEN OR PLUG BACK TO A TION FOR PERMIT" (FORM C-101) FOR SUCH	AB State 647 Battery
PROPOSALS.)		8. Well Number
	as Well Other	9. OGRID Number
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 3000	Midland, TX 79705	Yeso
4. Well Location	- (
Unit Letter N :	feet from theline and	feet from theline
Section 32	Township 17S Range 28E	NMPM County Eddy
7-12-14-14-14-14-14-14-14-14-14-14-14-14-14-	11. Elevation (Show whether DR, RKB, RT, GR, e	etc.)
12. Chaola Àir	annomista Bay to Indicate Nature of Natio	Danast as Othas Data
12. Check Ap	propriate Box to Indicate Nature of Notice	ce, Report or Other Data
NOTICE OF INT	ENTION TÓ: SU	JBSEQUENT REPORT OF:
	PLUG AND ABANDON REMEDIAL W	ORK ALTERING CASING
	-	DRILLING OPNS. P AND A
• , —	MULTIPLE COMPL CASING/CEM	ENT JOB
DOWNHOLE COMMINGLE	·	
OTHER: Flare Permit	OTHER:	
13:- Describe proposed or complete	ted operations. (Clearly state all pertinent details,	and give pertinent dates, including estimated date
13 Describe proposed or completed of starting any proposed work	ted operations. (Clearly state all pertinent details, s). SEE RULE 19.15.7.14 NMAC. For Multiple	
of starting any proposed work proposed completion or recon	ted operations. (Clearly state all pertinent details, s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion.	Completions: Attach wellbore diagram of
of starting any proposed work proposed completion or recon	ted operations. (Clearly state all pertinent details, c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. Lare gas from the AB State #647 Battery. Intermitted.	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to
of starting any proposed work proposed completion or recon	ted operations. (Clearly state all pertinent details, s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion.	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to
of starting any proposed work proposed completion or recon	ted operations. (Clearly state all pertinent details, c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. Lare gas from the AB State #647 Battery. Intermitted.	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows:
of starting any proposed work proposed completion or recon Apache is requesting permission to fi take our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1	ted operations. (Clearly state all pertinent details; c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION
of starting any proposed work proposed completion or recon Apache is requesting permission to f take our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2	ted operations. (Clearly-state all pertinent details; c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows:
of starting any proposed work proposed completion or recon Apache is requesting permission to fi take our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1	ted operations. (Clearly state all pertinent details; c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT
Of starting any proposed or complete of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will as 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #4 30-015-41502 AB STATE 647 #5	ted operations. (Clearly-state all pertinent details; c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION
Of starting any proposed or complete of starting any proposed work proposed completion or recompleted. Apache is requesting permission to fitake our gas at this battery. Gas will as 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #4 30-015-41502 AB STATE 647 #5 30-015-41503 AB STATE 647 #6	ted operations. (Clearly-state all pertinent details; s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #14	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
Of starting any proposed or complete of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will as 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #4 30-015-41502 AB STATE 647 #5	ted operations. (Clearly-state all pertinent details; c). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT
Of starting any proposed work proposed completion or reconsist and proposed work proposed completion or reconsist and proposed complete and propo	ted operations. (Clearly-state all-pertinent details; i.). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #14 30-015-41504 AB STATE 647 #15	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
Of starting any proposed or complete of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will as 30-015-39927 AB STATE 647 #1 AB STATE 647 #2 AB STATE 647 #3 AB STATE 647 #4 AB STATE 647 #5 AB STATE 647 #6 AB STATE 647 #6 AB STATE 647 #7 AB STATE 647 #8	ted operations. (Clearly-state all pertinent details; s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41496 AB STATE 647 #11 30-015-41497 AB STATE 647 #12 30-015-41498 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
Of starting any proposed work proposed completion or reconsist and proposed work proposed completion or reconsist and proposed complete and propo	ted operations. (Clearly-state all-pertinent details; i.). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #14 30-015-41504 AB STATE 647 #15	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
Of starting any proposed or complete of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will as 30-015-39927 AB STATE 647 #1 AB STATE 647 #2 AB STATE 647 #3 AB STATE 647 #4 AB STATE 647 #5 AB STATE 647 #6 AB STATE 647 #6 AB STATE 647 #7 AB STATE 647 #8	ted operations. (Clearly-state all pertinent details; s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41496 AB STATE 647 #11 30-015-41497 AB STATE 647 #12 30-015-41498 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014
13 Describe proposed-or complete of starting any proposed work proposed completion or recompleted and proposed and propo	ted operations. (Clearly-state all pertinent details; i.). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date:	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
13 Describe proposed-or complete of starting any proposed work proposed completion or recompleted and proposed and propo	ted operations. (Clearly-state all pertinent details; s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41496 AB STATE 647 #11 30-015-41497 AB STATE 647 #12 30-015-41498 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
13 Describe proposed-or complet of starting any proposed work proposed completion or recompletion of take our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #5 30-015-41491 AB STATE 647 #7 30-015-41492 AB STATE 647 #8 Spud Date:	ted operations. (Clearly-state all pertinent details; s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #14 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date:	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
13 Describe proposed-or complete of starting any proposed work proposed completion or recompleted and proposed and propo	ted operations. (Clearly-state all pertinent details; i.). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date:	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED
Of starting any proposed work proposed completion or reconsulation of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will as STATE 647 #1 as STATE 647 #2 as STATE 647 #3 as STATE 647 #3 as STATE 647 #4 as STATE 647 #5 as STATE 647 #6 as STATE 647 #7 as STATE 647 #8 Spud Date: I hereby certify that the information ab SIGNATURED.	ted operations. (Clearly-state all pertinent details; x). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date:	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED edge and belief. DATE 11/13/2014
13 Describe proposed-or complet of starting any proposed work proposed completion or recompletion of take our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #5 30-015-41491 AB STATE 647 #7 30-015-41492 AB STATE 647 #8 Spud Date:	ted operations. (Clearly-state all pertinent details; s). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #14 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date:	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED edge and belief. DATE 11/13/2014
13. Describe proposed or complete of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #5 30-015-41503 AB STATE 647 #6 30-015-41491 AB STATE 647 #8 Spud Date: I hereby certify that the information absolute the state of the state	ted operations. (Clearly-state all pertinent details; x). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41504 AB STATE 647 #14 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date: TITLE Regulatory Analyst II E-mail address: paige.futrell@apa	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED edge and belief. DATE 11/13/2014 achecorp.com PHONE: (432) 818-1893
13. Describe proposed or complete of starting any proposed work proposed completion or reconsulation. Apache is requesting permission to fitake our gas at this battery. Gas will 30-015-39927 AB STATE 647 #1 30-015-41500 AB STATE 647 #2 30-015-41501 AB STATE 647 #3 30-015-41502 AB STATE 647 #5 30-015-41503 AB STATE 647 #6 30-015-41491 AB STATE 647 #8 Spud Date: I hereby certify that the information above the start of	ted operations. (Clearly-state all pertinent details; x). SEE RULE 19.15.7.14 NMAC. For Multiple inpletion. lare gas from the AB State #647 Battery. Intermitt be measured prior to flaring. Wells included in the 30-015-41493 AB STATE 647 #9 30-015-41494 AB STATE 647 #10 30-015-41495 AB STATE 647 #11 30-015-41496 AB STATE 647 #12 30-015-41497 AB STATE 647 #13 30-015-41498 AB STATE 647 #13 30-015-41504 AB STATE 647 #15 30-015-41511 AB STATE 647 #16 Rig Release Date:	Completions: Attach wellbore diagram of sent flaring will occur due to Frontier's inability to above battery are as follows: NM OIL CONSERVATION ARTESIA DISTRICT NOV 1 4 2014 RECEIVED edge and belief. DATE 11/13/2014

See Attached COAS

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. ___

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

. A.	Applicant Apache Corporation	,		
	whose address is 1945 Bluestem Road, Artesia, NM 88210			
	hereby requests an exception to Rule 19.15.1	90		
	, Yr, for the following described tank battery (or LACT):			
	Name of Lease AB State 647 Battery	Name of Pool 1 reso		
	Location of Battery: Unit LetterN	Name of Pool Yeso Section 32 Township 17S Range 28E		
	Number of wells producing into battery	16		
B.	Based upon oil production of	barrels per day, the estimated * volume		
•	of gas to be flared is	_MCF; Valueper day.		
. C.	Name and location of nearest gas gathering facility:			
	Frontier Empire Abo Unit			
D.	DistanceEstimated cost of connection			
E.	This exception is requested for the following reasons: Frontier Empire Abo Unit Gas Plant			
	cannot take our gas at this new batte	ery. This is an extension to the permit that		
	expires 12/31/2014.			
		•		
OPERATOR		OIL CONSERVATION DIVISION		
I hereby certify Division have be is true and comp	that the rules and regulations of the Oil Conservation een complied with and that the information given above plete to the best of my knowledge and belief.	Approved Until 9e3 28, 2015		
Signature	ay fuel	By Albado		
Printed Name & Title	e Paige Futrell - Regulatory Analyst I	Title STA Spewson		
E-mail Addre	Paige.Futrell@apachecorp.com	Date 11/21/2014		
Date 11/13	/2014 Telephone No. (432) 818-1893			
Gas-Oil rat	io test may be required to verify estimated gas	s volume.		

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 1.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

///2// 2014

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: <u>iim.winchester@state.nm.us</u>

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.