SUNDR	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON W Do not use this form for proposals to drill or to re abandoned well. Use form 3160-3 (APD) for such		NM OIL CONSERVA ARTESIA DISTRICT JAN 1 3 2015 ELLS OCD Artesia Proposals.		FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010 5. Lease Serial No. NMNM17103 6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Oil Well Oil Well Other				 If Unit or CA/Agreement, Name and/or No. Well Name and No. LEE FEDERAL 20H 		
						2. Name of Operator CIMAREX ENERGY COMPANY E-Mail: aeasterling@cimarex.com
3a. Address 202 S. CHEYENNE, SUITE TULSA, OK 74103	one No. (include area code 18-560-7060	e)	10. Field and Pool, or Exploratory AVALON; BONE SPRING, EAST			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State		
Sec 25 T20S R28E NENE 660FSL 330FEL				EDDY COUNTY, NM		
	PROPRIATE BOX(ES) TO INDIC		<u> </u>	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION		TYPE OF ACTION				
Notice of Intent		Deepen Fracture Treat	Product	ion (Start/Resume)	 Water Shut-Off Well Integrity 	
🛛 Subsequent Report		New Construction	☐ Recomp		Other	
Final Abandonment Notice	Change Plans] Plug and Abandon] Plug Back		arily Abandon	Drilling Operations	
following completion of the involvesting has been completed. Final determined that the site is ready for Drilling and Completion: 5/25/14 Spud Well 5/26/14 TD 26" Surface Hole sxs of Class C cmt, 14.8 pp 5/27/14 Test Casing to 1500 5/31/14 TD 17 1/2" Hole @ 6/1/14 Ran 13 3/8" 54.5# J-3 12.9 ppg; 1.855 yld. Tail cm surface. WOC 24+ hrs. 6/2/14 Test Casing to 1500	e at 257'. Ran 20 94# J-55 BT&C C g, 1.347 yld. Circ 375 sxs of cmt to s) psi for 30 minutes. 1412' 55 BT&C Casing to 1412. Mix & Pu it: 300 sxs of Class C cmt, 14.8 ppg,	nultiple completion or rec er all requirements, includ sasing to 257'. Mix & surface. WOC 24+ hr mp Lead cmt: 825 sx , 1.33 yld. Circ 330 s	ompletion in a n ding reclamation Pump Tail cn s s s of Class C sxs of cmt to	ew interval, a Form 316 h, have been completed, i nt: 900 cmt,	0-4 shall be filed once	
4. I hereby certify that the foregoing	is true and correct. Electronic Submission #267459 ve For CIMAREX ENERGY Committed to AFMSS for proces	COMPANY, sent to the ssing by DEBORAH H	ne Carlsbad AM on 12/30/2	014 ()		
Name(Printed/Typed) ARICKA EASTERLING		Title REGUL	ATORYARA		R RECORD	
	c Submission)	Date 10/01/2	014			
Signature (Electronic				1		
Signature (Electroni	THIS SPACE FOR FED	ERAL OR STATE	OFFICE US	JAN 7	2015	

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Additional data for EC transaction #267459 that would not fit on the form

32. Additional remarks, continued

6/5/14 Mix & Pump Lead Stage 1 cmt: 250 sxs of EconoCem, 12.90 ppg, 1.9103 yld. Tail Stage 1 cmt 250 sxs of HalCem cmt, 14.8 ppg, 1.36 yld. Circ no cmt of top of DV Tool. Mix & Pump Lead Stage 2 cmt: 560 sxs of ExtendaCem cmt, 13.5 ppg, 1.7231 yld. Tail Stage 2 cmt: 50 sxs of HalCem cmt, 14.8 ppg, 1.36 yld. Circ 274 sxs of cmt to surface. WOC 24+ hrs. 6/6/14 Test Casing to 1500 psi for 30 min, ok. 6/12/14 TD Well at 12125' 6/14/14 Ran 5 1/2" 17# P-110 LT&C/BT&C 6/14/14 to 6/15/14 Mix & Pump Lead: 900 sxs of EconoCem H cmt, 11.9 ppg, 2.48 yld. Tail cmt: 1430 sys of VersaCem H cmt 14 5 ppg, 1.24 yld. Circ 45 sxs of cmt to surface. WOC

sxs of VersaCem H cmt, 14.5 ppg, 1.24 yld. Circ 45 sxs of cmt to surface. WOC

6/15/14 Rig Released 7/29/14 Test Casing to 9000 psi for 30 min. Good Test. TOC at 0'. 8/11/14 to 8/13/14 Perf 2nd Bone Spring at 7600'-12085', 240 holes. Frac with 1,762,849 gal of frac fluid and 2,670,519 # of sand. 8/14/14 Mill out plugs. Wash to plugback TD @ 12100'. Flow well. 8/20/14 RIH w/ 27/8" tubing and pump, set @ 7080'.

8/21/14 Turn well to production.