

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-41296
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator DEVON ENERGY PRODUCTION COMPANY, LP.		6. State Oil & Gas Lease No.
3. Address of Operator 333 WEST SHERIDAN AVENUE, OKC, OK 73102		7. Lease Name or Unit Agreement Name Tranquil 13 State
4. Well Location Unit Letter <u>D</u> : <u>330</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>West</u> line Section <u>13</u> Township <u>25S</u> Range <u>27E</u> NMPM Lea County, New Mexico		8. Well Number <u>4H</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3095.3		9. OGRID Number 6137
		10. Pool name or Wildcat 30216 Hay Hollow; Bone Spring, N

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: Drilling Operations <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

01/16/2015

MIRU Butcher Rat Hole Services. Set 10' x 30" pipe w/ a lid on the Tranquil 13 State 4H. Cemented the 30" csg. 3' from the top & back filled it w/ dirt to the top. Drill time was 1 hour.

NM OIL CONSERVATION
ARTESIA DISTRICT

Spud Date:

01.16.15

Rig Release Date:

JAN 26 2015

RECEIVED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Erin Workman TITLE Regulatory Compliance Professional DATE 01.22.15


Type or print name Erin L. Workman E-mail address: Erin.workman@dvn.com PHONE: (405) 552-7970

For State Use Only

APPROVED BY: [Signature] TITLE Dist. Rep. DATE 2/3/15

Conditions of Approval (if any):

*See Attached COA



BRHAS.com
1(888) 400-6294



JANUARY 16, 2015

DEVON

TREVOR KLAASSEN

trevor.klaassen@dvn.com

ON JANUARY 16, 2015, WE SET 10' X 30" PIPE WITH A LID ON THE TRANQUIL 13 STATE 4H. WE CEMENTED THE 30" CASING 3' FROM THE TOP AND BACK FILLED IT WITH DIRT TO THE TOP. DRILL TIME WAS 1 HOUR.

PLEASE LET ME KNOW IF YOU HAVE ANY QUESTIONS.

REGARDS,

LEE SELLERS
DRILLING SERVICES COORDINATOR


BRHAS.com

Texas • New Mexico • North Dakota
Pennsylvania • Kansas

1 (888) 400-6294

Permit Conditions of Approval

API: 30-015 - 41296



OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string