



Job Number: SVMO-141507
 Company: OXY USA, Inc.
 Lease/Well: Hackberry 6 Federal 4H
 Location: Eddy County, NM
 Rig Name: H&P #621
 RKB: 25'
 G.L. or M.S.L.: GL

State/Country: New Mexico/USA
 Declination: 7.31°
 Grid: East To Grid North
 File name: S:\2014SU~1\OXY\MOI\HACKBE~1\6FED4H.SVY
 Date/Time: 10-Nov-14 / 11:05
 Curve Name: Surface - 610' M.D. (Rate Gyro) (API 31-015-41248)

30015 41248

NM OIL CONSERVATION
 ARTESIA DISTRICT
 MAR 16 2015
 RECEIVED

MS SURVEY

WINERVE SURVEY CALCULATIONS
 Minimum Curvature Method
 Vertical Section Plane 177.95
 Vertical Section Referenced to Wellhead
 Rectangular Coordinates Referenced to Wellhead

We hereby certify that our survey data from
Surface MD to 610' MD is, to the best of
 our knowledge a true and accurate account of the
 well bore.
Travis Pack 11/10/14
 MS Energy Services Date

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
47.00	.32	85.12	47.00	.01	.13	-.01	.13	85.12	.68
136.00	.66	301.87	136.00	.30	-.06	-.30	.31	349.36	1.05
221.00	.83	315.26	220.99	1.00	-.91	-1.03	1.35	317.79	.28
302.00	.65	315.74	301.98	1.74	-1.64	-1.80	2.39	316.78	.22
393.00	.40	324.62	392.98	2.37	-2.18	-2.45	3.23	317.38	.29
485.00	.27	327.03	484.98	2.82	-2.49	-2.90	3.76	318.55	.14
579.00	.14	244.09	578.98	2.95	-2.71	-3.05	4.01	317.44	.31
Last Survey Depth Recorded									
610.00	.18	254.07	609.98	2.92	-2.79	-3.02	4.04	316.30	.16

OCCIDENTAL PERMIAN LTD.

Hackberry

Eddy County, NM (Grid North)

Hackberry 6 Federal Com #4H

DH - Job #321114-MPH-1278

Survey: MWD - Tie-In @ 610' by MS

Regulatory Report (Grid North)


This survey is correct to the best of my knowledge and is supported by actual field data.

Richardson

Notarized this date 23rd of December, 2014.

Carrie Reed

Notary Signature
County of Midland
State of Texas



Regulatory Report (Grid North)

Company:	OCCIDENTAL PERMIAN LTD.	Local Co-ordinate Reference:	Well Hackberry 6 Federal Com #4H
Project:	Hackberry	TVD Reference:	Mean Sea Level (System)
Site:	Eddy County, NM (Grid North)	MD Reference:	Mean Sea Level (System)
Well:	Hackberry 6 Federal Com #4H	North Reference:	Grid
Wellbore:	DH - Job #321114-MPH-1278	Survey Calculation Method:	Minimum Curvature
Design:	DH - Job #321114-MPH-1278	Database:	MID_Regulatory

Project		Hackberry	
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site:		Eddy County, NM (Grid North)			
Site Position:-		Northing:	607,384.55 usft	Latitude:	32° 40' 10.276 N
From:	Lat/Long	Easting:	581,473.87 usft	Longitude:	104° 4' 6.846 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16"	Grid Convergence:	0.14 °

Well	Hackberry 6 Federal Com #4H; Horizontal					
Well Position	+N/-S	0.0 usft	Northing:	616,981.12 usft	Latitude:	32° 41' 43.693 N
	+E/-W	0.0 usft	Easting:	629,760.99 usft	Longitude:	103° 54' 41.505 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	0.0 usft	Ground Level:	0.0 usft

Wellbore						DH - Job #321114-MPH-1278									
Magnetics						Model Name		Sample Date		Declination		Dip Angle		Field Strength	
										(°)		(°)		(nT)	
						IGRF2010		11/9/2014		7.36		60.48		48,548	

Design: DH - Job #321114-MPH-1278				
Audit Notes:				
Version: 1.0	Phase: ACTUAL	Tie On Depth:		0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	177.95

Survey Program		Date: 12/22/2014		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
667.0	13,082.0	MWD - Tie-In @ 610' by MS (DH - Job #32	MWD	MWD

Survey:									
MD	Inc	Azi	TVD	N/S	E/W	Closure Azimuth	Closure Distance		
(usft)	(°)	(grid_north_azim)	(usft)	(usft)	(usft)	(°)	(usft)		
610.0	0.18	254.07	610.0	2.9	-2.8	316.30	4.0		
667.0	0.20	41.20	667.0	3.0	-2.8	316.58	4.1		
758.0	0.35	337.28	758.0	3.3	-2.8	319.94	4.4		
850.0	0.17	140.61	850.0	3.5	-2.8	320.99	4.5		
942.0	0.22	182.90	942.0	3.2	-2.8	319.41	4.2		
1,036.0	0.30	64.18	1,036.0	3.1	-2.5	321.02	4.0		
1,131.0	0.30	339.36	1,131.0	3.5	-2.4	325.35	4.2		
1,225.0	0.27	86.16	1,225.0	3.7	-2.3	328.63	4.4		
1,319.0	0.29	240.78	1,319.0	3.6	-2.3	328.08	4.3		
1,414.0	0.35	130.98	1,414.0	3.3	-2.3	325.87	4.0		
1,508.0	0.32	143.46	1,508.0	2.9	-1.9	327.26	3.5		
1,603.0	0.30	284.61	1,603.0	2.8	-2.0	324.72	3.4		

Regulatory Report (Grid North)

Company:	OCCIDENTAL PERMIAN LTD	Local Co-ordinate Reference:	Well Hackberry 6 Federal Com #4H
Project:	Hackberry	TVD Reference:	Mean Sea Level (System)
Site:	Eddy County, NM (Grid North)	MD Reference:	Mean Sea Level (System)
Well:	Hackberry 6 Federal Com #4H	North Reference:	Grid
Wellbore:	DH - Job #321114-MPH-1278	Survey Calculation Method:	Minimum Curvature
Design:	DH - Job #321114-MPH-1278	Database:	MID_Regulatory

Survey								
MD (usft)	Inc (°)	Azi (grid north azimuth)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Azimuth (°)	Closure Distance (usft)	
1,697.0	0.32	137.69	1,697.0	2.6	-2.0	322.54	3.3	
1,791.0	0.32	278.57	1,791.0	2.5	-2.1	319.72	3.3	
1,886.0	0.33	98.06	1,886.0	2.5	-2.1	319.85	3.3	
1,980.0	0.13	51.69	1,980.0	2.5	-1.7	325.23	3.1	
2,075.0	0.48	344.14	2,075.0	3.0	-1.8	329.16	3.5	
2,169.0	0.61	3.90	2,169.0	3.8	-1.8	334.37	4.3	
2,264.0	0.80	359.86	2,264.0	5.0	-1.8	340.13	5.3	
2,358.0	0.93	350.49	2,357.9	6.4	-1.9	343.20	6.7	
2,453.0	1.19	19.88	2,452.9	8.1	-1.7	347.95	8.3	
2,547.0	1.08	20.45	2,546.9	9.9	-1.1	353.69	9.9	
2,642.0	0.81	6.45	2,641.9	11.4	-0.7	356.47	11.4	
2,736.0	1.04	0.47	2,735.9	12.9	-0.6	357.25	12.9	
2,830.0	0.98	5.81	2,829.9	14.5	-0.5	357.91	14.5	
2,925.0	1.23	349.46	2,924.8	16.3	-0.6	357.77	16.3	
3,019.0	1.56	358.18	3,018.8	18.6	-0.9	357.35	18.6	
3,114.0	0.36	69.65	3,113.8	20.0	-0.6	358.22	20.0	
3,208.0	0.96	127.50	3,207.8	19.6	0.3	0.82	19.6	
3,303.0	0.51	118.28	3,302.8	18.9	1.3	3.88	19.0	
3,397.0	0.79	99.61	3,396.8	18.6	2.3	7.01	18.8	
3,492.0	0.38	104.83	3,491.8	18.4	3.2	9.97	18.7	
3,586.0	0.74	131.68	3,585.8	18.0	4.0	12.54	18.4	
3,681.0	0.78	105.57	3,680.8	17.4	5.1	16.28	18.1	
3,775.0	0.26	153.88	3,774.8	17.0	5.8	18.78	18.0	
3,870.0	0.46	151.73	3,869.8	16.5	6.1	20.19	17.6	
3,964.0	0.33	140.28	3,963.8	15.9	6.4	21.91	17.2	
4,059.0	0.66	90.58	4,058.8	15.7	7.1	24.40	17.3	
4,245.0	0.20	74.75	4,244.8	15.8	8.5	28.33	18.0	
4,339.0	0.11	92.34	4,338.8	15.8	8.8	28.96	18.1	
4,434.0	0.11	164.32	4,433.8	15.8	8.9	29.42	18.1	
4,528.0	0.17	216.07	4,527.7	15.6	8.8	29.57	17.9	
4,623.0	0.32	230.41	4,622.7	15.3	8.5	29.21	17.5	
4,717.0	0.47	232.70	4,716.7	14.9	8.0	28.37	16.9	
4,812.0	0.64	244.01	4,811.7	14.4	7.2	26.70	16.1	
4,906.0	1.20	264.05	4,905.7	14.1	5.8	22.38	15.2	
5,000.0	1.46	274.60	4,999.7	14.1	3.6	14.44	14.5	
5,095.0	0.03	79.99	5,094.7	14.2	2.4	9.77	14.4	
5,189.0	0.17	108.87	5,188.7	14.1	2.6	10.41	14.4	
5,284.0	0.37	177.82	5,283.7	13.8	2.7	11.25	14.0	
5,378.0	0.65	189.21	5,377.7	12.9	2.7	11.64	13.2	
5,473.0	0.85	174.74	5,472.7	11.7	2.6	12.73	12.0	
5,568.0	1.34	191.30	5,567.7	9.9	2.5	14.10	10.2	
5,662.0	1.77	195.08	5,661.6	7.4	1.9	14.32	7.7	
5,756.0	0.88	193.40	5,755.6	5.3	1.4	14.23	5.5	
5,851.0	0.52	236.45	5,850.6	4.4	0.8	10.65	4.5	

Regulatory Report (Grid North)

Company:	OCCIDENTAL PERMIAN LTD	Local Co-ordinate Reference:	Well Hackberry 6 Federal Com #4H
Project:	Hackberry	TVD Reference:	Mean Sea Level (System)
Site:	Eddy County NM (Grid North)	MD Reference:	Mean Sea Level (System)
Well:	Hackberry 6 Federal Com #4H	North Reference:	Grid
Wellbore:	DH - Job #321114-MPH-1278	Survey Calculation Method:	Minimum Curvature
Design:	DH - Job #321114-MPH-1278	Database:	MJD - Regulatory

MD (usft)	Inc (°)	Azi (grid north azimuth)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Azimuth (°)	Closure Distance (usft)
5,945.0	0.62	219.98	5,944.6	3.8	0.1	2.18	3.8
6,040.0	0.56	237.76	6,039.6	3.1	-0.6	349.47	3.2
6,135.0	0.64	243.75	6,134.6	2.6	-1.4	331.24	3.0
6,229.0	0.66	233.46	6,228.6	2.1	-2.4	311.52	3.1
6,324.0	0.59	209.28	6,323.6	1.3	-3.0	293.71	3.3
6,418.0	0.52	187.03	6,417.6	0.5	-3.3	278.33	3.4
6,512.0	0.67	197.99	6,511.6	-0.5	-3.5	262.61	3.6
6,607.0	0.20	110.69	6,606.6	-1.0	-3.6	253.62	3.7
6,701.0	0.38	139.15	6,700.6	-1.3	-3.2	247.29	3.5
6,796.0	1.17	121.14	6,795.5	-2.1	-2.2	226.17	3.0
6,890.0	0.17	116.90	6,889.5	-2.6	-1.2	204.82	2.9
6,985.0	0.62	116.21	6,984.5	-2.9	-0.6	192.21	3.0
7,079.0	2.98	83.13	7,078.5	-2.9	2.2	141.85	3.6
7,174.0	3.79	82.59	7,173.3	-2.2	7.8	105.47	8.1
7,237.7	4.71	75.85	7,236.8	-1.3	12.4	95.75	12.5
7,268.0	5.16	73.50	7,267.0	-0.6	15.0	92.15	15.0
7,363.0	1.95	110.09	7,361.8	0.1	20.6	89.73	20.6
7,458.0	1.01	167.42	7,456.8	-1.3	22.3	93.28	22.3
7,552.0	2.42	171.26	7,550.8	-4.0	22.7	100.08	23.1
7,677.0	2.11	182.70	7,675.7	-9.0	23.0	111.23	24.7
7,772.0	2.02	175.07	7,770.6	-12.4	23.1	118.16	26.2
7,866.0	1.69	179.35	7,864.6	-15.4	23.3	123.51	27.9
7,961.0	1.84	179.86	7,959.5	-18.3	23.3	128.21	29.6
8,055.0	8.88	160.65	8,053.0	-26.7	25.7	136.10	37.0
8,087.0	14.03	162.02	8,084.4	-32.7	27.7	139.74	42.9
8,118.0	18.37	164.50	8,114.2	-41.0	30.2	143.65	50.9
8,150.0	21.47	168.26	8,144.2	-51.6	32.7	147.62	61.1
8,181.0	24.04	171.73	8,172.8	-63.4	34.8	151.26	72.3
8,213.0	26.87	174.52	8,201.7	-77.1	36.4	154.71	85.2
8,244.0	28.36	175.37	8,229.2	-91.4	37.7	157.59	98.8
8,276.0	30.03	176.20	8,257.1	-106.9	38.8	160.05	113.8
8,307.0	32.66	178.43	8,283.6	-123.0	39.6	162.18	129.2
8,339.0	34.02	178.97	8,310.3	-140.6	40.0	164.14	146.2
8,370.0	33.23	178.86	8,336.1	-157.8	40.3	165.68	162.8
8,402.0	33.03	177.77	8,362.9	-175.3	40.8	166.90	180.0
8,433.0	35.25	176.57	8,388.6	-192.6	41.7	167.80	197.1
8,464.0	38.19	175.37	8,413.4	-211.1	43.0	168.50	215.5
8,496.0	39.98	175.52	8,438.3	-231.2	44.6	169.09	235.5
8,527.0	41.42	176.08	8,461.8	-251.4	46.0	169.62	255.6
8,559.0	42.06	176.59	8,485.7	-272.7	47.4	170.14	276.7
8,590.0	44.00	176.69	8,508.3	-293.8	48.6	170.60	297.8
8,622.0	46.91	177.89	8,530.8	-316.6	49.7	171.07	320.4
8,653.0	49.80	179.82	8,551.4	-339.7	50.2	171.60	343.4
8,685.0	51.36	181.29	8,571.7	-364.4	49.9	172.20	367.8

Regulatory Report (Grid North)

Company:	OCCIDENTAL PERMIAN LTD.	Local Co-ordinate Reference:	Well Hackberry 6 Federal Com #4H
Project:	Hackberry	TVD Reference:	Mean Sea Level (System)
Site:	Eddy County, NM (Grid North)	MD Reference:	Mean Sea Level (System)
Well:	Hackberry 6 Federal Com #4H	North Reference:	Grid
Wellbore:	DH - Job #321114-MPH-1278	Survey Calculation Method:	Minimum Curvature
Design:	DH - Job #321114-MPH-1278	Database:	MID_Regulatory

MD (usft)	Inc (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Azimuth (°)	Closure Distance (usft)
8,716.0	53.04	181.00	8,590.7	-388.9	49.4	172.75	392.0
8,748.0	54.95	180.26	8,609.5	-414.8	49.2	173.24	417.7
8,779.0	56.76	178.73	8,626.9	-440.5	49.4	173.60	443.2
8,811.0	59.05	178.07	8,643.9	-467.5	50.1	173.88	470.2
8,842.0	60.99	178.41	8,659.4	-494.4	51.0	174.11	497.0
8,874.0	62.96	178.25	8,674.4	-522.6	51.8	174.34	525.2
8,905.0	65.94	177.55	8,687.8	-550.6	52.8	174.52	553.1
8,937.0	68.56	177.81	8,700.2	-580.1	54.0	174.68	582.6
8,968.0	70.17	178.20	8,711.1	-609.0	55.0	174.84	611.5
9,000.0	72.46	177.60	8,721.3	-639.3	56.1	174.98	641.8
9,032.0	75.15	176.20	8,730.3	-670.0	57.8	175.07	672.5
9,063.0	76.82	175.84	8,737.8	-700.0	59.9	175.11	702.6
9,079.0	77.81	175.39	8,741.3	-715.6	61.1	175.12	718.2
9,095.0	78.79	174.95	8,744.5	-731.2	62.4	175.12	733.9
9,126.0	81.29	175.44	8,749.9	-761.6	65.0	175.12	764.4
9,158.0	83.61	176.31	8,754.1	-793.3	67.2	175.15	796.1
9,189.0	84.37	177.51	8,757.3	-824.0	68.9	175.22	826.9
9,220.0	86.07	177.90	8,759.9	-854.9	70.1	175.31	857.8
9,252.0	88.05	178.04	8,761.6	-886.8	71.3	175.41	889.7
9,283.0	89.77	177.98	8,762.2	-917.8	72.3	175.49	920.7
9,378.0	91.44	179.18	8,761.2	-1,012.8	74.7	175.78	1,015.5
9,472.0	88.86	179.25	8,760.9	-1,106.8	76.0	176.07	1,109.4
9,566.0	88.69	179.24	8,762.9	-1,200.7	77.2	176.32	1,203.2
9,661.0	88.35	179.09	8,765.4	-1,295.7	78.6	176.53	1,298.1
9,755.0	88.42	179.30	8,768.0	-1,389.6	79.9	176.71	1,391.9
9,850.0	88.62	178.49	8,770.5	-1,484.6	81.8	176.85	1,486.8
9,944.0	88.72	178.35	8,772.7	-1,578.5	84.4	176.94	1,580.8
10,039.0	89.06	178.06	8,774.5	-1,673.5	87.3	177.01	1,675.7
10,133.0	88.89	178.16	8,776.2	-1,767.4	90.4	177.07	1,769.7
10,228.0	88.96	177.87	8,778.0	-1,862.3	93.7	177.12	1,864.7
10,322.0	88.92	177.33	8,779.7	-1,956.2	97.7	177.14	1,958.7
10,417.0	89.26	177.20	8,781.2	-2,051.1	102.2	177.15	2,053.6
10,511.0	89.53	176.73	8,782.2	-2,145.0	107.2	177.14	2,147.6
10,605.0	89.83	177.48	8,782.7	-2,238.8	111.9	177.14	2,241.6
10,700.0	90.57	176.91	8,782.4	-2,333.7	116.6	177.14	2,336.6
10,794.0	91.14	176.22	8,781.0	-2,427.5	122.2	177.12	2,430.6
10,889.0	88.96	178.18	8,780.9	-2,522.4	126.8	177.12	2,525.6
10,953.0	88.79	177.28	8,782.2	-2,586.4	129.4	177.14	2,589.6
11,047.0	88.79	179.23	8,784.1	-2,680.3	132.2	177.18	2,683.6
11,142.0	89.03	178.63	8,786.0	-2,775.3	134.0	177.24	2,778.5
11,236.0	89.23	178.40	8,787.4	-2,869.2	136.4	177.28	2,872.5
11,330.0	89.06	178.18	8,788.8	-2,963.2	139.2	177.31	2,966.4
11,425.0	88.96	177.81	8,790.4	-3,058.1	142.6	177.33	3,061.4
11,519.0	89.06	177.95	8,792.1	-3,152.0	146.0	177.35	3,155.4
11,614.0	89.26	177.08	8,793.4	-3,246.9	150.2	177.35	3,250.4

Regulatory Report (Grid North)

Company:	OCCIDENTAL PERMIAN LTD.	Local Co-ordinate Reference:	Well Hackberry 6 Federal Com #4H
Project:	Hackberry	TVD Reference:	Mean Sea Level (System)
Site:	Eddy County, NM (Grid North)	MD Reference:	Mean Sea Level (System)
Well:	Hackberry 6 Federal Com #4H	North Reference:	Grid
Wellbore:	DH - Job #321114-MPH-1278	Survey Calculation Method:	Minimum Curvature
Design:	DH - Job #321114-MPH-1278	Database:	MID_Regulatory

MD (usft)	Inc. (°)	Azi (grid_north_azim)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Azimuth (°)	Closure Distance (usft)
11,708.0	89.23	176.88	8,794.7	-3,340.8	155.1	177.34	3,344.4
11,803.0	90.34	177.16	8,795.0	-3,435.6	160.1	177.33	3,439.4
11,897.0	90.71	180.06	8,794.2	-3,529.6	162.3	177.37	3,533.3
11,992.0	91.11	179.54	8,792.7	-3,624.6	162.7	177.43	3,628.2
12,086.0	91.44	179.00	8,790.6	-3,718.6	163.9	177.48	3,722.2
12,181.0	91.92	178.28	8,787.8	-3,813.5	166.1	177.51	3,817.1
12,276.0	91.48	180.03	8,785.0	-3,908.4	167.5	177.55	3,912.0
12,370.0	92.12	179.32	8,782.0	-4,002.4	168.0	177.60	4,005.9
12,465.0	90.24	180.53	8,780.1	-4,097.4	168.2	177.65	4,100.8
12,559.0	89.93	181.08	8,779.9	-4,191.3	166.8	177.72	4,194.7
12,653.0	90.57	180.24	8,779.5	-4,285.3	165.8	177.78	4,288.5
12,748.0	87.42	178.88	8,781.2	-4,380.3	166.5	177.82	4,383.5
12,842.0	87.48	178.38	8,785.4	-4,474.2	168.7	177.84	4,477.4
12,932.5	87.67	177.77	8,789.2	-4,564.5	171.8	177.84	4,567.8
12,937.0	87.68	177.74	8,789.4	-4,569.0	172.0	177.84	4,572.3
13,031.0	87.88	176.91	8,793.0	-4,662.9	176.3	177.83	4,666.2
Last MWD Survey							
13,082.0	87.88	176.91	8,794.9	-4,713.8	179.1	177.82	4,717.2
Projection to Bit							

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
13,031.0	8,793.0	-4,662.9	176.3	Last MWD Survey
13,082.0	8,794.9	-4,713.8	179.1	Projection to Bit

Checked By: _____ Approved By: _____ Date: _____





Federal 4H
Eddy County, NM (NAD 27 NME)
Northing: 616981.10
Easting: 629761.00
Plan #1



Azimuths to Grid North
True North: -0.23°
Magnetic North: 7.31°

Magnetic Field
Strength: 48478.4nT
Dip Angle: 60.47°
Date: 10/31/2014
Model: BGGM2014

To convert Magnetic North to Grid, Add 7.31°
To convert True North to Grid, Subtract 0.23°



OXY USA WTP LP
Hackberry 6 Federal Com 4H
API No. 30-015-41248

14-3/4" hole @ 630'
11-3/4" csg @ 630'
w/ 720sx-TOC-Surf-Circ.

10-5/8" hole @ 4204'
8-5/8" csg @ 4193'
w/ 1360sx-TOC-Surf-Circ.

7-7/8" hole @ 13082'
5-1/2" csg @ 13082'
w/ 1260sx-TOC-Surf-Circ.

Perfs @ 9032-12932'

TD- 13082'M 8795'V