Submit 1 Copy To Appropriate District Office	State of New I	Mexico		Form C-103
District 1 – (575) 393-6161	Energy, Minerals and N	atural Resources		evised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION			30-015-42712	
District III – (505) 334-6178 1220 South St. Francis Dr.		5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM	87505	STATE 6. State Oil & Gas Lease	
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	<i></i>	0,000	0. State Off & Gas Lease	INU.
87505				
	ICES AND REPORTS ON WEL		7. Lease Name or Unit A	greement Name
(DO NOT USE THIS FORM FOR PROPC DIFFERENT RESERVOIR. USE "APPLI			Big Sinks 1 A3OB Fee	
PROPOSALS.)	CATION TOK TERIMIT (FORM C-101) TOR 50CH	8. Well Number 2H	
1. Type of Well: Oil Well	Gas Well Other			
2. Name of Operator.			9. OGRID Number 1	4744
Mewbourne Oil Company				
3. Address of Operator			10. Pool name or Wildca	
PO Box 5270, Hobbs NM 88241			Jennings; Bone Spring W	/est 97860
4. Well Location				
Unit Letter B	:410feet from theNorth	line and 1980	feet from the East	line
Section 12	Township 26S	Range 31E	NMPM Eddy	County
- 10 m	11. Elevation (Show whether I			
	2968' GL	, , ,		
12. Check	Appropriate Box to Indicate	Nature of Notice	Report or Other Data	
12. Check i	appropriate Bon to marcute	ratare of reciec,	report of other Butt	
NOTICE OF IN	ITENTION TO:	SUB	SEQUENT REPORT	OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🔲	REMEDIAL WOR	K 🗌 ALTER	RING CASING 🗌
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DR	ILLING OPNS.□ P AND	Α 🗆
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	T JOB 🔯	
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM				
OTHER:		OTHER:		
	pleted operations. (Clearly state a			
	ork). SEE RULE 19.15.7.14 NM	AC. For Multiple Co	mpletions: Attach wellbore	diagram of
proposed completion or rec	completion.			
05/26/15 TD 8 ³ / ₄ " hole @ 9495'. R	lon 0405! of 7" 26# D110 DT 9.C	P. I.T.P.C. and Contain	(500 also Lita Class II (60.40	مدرناها المراسد
Mixed @ 12.0#/g w/2.26 yd. Tail v				
pressure @ 1500# @ 3 BPM. Teste				
to 2500#. Ran temp survey indicati				
Drilled out with 6 1/8" bit.	ng 100 th 5100. At 0.43 1 th.	55/27/15, tested DOI 1	Let us to 2500# for 50 mm	utes, neta OK.
Copy of temperature survey attached	d .		NM OIL CO	NSERVATION
			ARTESIA	A DISTRICT
			JUN	3 2015
			JUIN	9 2013
Spud Date: 05/13/15	Rig R	elease Date:		
		;	REC	EIVED
I hereby certify that the information	above is true and complete to the	e best of my knowledg	e and belief.	
	× +1			
SIGNATURE perie	Jan TITLE_RE	egulatoryD	ATE06/01/15	
The second secon) [a. :1-41. O !	DUONG 5	5 202 5005
Type or print name _Jackie Lathan_	E-mail address	s:Jlathan@mewbou	rne.comPHONE: _57:	5-393-5905
For State Use Only	\wedge	(IX) m		1 1 1
APPROVED BY:	WW TITLE)/S	The Dille M	NA DATE (A)	12/15
Conditions of Approval (if any):	<u> </u>	CIT SAL STORY	DATE (a)	سارد
* * * * * * * * * * * * * * * * * * *			· ·	



					•			
	Company	MEWBOURNE						
	Well	BIG SINKS 1 A308 FEE #002H						
8 FEE #002H	Field							
	County	EDDY COUNTY		1	State	NEW	MEXICO	
MEWBOURNE BIG SINKS 1 A308 FEE #002H EDDY COUNTY NEW MEXICO	Location:						Other Service	æs
		SEC	TWP	RGE			Elevation	
Company Well Field County State	Parmanent Datum Elevation					K.B. 27 FT D.F.		
Date			3-15				1	
Run Number			2					
Depth Driller		9495 FT						
Depth Logger	,	8200 FT						
Bottom Logged Interva	al							
Top Log Interval			15.1	ļ				
Open Hole Size		7 IN		ļ				
Type Fluid		H2O						
Density / Viscosity Max. Recorded Temp.		146 5	DEC E	 				
Estimated Cement To			146.5 DEG F					
Time Well Ready	<u> </u>	31	~~	 				
Time Logger on Botto	m	······································		 				
Equipment Number		SN-IP	210-04	1			···	
Location								
Recorded By		Harley F	atterson					
Witnessed By								
	Borehole Record				Tubing Record			
Run Number E	Bit From	То	S	ize	Weight	From	То	
ļ 						 		
					-		- 	
Casing Record	Size		V/gt/Ft		Тор		Bottom	
Surface String								
Prot. String	ļ							
Production String	 							
Liner	 							











