Submit 1 Copy To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		Form C-103 Revised July 18, 2013	
<u>District 1</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
<u>District II</u> – (575) 748-1283			30-015-41828	
811 S. First St., Artesia, NM 88210			5. Indicate Type of Lease	
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410			STATE S FEE	
District IV - (505) 476-3460	trict IV – (505) 476-3460 Santa Fe, NM 87505		6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505				
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other			7. Lease Name or Unit Agreement Name Boss Hogg 15 State Com	
		coon	8. Well Number 1H	
2. Name of Operator			9. OGRID Number	
DEVON ENERGY PRODUCTION COMPANY, LP.		6137		
3. Address of Operator		10. Pool name or Wildcat		
333 WEST SHERIDAN AVENUE, OKC, OK 73102		30216 Hay Hollow, Bone Spring, North		
4. Well Location				
Unit Letter D : 175	5feet from theNorth line and	d <u>660</u> feet	t from the <u>West</u> lin	e
Section 15		Range 26E		ounty, New Mexico
	11. Elevation (Show whether DR,	RKB, RT, GR, etc.)		
	3327'			
12. Check	Appropriate Box to Indicate Na	ture of Notice,	Report or Other Da	ta
		CLID		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK D PLUG AND ABANDON D REMEDIAL WORK D ALTERING CASING D				
		COMMENCE DRI		
PULL OR ALTER CASING		CASING/CEMENT	7.5	
		CASING/CEIVIEN	JOB .	
CLOSED-LOOP SYSTEM				
OTHER:		OTHER Drilling	Operations: Additional 2	2'
	upleted operations (Clearly state all p	ertinent details and	give pertinent dates in	ncluding estimated date
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of				
proposed completion or recompletion.				
	•			
06/10/15				
MIDLL Dutches Det Hele	Somulas Drillad additional 2' on the	above well for a to	stal of 20? Drill time	as 1 hour
MIRO. Butches Rat Hole	e Services. Drilled additional 2' on the	above well for a to	Stal of 20. Drill time w	as I nour.
				·
			N	M OIL CONSERVATIO
Spud Date: 12.29.	14			
Spud Date: 12.29.	I4 Rig Release Da	te:		JUN 29 2015
				RECEIVED
I hereby certify that the informatio	n above is true and complete to the be	st of my knowledge	e and belief.	
21	\cap L			
SIGNATURE	ON TITLE Regul	atory Compliance I	Professional DATE	06.26.15
				00.20.15
Type or print name <u>Erin L. Wo</u> For State Use Only 7	orkman E-mail address: Erin.w	orkman@dvn.com	PHONE:(405	5) 552-7970
	for record			-la har
APPROVED BY:	TITLE		DATE	7/30/2015
Conditions of Approval (if any):				' /
	A He ched COH			
× see	A Hached COA			

•





MARCH 13, 2015

DEVON

AMANDA GREENWOOD Amanda.Greenwood@dvn.com

ON MARCH 13, 2015, WE SET 10' X 30" PIPE WITH A LID ON THE BOSS HOGG 15 STATE COM 1H. WE CEMENTED THE 30" CASING 3' FROM THE TOP AND BACK FILLED IT WITH DIRT TO THE TOP. DRILL TIME WAS 1 HOUR.

ON APRIL 1, 2015, WE DRILLED AN ADDITIONAL 2' ON THE ABOVE WELL FOR A TOTAL OF 12' DRILLED SO FAR. DRILL TIME WAS 1 HOUR.

ON APRIL 20, 2015, WE DRILLED AN ADDITIONAL 2' ON THE ABOVE WELL FOR A TOTAL OF 14' DRILLED SO FAR. DRILL TIME WAS 1 HOUR.

ON MAY 7, 2015, WE DRILLED AN ADDITIONAL 2' ON THE ABOVE WELL FOR A TOTAL OF 16' DRILLED SO FAR. DRILL TIME WAS 1 HOUR.

ON MAY 22, 2015, WE DRILLED AN ADDITIONAL 2' ON THE ABOVE WELL FOR A TOTAL OF 18' DRILLED SO FAR. DRILL TIME WAS 1 HOUR.

ON JUNE 10, 2015, WE DRILLED AN ADDITIONAL 2' ON THE ABOVE WELL FOR A TOTAL OF 20' DRILLED SO FAR. DRILL TIME WAS 1 HOUR.


PLEASE LET ME KNOW IF YOU HAVE ANY QUESTIONS.

REGARDS,

LEE SELLERS DRILLING SERVICES COORDINATOR

BRHAS.com

Kansas • New Mexico • North Dakota 1 (888) 400-6294 Oklahoma • Pennsylvania • Texas





Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string