

OPERATOR
WELL/LEASE
COUNTY

MEWBOURNE OIL COMPANY
GLOCK 16 B2AD FEDERAL 1H
EDDY

RIG 75

STATE OF NEW MEXICO
DEVIATION REPORT

30.015.42991

427	5.00
620	6.71
715	6.14
803	5.52
922	5.36
981	5.90
1,010	5.00
1,107	5.50
1,168	4.83
1,417	3.13
1,560	2.87
1,687	2.41
1,845	2.27
2,003	2.53
2,351	1.78
2,509	1.04
2,668	0.67
2,829	0.67
3,174	0.73
3,602	1.10
3,983	0.40
4,755	2.30
5,198	0.70
5,531	0.10
5,959	0.20
6,404	0.80
6,738	0.50

NM OIL CONSERVATION

ARTESIA DISTRICT

AUG 24 2015

RECEIVED

STATE OF TEXAS

COUNTY OF MIDLAND

BY: Dora Garcia

The foregoing instrument was acknowledged before me on
Dora Garcia on behalf of Patterson-UTi Drilling Company LLC.


7/30/15

, by

Amber Elizabeth Carr

Notary Public for Midland County, Texas

My Commission Expires:





NM OIL CONSERVATION

ARTESIA DISTRICT

AUG 24 2015

RECEIVED

Mewbourne Oil Company

Eddy County, NM

Glock 16 B2AD FED No. 1H

No. 1H

Original Hole

Design: Original Hole

EOW Report

30 April, 2015



MEWBOURNE
OIL COMPANY



Mewbourne Oil Company
 Project: Eddy County, NM
 Site: Glock 16 B2AD FED No. 1H
 Well: No. 1H
 Wellbore: Original Hole
 Design: Plan #3
 Lat: 32° 34' 41.354 N
 Long: 104° 4' 16.026 W
 Pad GL: 3286.00
 KB: WELL @ 3306.00usft (Original Well Elev)




SECTION DETAILS									
MD	Inc	Azi	TVD	+N-S	+E-W	Dleg	TFace	Vsect	
7227.00	0.89	6.69	7221.44	29.36	114.52	0.00	0.00	-114.63	
7413.23	0.89	6.69	7407.65	32.23	114.85	0.00	0.00	-114.98	
8167.33	90.38	269.33	7886.00	34.03	-365.82	12.00	-97.35	365.68	
12705.62	90.38	269.33	7856.00	-19.04	-4903.70	0.00	0.00	4903.74	

WELL DETAILS: No. 1H									
+N-S	+E-W	Northing	Ground Level:	3286.00	Latitude	Longitude			
0.00	0.00	574143.70	Easting	580771.20	32° 34' 41.354 N	104° 4' 16.026 W			


DESIGN TARGET DETAILS									
Name	TVD	+N-S	+E-W	Northing	Easting	Latitude	Longitude		
Glock 16 No. 1H TD/PBHL	7856.00	-19.04	-4903.70	574124.68	575867.50	32° 34' 41.282 N	104° 5' 13.336 W		

PROJECT DETAILS: Eddy County, NM
 Geodetic System: US State Plane 1927 (Exact solution)
 Datum: NAD 1927 (NADCON CONUS)
 Ellipsoid: Clarke 1866
 Zone: New Mexico East 3001
 System Datum: Mean Sea Level

Azimuths to Grid North
 True North: -0.14°
 Magnetic North: 7.24°
 Magnetic Field
 Strength: 48398.5nT
 Dip Angle: 60.34°
 Date: 03/25/2015
 Model: IGRF2010



NOTE: All Lease lines and Hard lines are estimates only and are subject to the customers' approval.



Plan: Plan #3 (No. 1H/Original Hole)
 Created By: Chris LeMaster Date: 13:42, April 30 2015



INWELL LLC
EOW Report



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well No. 1H
Project:	Eddy County, NM	TVD Reference:	WELL @ 3306.00usft (Original Well Elev)
Site:	Glock 16 B2AD FED No. 1H	MD Reference:	WELL @ 3306.00usft (Original Well Elev)
Well:	No. 1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	Inwell D

Project	Eddy County, NM		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Glock 16 B2AD FED No. 1H		
Site Position:		Northing:	574,143.70 usft
From:	Map	Easting:	580,771.20 usft
Position Uncertainty:	3.30 usft	Slot Radius:	13-3/16"
		Latitude:	32° 34' 41.354 N
		Longitude:	104° 4' 16.026 W
		Grid Convergence:	0.14 °

Well	No. 1H		
Well Position	+N/-S	0.00 usft	Northing:
	+E/-W	0.00 usft	Easting:
Position Uncertainty	0.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 34' 41.354 N
		Longitude:	104° 4' 16.026 W
		Ground Level:	3,286.00 usft

Wellbore	Original Hole		
Magnetics	Model Name	Sample Date	Declination
			(°)
	IGRF2010	03/25/15	7.38
			Dip Angle
			(°)
			60.34
			Field Strength
			(nT)
			48,399

Design	Original Hole		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.00
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(usft)	(usft)	(usft)
	0.00	0.00	0.00
			Direction
			(°)
			269.78

Survey Program	Date	04/29/15		
From	To	Survey (Wellbore)	Tool Name	Description
(usft)	(usft)			
100.00	7,227.00	Gyro (Original Hole)	CB-GYRO-MS	Camera based gyro multishot
7,288.00	12,690.00	MWD (Original Hole)	MWD	MWD - Standard

Survey							
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	Build (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.17	92.45	100.00	-0.01	0.15	-0.15	0.17
200.00	0.64	88.48	200.00	0.00	0.85	-0.85	0.47
300.00	2.17	98.65	299.96	-0.27	3.28	-3.28	1.53
400.00	4.94	101.80	399.76	-1.43	9.37	-9.37	2.77
500.00	6.24	103.58	499.28	-3.59	18.87	-18.86	1.30
600.00	6.31	102.57	598.69	-6.06	29.52	-29.49	0.07
700.00	6.14	101.37	698.10	-8.31	40.12	-40.09	-0.17
800.00	5.67	97.38	797.57	-10.00	50.27	-50.23	-0.47
900.00	5.69	96.34	897.07	-11.18	60.09	-60.05	0.02
1,000.00	5.65	95.20	996.59	-12.18	69.92	-69.87	-0.04

**INWELL LLC**

EOW Report



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well No. 1H
Project:	Eddy County, NM	TVD Reference:	WELL @ 3306.00usft (Original Well Elev)
Site:	Glock 16 B2AD FED No. 1H	MD Reference:	WELL @ 3306.00usft (Original Well Elev)
Well:	No. 1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	Inwell D

Survey								
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	Build (%/100usft)	
1,100.00	5.11	91.40	1,096.14	-12.73	79.28	-79.23	-0.54	
1,200.00	4.16	79.14	1,195.82	-12.16	87.29	-87.24	-0.95	
1,300.00	3.58	60.26	1,295.59	-9.92	93.56	-93.52	-0.58	
1,400.00	3.24	46.43	1,395.42	-6.43	98.32	-98.30	-0.34	
1,500.00	2.64	38.18	1,495.29	-2.67	101.79	-101.78	-0.60	
1,600.00	2.38	37.97	1,595.19	0.78	104.49	-104.50	-0.26	
1,700.00	1.97	38.01	1,695.12	3.77	106.83	-106.84	-0.41	
1,800.00	2.13	41.40	1,795.05	6.52	109.12	-109.14	0.16	
1,900.00	2.24	39.51	1,894.98	9.42	111.59	-111.62	0.11	
2,000.00	2.44	46.63	1,994.90	12.39	114.38	-114.43	0.20	
2,100.00	2.38	49.63	2,094.81	15.19	117.51	-117.57	-0.06	
2,200.00	2.19	49.47	2,194.73	17.78	120.54	-120.61	-0.19	
2,300.00	1.81	33.98	2,294.67	20.33	122.88	-122.96	-0.38	
2,400.00	1.39	32.62	2,394.63	22.66	124.41	-124.50	-0.42	
2,500.00	0.89	36.18	2,494.61	24.31	125.53	-125.62	-0.50	
2,600.00	0.31	344.76	2,594.61	25.20	125.91	-126.01	-0.58	
2,700.00	0.44	348.21	2,694.60	25.84	125.76	-125.86	0.13	
2,800.00	0.42	358.00	2,794.60	26.58	125.67	-125.77	-0.02	
2,900.00	0.26	14.49	2,894.60	27.16	125.72	-125.82	-0.16	
3,000.00	0.22	327.58	2,994.60	27.55	125.67	-125.78	-0.04	
3,100.00	0.34	13.93	3,094.60	28.00	125.64	-125.75	0.12	
3,200.00	0.18	75.39	3,194.60	28.32	125.86	-125.97	-0.16	
3,300.00	0.24	108.95	3,294.60	28.30	126.21	-126.32	0.06	
3,400.00	0.02	311.47	3,394.60	28.24	126.40	-126.51	-0.22	
3,500.00	0.41	74.71	3,494.59	28.35	126.73	-126.84	0.39	
3,600.00	0.42	103.85	3,594.59	28.35	127.43	-127.54	0.01	
3,700.00	0.18	76.52	3,694.59	28.30	127.94	-128.05	-0.24	
3,800.00	0.44	73.74	3,794.59	28.44	128.46	-128.57	0.26	
3,900.00	0.23	70.14	3,894.59	28.62	129.02	-129.13	-0.21	
4,000.00	0.45	59.55	3,994.59	28.89	129.55	-129.66	0.22	
4,100.00	0.17	92.40	4,094.58	29.08	130.03	-130.14	-0.28	
4,200.00	0.34	56.99	4,194.58	29.24	130.43	-130.54	0.17	
4,300.00	0.06	271.85	4,294.58	29.40	130.63	-130.74	-0.28	
4,400.00	0.12	190.82	4,394.58	29.30	130.55	-130.67	0.06	
4,500.00	0.17	275.16	4,494.58	29.21	130.39	-130.50	0.05	
4,600.00	0.46	295.54	4,594.58	29.39	129.88	-129.99	0.29	
4,700.00	0.46	273.11	4,694.58	29.59	129.11	-129.23	0.00	
4,800.00	0.47	305.36	4,794.57	29.85	128.38	-128.49	0.01	
4,900.00	0.63	274.26	4,894.57	30.13	127.50	-127.61	0.16	
5,000.00	0.49	252.17	4,994.57	30.04	126.54	-126.66	-0.14	
5,100.00	0.67	272.26	5,094.56	29.93	125.55	-125.66	0.18	
5,200.00	0.88	259.02	5,194.55	29.81	124.21	-124.32	0.21	
5,300.00	0.89	246.15	5,294.54	29.35	122.75	-122.86	0.01	
5,400.00	0.28	230.79	5,394.53	28.88	121.85	-121.96	-0.61	



INWELL LLC
EOW Report



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well No. 1H
Project:	Eddy County, NM	TVD Reference:	WELL @ 3306.00usft (Original Well Elev)
Site:	Glock 16 B2AD FED No. 1H	MD Reference:	WELL @ 3306.00usft (Original Well Elev)
Well:	No. 1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	Inwell D

Survey							
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	Build (°/100usft)
5,500.00	0.52	241.24	5,494.53	28.50	121.26	-121.37	0.24
5,600.00	0.41	225.63	5,594.53	28.04	120.61	-120.71	-0.11
5,700.00	0.39	221.20	5,694.53	27.53	120.13	-120.23	-0.02
5,800.00	0.44	207.31	5,794.52	26.93	119.73	-119.83	0.05
5,900.00	0.11	124.29	5,894.52	26.54	119.63	-119.73	-0.33
6,000.00	0.32	205.72	5,994.52	26.23	119.59	-119.69	0.21
6,100.00	0.35	174.84	6,094.52	25.68	119.49	-119.59	0.03
6,200.00	0.45	267.43	6,194.52	25.35	119.13	-119.23	0.10
6,300.00	0.86	251.36	6,294.51	25.10	118.03	-118.12	0.41
6,400.00	1.03	238.47	6,394.50	24.39	116.55	-116.64	0.17
6,500.00	0.87	240.74	6,494.48	23.55	115.12	-115.21	-0.16
6,600.00	0.43	292.75	6,594.48	23.32	114.11	-114.20	-0.44
6,700.00	0.45	340.54	6,694.48	23.83	113.63	-113.73	0.02
6,800.00	0.50	24.75	6,794.47	24.60	113.69	-113.78	0.05
6,900.00	0.60	20.55	6,894.47	25.49	114.05	-114.15	0.10
7,000.00	0.65	354.62	6,994.46	26.54	114.18	-114.28	0.05
7,100.00	0.65	11.96	7,094.46	27.66	114.25	-114.35	0.00
7,200.00	0.85	7.73	7,194.45	28.95	114.47	-114.58	0.20
7,227.00	0.89	6.69	7,221.44	29.36	114.52	-114.63	0.15
7,288.00	0.80	26.30	7,282.44	30.21	114.76	-114.88	-0.15
7,319.00	0.70	338.00	7,313.44	30.58	114.79	-114.90	-0.32
7,351.00	4.60	278.60	7,345.40	30.95	113.44	-113.56	12.19
7,383.00	9.50	275.70	7,377.15	31.41	109.54	-109.66	15.31
7,415.00	14.30	274.30	7,408.45	31.97	102.97	-103.09	15.00
7,446.00	15.60	271.30	7,438.40	32.35	94.99	-95.11	4.19
7,478.00	16.00	274.80	7,469.19	32.82	86.29	-86.42	1.25
7,510.00	17.40	267.10	7,499.84	32.94	77.12	-77.24	4.37
7,542.00	18.90	262.50	7,530.25	32.02	67.20	-67.32	4.69
7,573.00	18.70	259.60	7,559.60	30.47	57.33	-57.45	-0.65
7,605.00	20.90	254.60	7,589.71	28.03	46.78	-46.89	6.87
7,637.00	24.40	257.00	7,619.24	25.03	34.83	-34.93	10.94
7,668.00	27.30	260.90	7,647.13	22.46	21.57	-21.66	9.35
7,700.00	30.50	265.50	7,675.15	20.66	6.22	-6.30	10.00
7,732.00	34.20	267.50	7,702.18	19.63	-10.86	10.79	11.56
7,764.00	38.20	265.20	7,728.00	18.41	-29.72	29.65	12.50
7,795.00	41.50	265.90	7,751.79	16.87	-49.52	49.45	10.65
7,822.00	45.10	266.90	7,771.44	15.72	-68.00	67.93	13.33
7,854.00	49.80	268.30	7,793.07	14.74	-91.54	91.48	14.69
7,886.00	54.70	269.50	7,812.66	14.26	-116.83	116.77	15.31
7,917.00	60.40	269.80	7,829.29	14.11	-142.98	142.92	18.39
7,949.00	66.40	268.70	7,843.61	13.73	-171.58	171.52	18.75
7,981.00	70.60	269.40	7,855.33	13.23	-201.34	201.29	13.12
8,012.00	74.10	269.60	7,864.73	12.98	-230.87	230.82	11.29
8,044.00	77.80	272.60	7,872.50	13.58	-261.90	261.85	11.56
8,076.00	81.70	276.40	7,878.20	16.06	-293.28	293.22	12.19



INWELL LLC

EOW Report



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well No. 1H
Project:	Eddy County, NM	TVD Reference:	WELL @ 3306.00usft (Original Well Elev)
Site:	Glock 16 B2AD FED No. 1H	MD Reference:	WELL @ 3306.00usft (Original Well Elev)
Well:	No. 1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	Inwell D

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	Build (°/100usft)
8,105.00	85.20	278.30	7,881.50	19.74	-321.85	321.77	12.07
8,179.00	93.20	280.00	7,882.54	31.50	-394.84	394.71	10.81
8,210.00	93.40	273.90	7,880.75	35.24	-425.54	425.40	0.65
8,242.00	93.20	272.40	7,878.91	37.00	-457.44	457.30	-0.62
8,274.00	91.60	271.10	7,877.57	37.97	-489.40	489.25	-5.00
8,305.00	90.70	270.90	7,876.94	38.52	-520.39	520.23	-2.90
8,337.00	90.20	270.20	7,876.69	38.82	-552.38	552.23	-1.56
8,368.00	88.30	269.00	7,877.10	38.61	-583.38	583.22	-6.13
8,400.00	88.20	268.60	7,878.08	37.94	-615.35	615.20	-0.31
8,432.00	88.30	268.30	7,879.05	37.07	-647.33	647.18	0.31
8,463.00	88.40	268.00	7,879.95	36.07	-678.30	678.16	0.32
8,495.00	88.80	267.70	7,880.73	34.87	-710.27	710.13	1.25
8,527.00	86.80	266.30	7,881.96	33.20	-742.20	742.06	-6.25
8,558.00	86.90	265.90	7,883.66	31.09	-773.08	772.95	0.32
8,590.00	86.90	265.70	7,885.39	28.75	-804.95	804.83	0.00
8,621.00	87.40	266.10	7,886.93	26.54	-835.83	835.72	1.61
8,653.00	87.80	266.30	7,888.27	24.42	-867.73	867.63	1.25
8,716.00	88.60	266.20	7,890.25	20.30	-930.56	930.48	1.27
8,779.00	89.20	265.90	7,891.46	15.96	-993.40	993.33	0.95
8,843.00	89.70	265.50	7,892.07	11.16	-1,057.22	1,057.17	0.78
8,906.00	89.40	265.90	7,892.57	6.44	-1,120.04	1,120.01	-0.48
8,969.00	90.40	265.60	7,892.68	1.77	-1,182.86	1,182.85	1.59
9,033.00	91.70	265.70	7,891.51	-3.08	-1,246.67	1,246.67	2.03
9,096.00	91.90	265.80	7,889.53	-7.75	-1,309.46	1,309.48	0.32
9,159.00	91.60	265.80	7,887.60	-12.36	-1,372.27	1,372.30	-0.48
9,222.00	91.20	265.70	7,886.06	-17.03	-1,435.07	1,435.13	-0.63
9,286.00	91.20	265.50	7,884.72	-21.94	-1,498.87	1,498.94	0.00
9,349.00	91.20	266.10	7,883.40	-26.55	-1,561.69	1,561.78	0.00
9,412.00	90.60	266.20	7,882.42	-30.78	-1,624.54	1,624.64	-0.95
9,475.00	90.70	266.10	7,881.70	-35.01	-1,687.39	1,687.51	0.16
9,537.00	91.00	266.60	7,880.78	-38.96	-1,749.26	1,749.39	0.48
9,600.00	90.60	269.20	7,879.90	-41.26	-1,812.20	1,812.35	-0.63
9,664.00	88.30	271.90	7,880.52	-40.65	-1,876.19	1,876.33	-3.59
9,727.00	88.00	272.10	7,882.55	-38.45	-1,939.12	1,939.25	-0.48
9,790.00	88.60	272.00	7,884.42	-36.20	-2,002.05	2,002.17	0.95
9,853.00	89.10	272.20	7,885.68	-33.89	-2,064.99	2,065.11	0.79
9,917.00	88.90	271.80	7,886.80	-31.66	-2,128.94	2,129.05	-0.31
9,980.00	88.50	272.90	7,888.23	-29.08	-2,191.87	2,191.97	-0.63
10,043.00	84.80	273.50	7,891.91	-25.57	-2,254.66	2,254.74	-5.87
10,107.00	88.50	272.50	7,895.65	-22.22	-2,318.45	2,318.52	5.78
10,170.00	88.70	272.60	7,897.19	-19.42	-2,381.37	2,381.42	0.32
10,233.00	89.60	273.10	7,898.12	-16.29	-2,444.28	2,444.33	1.43
10,297.00	90.90	273.10	7,897.84	-12.83	-2,508.19	2,508.22	2.03
10,360.00	91.00	273.10	7,896.80	-9.42	-2,571.08	2,571.10	0.16



INWELL LLC
EOW Report



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well No. 1H
Project:	Eddy County, NM	TVD Reference:	WELL @ 3306.00usft (Original Well Elev)
Site:	Glock 16 B2AD FED No. 1H	MD Reference:	WELL @ 3306.00usft (Original Well Elev)
Well:	No. 1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	Inwell D

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	Build (°/100usft)
10,423.00	90.60	272.80	7,895.92	-6.18	-2,634.00	2,634.00	-0.63
10,487.00	90.40	272.60	7,895.36	-3.17	-2,697.92	2,697.91	-0.31
10,550.00	90.80	272.40	7,894.70	-0.42	-2,760.86	2,760.84	0.63
10,613.00	90.90	272.60	7,893.77	2.33	-2,823.79	2,823.76	0.16
10,676.00	88.80	273.70	7,893.93	5.79	-2,886.69	2,886.65	-3.33
10,740.00	85.90	272.70	7,896.89	9.36	-2,950.52	2,950.46	-4.53
10,803.00	84.90	272.00	7,901.94	11.94	-3,013.26	3,013.19	-1.59
10,866.00	84.80	271.90	7,907.60	14.07	-3,075.97	3,075.89	-0.16
10,930.00	84.10	271.90	7,913.79	16.18	-3,139.63	3,139.55	-1.09
10,993.00	83.80	271.30	7,920.43	17.93	-3,202.26	3,202.16	-0.48
11,057.00	84.60	270.50	7,926.90	18.93	-3,265.92	3,265.82	1.25
11,120.00	85.60	269.30	7,932.28	18.82	-3,328.69	3,328.59	1.59
11,183.00	86.80	269.20	7,936.45	18.00	-3,391.54	3,391.45	1.90
11,245.00	87.50	268.70	7,939.53	16.86	-3,453.46	3,453.36	1.13
11,309.00	88.90	267.80	7,941.54	14.91	-3,517.39	3,517.31	2.19
11,372.00	89.70	267.60	7,942.31	12.38	-3,580.34	3,580.26	1.27
11,435.00	89.50	268.00	7,942.75	9.96	-3,643.29	3,643.22	-0.32
11,498.00	89.10	267.30	7,943.52	7.38	-3,706.23	3,706.17	-0.63
11,562.00	89.70	267.30	7,944.19	4.37	-3,770.15	3,770.11	0.94
11,625.00	89.50	267.00	7,944.63	1.23	-3,833.07	3,833.04	-0.32
11,688.00	89.00	266.60	7,945.46	-2.28	-3,895.97	3,895.95	-0.79
11,751.00	89.70	266.30	7,946.17	-6.18	-3,958.85	3,958.84	1.11
11,815.00	90.20	265.70	7,946.23	-10.65	-4,022.69	4,022.70	0.78
11,878.00	91.10	265.20	7,945.51	-15.64	-4,085.49	4,085.52	1.43
11,941.00	91.40	265.10	7,944.14	-20.97	-4,148.24	4,148.29	0.48
12,005.00	90.80	265.40	7,942.91	-26.27	-4,212.01	4,212.08	-0.94
12,068.00	90.20	265.70	7,942.36	-31.16	-4,274.82	4,274.91	-0.95
12,131.00	89.40	266.10	7,942.58	-35.66	-4,337.66	4,337.76	-1.27
12,195.00	88.60	265.60	7,943.70	-40.29	-4,401.48	4,401.60	-1.25
12,258.00	87.70	265.40	7,945.73	-45.23	-4,464.25	4,464.39	-1.43
12,321.00	88.70	266.30	7,947.71	-49.79	-4,527.05	4,527.21	1.59
12,385.00	89.00	268.70	7,949.00	-52.58	-4,590.98	4,591.14	0.47
12,448.00	89.50	270.10	7,949.82	-53.24	-4,653.97	4,654.14	0.79
12,511.00	88.20	270.10	7,951.09	-53.13	-4,716.95	4,717.12	-2.06
12,575.00	88.60	270.10	7,952.87	-53.02	-4,780.93	4,781.09	0.62
12,629.00	89.20	270.20	7,953.91	-52.88	-4,834.92	4,835.08	1.11
12,690.00	89.20	270.20	7,954.76	-52.66	-4,895.91	4,896.08	0.00



INWELL LLC
EOW Report



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well No. 1H
Project:	Eddy County, NM	TVD Reference:	WELL @ 3306.00usft (Original Well Elev)
Site:	Glock 16 B2AD FED No. 1H	MD Reference:	WELL @ 3306.00usft (Original Well Elev)
Well:	No. 1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	Inwell D

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
12,629.00	7,953.91	-52.88	-4,834.92	Last Survey: 12629' MD 7953.91' TVD
12,690.00	7,954.76	-52.66	-4,895.91	TD Projected To MD: 12690'

Checked By: _____ Approved By: _____ Date: _____