N.M. Oil Cons. DIV-Dist. 2

Form 3160-5 (April 2004)

FORM APPROVED

UNITED STATES 307 VV.	Grand Avenue	
DEPARTMENT OF THE INTERIOR:	ALCOO ANIA	

I 1	DEPARTMENT OF THE BUREAU OF LAND MANA	INTERIOSIA. NM	88210	Expires: March 31, 2007		
	NOTICES AND REP			Serial No. - 029419A		
Do not use th	his form for proposals to ell. Use Form 3160-3 (A	o drill or to re-enter a	1	ndian, Allottee or Tribe Name		
SUBMIT IN TR	IPLICATE- Other instr	uctions on rev த்தர ு	18/ED	nit or CA/Agreement, Name and/or No.		
1. Type of Well Oil Well	Gas Well Other	OCT 2	7 2005 8. We	II Name and No.		
2. Name of Operator The Wiser O	oil Company	09D:M	1 58 AF	V Well No.		
Ba Address 3 3504 West County Road Hobbs, New Mexico 88240		3b. Phone No. (include area code) 505 392-9797 10.		30-015-05345 Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				Grayburg Jackson		
1980' FSL & 1980' FEL Sec. 22-T17S-R31E Unit J 11. County or Parish, State Eddy County, New Mexico						
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, REPORT.	OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF	ACTION			
Notice of Intent	Acidize Alter Casing	– , – –	Production (Start/Resum Reclamation	e) Water Shut-Off Well Integrity		
Subsequent Report	Casing Repair		Recomplete	Other Repair packer		
Final Abandonment Notice	Change Plans		emporarily Abandon			
Final Abandonment Notice	Convert to Injection	Plug Back\	Water Disposal			
following completion of the in testing has been completed. F determined that the site is read 7/18/05 MIRU unit. ND 7/19/05 Pressured annulu w/RBP & pkr. S. 2349'. Pumped 4 7/20/05 Poured 2 sx. sand retainer @ 2217'. bbl. cement to pit 7/21/05 RIH w/bit & DC 7/22/05 RU reverse unit. 7/25/05 Drilled cement to sand off RBP. La 7/26/05 POH & LD tbg. BOP. NU WH. 1	wolved operations. If the operation in Abandonment Notices shall be y for final inspection.) WH. NU BOP. Release pkr. It us to 500 PSI. Would not hold et RBP @ 2945' & pkr. @ 2942' bbls. @ 1.8 BPM 500 PSI. POI down csg. RIH w/cement rets. Squeezed leak 2319'-2349' w/t. POH w/tbg. 's on 2-3/8" tbg. Tagged cement publication out retainer & cement point 2407'. Pressure csg. to 400 PSI atched onto RBP & released. PRIH & set pkr. @ 2973'. Teste Pressure annulus to 400 PSI. He by Nick Jimenz with Gandy O	results in a multiple completion of filed only after all requirements, in POH w/2-3/8" IPC tbg. LD p Released pkr. LD 1 jt. Resett. Tested RBP to 1000 PSI. The LD pkr. Siner on 2-3/8" tbg. RU BJ S 100 sx. Class "C" cement to the retainner @ 2217'. to 2305'. Circulate hole cleases. Held ok f/30 mins. POH w/17 jts. tbg. ed annulus to 400 PSI. Held ok RD unit.	recompletion in a new including reclamation, have the held of the results. Held ok. Tested esg. vervices & pumped 10 (500 PSI. Held ok. Sin. verby, LD DC's. RIH ok. Released pkr. Cir	terval, a Form 3160-4 shall be filed once to been completed, and the operator has Test tbg. to 3000 PSI, Held ok. RD. Release pkr. & POH. LD pkr. RIH w/pkr. & found leak between 2319' & bbls. through cement retainer. Set ung out of retainer. Reversed out 3/4 w/retrieving head on tbg. Washed coulate pkr. fluid. Reset pkr. ND Copy of chart attached. Original		
		M. MMOCD		ACCEPTED FOR RECORD		
14. I hereby certify that the fore Name (Printed/Typed)	egoing is true and correct	With Min.				
Mary Jo Turner	r	Title Product	ion Analyst	OCT 2 4 2335		
Signature Mary Go Tu			n 12, 2005	ALEXIS C. SWOBODA		
	THIS SPACE FOR	FEDERAL OR STATI	OFFICE USE	PETROLEUM ENGINEER		
Approved by	. 	Title		Date		
	attached. Approval of this notice al or equitable title to those rights i	male contributed				
which would entitle the applicant to		n the subject lease Office				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to anymatter within its jurisdiction.

